[METRIC]

A-A-559A
December 08, 1993
SUPERSEDING
A-A-559
September 9, 1981

COMMERCIAL ITEM DESCRIPTION

SCALE, MEASURING, TYPIST'S

The General Services Administration has authorized the use of this Commercial Item Description, for all Federal agencies.

1. SCOPE

1.1 Scope. This description covers typist's metal measuring scales for use as erasing guards, line guides, rulers, typewriter measures and file- punch gages.

1.2 Classification.

TYPE 1 - Elite
TYPE 2 - Pica

2. Salient characteristics:

A. The scale shall be aluminum alloy.

B. The scale shall be a minimum 0.064cm (0.0253 inch) and a maximum 0.089cm (0.035 inch) thick.

Beneficial comments, recommendations, additions, deletions, clarification, etc. and any data which may improve this document should be sent to:

General Services Administration
Engineering Branch (2FYEE), Rm. 20-130
26 Federal Plaza
New York, NY 10278

FSC 7510

DISTRIBUTION STATEMENT A: Approved for public release: distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

C. The scale shall be a minimum of 20.32cm (8 - inches), and a maximum 22.86cm (9 - inches) long, excluding the file-punch gage aperture.

D. The scale shall be curved in the general shape of a typewriter platen.

E. The scale shall be constructed so that it can be inserted easily from the side of the typewriter in a manner to prevent carbon(s) from smudging the copy when the scale is used as an erasing guard and other purposes as applicable.

F. The scale shall have vertical and horizontal typewriter scales.

G. The scale shall have clear, sharp and legible graduations and markings The graduations and markings shall be applied in accordance with norma commercial practice.

H. The scale shall be provided with a file-punch gage aperture.

I. The upper edge and lower edge of the scale face shall be marked with graduations. The upper edge shall be elite 12 spaces per 2.54 cm (12 spaces per inch) or pica 10 spaces per 2.54 cm (10 spaces per inch) typewriter character spaces in inches, as applicable. The lower edge shall be elite 6 spaces per cm (6 spaces per inch) or pica 6 spaces per 2.54 cm (6 spaces per inch), single-space typewriter lines, as applicable.

J. The scales shall be clearly marked, either on the face of the scale or the file-punch gage aperture, to identify the type of scale, " Elite" or " Pica ", as applicable.

K. The scales' surface that has the graduations, shall be finished with a protective epoxy coating on the entire surface of the scale and aperture facing.

L. The scales shall be marked with the manufacturer's name or trademark, in accordance with normal commercial practice.

M. Workmanship. The scales shall be free from stains, buckles, blisters, grease, sharp edges, bent or broken aperture, or any other imperfections which will affect the scales' appearance and/or serviceability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

otherwise provided for under the provisions of the contract.

3. Quality Assurance

A. Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the government. The Government reserves the right to perform any of the inspections set forth in the Commercial Item Description, where such inspections are deemed necessary to assure that supplies and services conform to the prescribed requirements.

B. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specification, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

C. Each lot of scales shall be inspected for conformance to the requirements herein. Sampling for inspection shall be in accordance with MIL-STD-105 using the plans specified below.

D. Visual characteristics - Inspection Level S-2 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one scale.

E. Dimensional characteristics - Inspection Level S-2 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one scale.

4. Preparation for delivery

Preservation, packing and marking shall be as specified in the contract or purchase order.

5. Regulatory Requirements

"The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

6. Application for copies of technical documents referenced herein:

The issue date in effect on date of invitation for bids or request for proposal shall apply.

A. Military Specifications:

MIL-STD-105 - Sampling Procedures and Table for Inspection by Attributes

Available from: Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094

B. Public Law
Public Law 94-580, Resource Conservation and Recovery Act, is part of U.S. Code, Title 42. Available from the Congressional Sales Office, U.S. Government Printing Office, Washington, D.C. 20402.

7. Notes

A. Ordering Data

Purchasers should specify the following in procurement documents:

(1) Type and Class.
(2) Dimensions.
(3) Color.
(4) Packaging, packing and marking.

B. Item Identifiers/Reference Part Number System (For Cataloging Use Only)

AA559 - 1 : This example describes a SCALE, MEASURING, TYPIST'S Type 1, Elite

Type 1 - Elite
2 - Pica

No Official DOD Interest
Has Been Registered

Preparing Activity:
GSA/FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.