DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. TITLE	2. IDENTIFICATION NUMBER
Standard Contract Data for Input to Special Tooling/Special Test Equipment (ST/STE) Management System (D200J)	DI-MISC-81386A

3. DESCRIPTION / PURPOSE

3.1 The data tape identifies ST/STE utilized, acquired, fabricated, or stored under government contract which is being retained for future spare acquisition and crash damage.

3.2 The data tape will be used to establish ST/STE records in the ST/STE management system.

4. APPROVAL DATE (YYMMDD)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
941114	F/SA-ALC-FMIP		

7. APPLICATION / INTERRELATIONSHIP

7.1 This DID contains format and content preparation instructions for the data product generated by specific and discrete task requirements as delineated in the contract.

7.2 This DID supersedes DI-MISC-81386.

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC NUMBER
		F7067

10. PREPARATION INSTRUCTIONS

10.1 Format. Data shall be formatted on 9 track magnetic tape with 6250 bit-per-inch destiny, 220 character records, 18 records per block ASCII and ANSI standard label JSTE200 for direct input to the ST/STE management system (D200J).

10.2 Content. Data shall include all utilized, acquired, fabricated, or stored ST/STE identified for retention, chargeable to a contract, and located at prime, vendor, or subcontractor facilities. The information described in Table I is required for each item of ST/STE identified for retention. Table II describes the retention category codes.

TABLE I. Data tape input

Data Field	Information	Card Column	Remarks
(1)	A	1	Constant
(2)	Submitter	2	Constant Code H

(Continued on page 2)

11. DISTRIBUTION

Distribution Statement A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE I. Data tape input - Continued

		for OC-ALC, Code G for OO-ALC, Code P for SA-ALC, Code F for SM-ALC, Code L for WR-ALC.
(3) Julian Date	3-7	Julian date when tape is prepared.
(4) System Code	10-11	Code for system on which ST/STE is predominantly used (Identified on DD Form 1423-1, Contract Data Requirements List).
(5) Manufacturer's Tool Identification Number	13-34	Tool identification number of ST/STE item.
(6) Tool Code	42-49	Manufacturer's tool code of ST/STE item.
(7) Contract Number	51-64	Contract on which ST/STE is being stored or utilized (Identified on DD Form 1423-1, Contract Data Requirements List).
(8) Contract Amendment Number	66-71	Amendment number to the current contract.
(9) Manufacturer's Part Number	73-104	Part number of component which ST/STE manufactures or tests.
(10) FSCM	106-110	Federal Supply Code for Manufacturer.
1/(11) Component NSN	111-125	NSN of component which ST/STE manufactures or tests.
1/(12) Next Higher Assembly NSN	127-141	NSN of next higher assembly of component.
1/(13) Highest Assembly NSN	143-157	NSN of highest assembly of component.

Source: https://assist.dla.mil -- Downloaded: 202610-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE I. Data tape input - Continued

(14) Tool Quantity	159-160	Units of tool which is identified by data fields 5, 6, & 10.
(15) Condition Code	162-163	Federal Condition Code of ST/STE See Table III.
(16) Retention Category	165-166	Reason why the Tool Code is being retained. See Table II for retention codes.
(17) Utilization Codes	167	"S" means in storage or "U" means utilized on contract.
(18) Location Code	169-170	Code assigned to contractor storing or utilizing ST/STE (Identified on DD Form 1423-1, Contract Data Requirements List).
(19) Storage Method	172	Storage method. See Table IV for codes.
(20) Tool Cost	174-180	Tool acquisition cost in whole numbers.
(21) Size	182-187	Cubic feet of ST/STE item in whole numbers.
(22) Weight	189-195	Weight of ST/STE item in pounds in whole numbers.

1/For those item of ST/STE which are being retained but which cannot be identified to a component, next higher assembly, or highest assembly NSN, enter the following D200.J pseudo NSN:

Position 1-4, submitter code (Example: "PPPP"). Position 5-13, 1st nine numeric of part number, excluding dashes (must be numeric). Position 14-15, leave blank.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE II. Retention category table

Code	Description
1	Assembly tooling required for manufacture of the end product but not required for production of spare parts. Those items having no post production need except for potential modification or resumed production programs.
	Critical Tooling essential to fabricate spare parts and assemblies even at a minimum production rate. This would include basic forming tools and tooling for special processes. Tools within this category are to be further identified as:
2A	Spares Tooling required to produce a provisioned spare part or assembly.
2B	Judgment (insurance) fabrication tools for parts that are not provisioned spares but which in the judgment of the contractor will be required at some time for logistics support of the end item.
2C	Support Tooling, of secondary importance, necessary to economically produce at increased rates but not essential for parts fabrication at low production rates.
3	Repair Tooling capable of being used for repair of "P" coded recoverable (repairable) parts or assemblies.
4	Maintenance Tooling capable of being used for contractual or organic programmed depot maintenance of the applicable system or components.
5	Replaceable Tooling meeting the criteria under retention codes 2A or 2B which, in the opinion of the contractor, can be effectively and economically replaced by "soft" tooling on an as required basis in lieu of retention of the "hard" production for post production requirements.
6	Special measuring items such as gauges.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE III. Federal condition code of ST/STE

A1	Serviceable, Unused
A4	Serviceable, Used - Good
A5	Serviceable, Used - Fair
F7	Unserviceable, Reparable to 15% of Cost
F8	Unserviceable, Reparable to 16-40% of Cost
HS	Unserviceable, Condemned

TABLE IV. Storage method

1	Inside Humid/Temp Control
2	Inside Humid Control
3	Inside Temp Control
4	Inside
5	Outside Covered
6	Outside
7	Classified

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:46Z
Check the source to verify that this is the current version before use.