DATA ITEM DESCRIPTION
Title: CONTRACTOR OPERATION AND MAINTENANCE OF SIMULATORS/EQUIPMENT MANAGEMENT STATUS REPORT

Number: DI-MISC-81392A
AMSC Number: N10061
DTIC Applicable: No
Preparing Activity: AS
Applicable Forms: N/A

Approval Date: 20190807
Limitation: N/A
GIDEP Applicable: No
Project Number: MISC-2019-006

Use/Relationship: The Contractor Operation and Maintenance of Simulators/Equipment (COMS/E) Management Status Report provides management information, which summarizes contractor performance, utilization of manpower, maintenance actions taken, actual consumables, and class statistics. The information will be used for compliance with COMS/E maintenance contracts.

This Data Item Description (DID) contains the format, content, and intended use information for the data product resulting from the work task described in the contract.

This DID supersedes DI-MISC-81392.

Requirements:

1. Reference Documents. None

2. Format. The report shall be in the contractor's format. A sample format for the COMS/Equipment Management Status Report is provided in Figure 1.

3. Content.

3.1.1 Contract number

3.1.2 Training Command where services are provided, including location

3.1.3 Name of Contractor

3.1.4 Type of report (daily or monthly)

3.1.5 Period report covers (day or month ending)

3.1.6 Report date

3.1.7 Title of project (i.e. COMS/E)

3.2 Preparation Instructions

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

3.2.1 Definition of all abbreviations and acronyms will be included as the last page of the report.

3.2.2 Distribution Statement A: Approved for public release; distribution is unlimited

3.2.3 The report will contain five sections. Section I addresses the operational status of each device. Section II addresses contractor performance, including major significant performance issues. Section III identifies contractor manpower and the utilization of that manpower. Section IV summarizes corrective maintenance actions, including relevant Mean Time to Repair (MTTR) and Mean Time Between Failure (MTBF) data. Section V summarizes consumable data for fire fighter training devices and class statistics.

3.2.3.1 Section I Device operations status. Summarizes the operational status of each device at a particular point in time. The data elements include:

3.2.3.1.1 Device number. Identify each device for which contractor has operations and maintenance responsibility. Minor devices, as designated by the Government, shall be aggregated as such

3.2.3.1.2 Status code. A one or two character alphanumeric code indicating the contractor's informed assessment of operational status of each device. The following codes need to be utilized:

A – 100% Available for Government Use
B – Less than 100% Available for Use

1 – In repair
2 – Under Test
3 – Modification (Mod #)
4 – Heating, Ventilation, & Air Conditioning (HVAC) Failure
5 – Power Failure
6 – Awaiting Parts
7 – Preventive Maintenance Schedule (PMS)
8 – Other

3.2.3.1.3 Comments. Enter a brief comment that is descriptive of the current operational status when such status is less than 100% available. This information shall be expanded in a Notes section, as identified in 3.2.3.1.4. Additionally, if a device was the subject of a Casualty Report (CASREP) for the reporting period, so indicate here with the message number associated with the CASREP.

3.2.3.1.4 Note. Notes include: the device affected; key information relating to its status; estimated return to service date (RSD); corrective action(s) taken or in process; major spares/repair parts replaced, including their source; status of CASREPs; and similar information. There shall be a note for each device in the report.

3.2.3.1.5 Scheduled. Indicate whether the device was scheduled for use (yes or no) at

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

the time the report was prepared.

3.2.3.1.6 Operating window. Indicate the operating window in which the device is either scheduled for use or normally scheduled for use.

3.2.3.2 Section II: Performance. Summarize contractor performance by device, identify significant actions undertaken by the contractor in report of the Government, identify major problem areas and planned courses of action, and identify any contractual issues that bear examination. The data elements include:

3.2.3.2.1 Device number. Identify each device for which contractor has operations and maintenance responsibility. Minor devices, as designated by the Government, shall be aggregated as such.

3.2.3.2.2 Number of schedules uses. Enter the number of uses by the Government, as scheduled by the Government scheduling authority. When a device is returned to the contractor for corrective maintenance prior to the conclusion of a scheduled use, the rescheduled use counts s an additional use for reporting purposes.

3.2.3.2.3 Current month operational performance factor (OPF). Enter the OPF, as calculated and provided by the responsible Government agent. If not available in time to meet the report deadline, indicate N/A on the report.

3.2.3.2.4 Current month preventive performance factor (PPF). Enter the PPF, as calculated and provided by the responsible Government agent. If not available in time to meet the report deadline, indicate N/A on the report.

3.2.3.2.5 Current month contractor performance factor (CPF). Enter the CPF, as calculated and provided by the responsible Government agent. If not available in time to meet the report deadline, indicate N/A on the report.

3.2.3.2.6 Note. Notes include the device affected; key information relating to contractor's performance on that device; significant actions undertaken by contractor in support of the Government; identification of major problem areas and planned courses of action; identification of any contractual issues that bear examination; and similar information. There is not necessarily a note for each device.

3.2.3.3 Section III: Manpower. Summarize the man hours expended by the contractor, by device, by skill type, and work statement requirement, for a fiscal year (October through the report date). The data elements include:

3.2.3.3.1 Personnel on-site. Identify the number of full time and part time personnel utilized in meeting its performance requirements. Only on-site personnel are to be counted. For determining whether the personnel are full time or part time, use the same guidelines used for reporting Social Security data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

3.2.3.3.2 Current month. Self-explanatory.

3.2.3.3.3 Previous month. Self-explanatory.

3.2.3.3.4 Year-to-date. The simple average of the number of personnel, whether full time or part time, from the beginning of the fiscal year.

3.2.3.3.5 Total man hours expended. Enter the total man-hours expended by all on-site personnel utilized by the contractor in meeting performance requirements. The totals reported shall include the current month, the previous month, and year-to-date totals.

3.2.3.3.6 Cumulative distribution of expended manpower. Report total man hours expended to date, by fiscal year, by device, by requirement, by skill type.

3.2.3.3.7 Fiscal year. The year beginning 1 October.

3.2.3.3.8 Device number. Identify each device for which the contractor has operations and maintenance responsibility, whether or not time was actually expended by the contractor to support the device for the reporting period.

3.2.3.3.9 Requirement. Categorize the hours expended by the appropriate work statement requirement category. The categories are as follows:

Mobilization Ops & Maintenance:
Operations
Corrective
Preventive
Standby
Software (SW) Maintenance
Maintenance-Other
Modifications
Remove/Relocate

Modifications Remove/Relocate Documentation:
Verification
SW Library
Other

Supply Support:
Physical Inventory
Other
Records/Reports
Admin-Other
Transition

3.2.3.3.10 Skill type. Utilize the skill types referenced in the work statement as they

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

relate to on-site personnel.

3.2.3.4 Section IV: Maintenance actions. Summarize the corrective maintenance actions taken by the contractor, by the appropriate classification, for a fiscal year (October through the report date). The data elements include:

3.2.3.4.1 Corrective maintenance actions. Such actions will be classified as: On-Site—those that were corrected by on-site personnel; Corporate—those that were corrected by using contractor resources other than those located on-site; Other Vendor—the correction was completed by an organization legally distinct from the contractor, including brother, sister, and parent organizations; Other—not classifiable in the other categories.

3.2.3.4.2 Current month. Self-explanatory.

3.2.3.4.3 Previous month. Self-explanatory.

3.2.3.4.4 Year-to-date. The cumulative totals of the corrective maintenance actions to date from the beginning of the fiscal year.

3.2.3.4.5 Device MTTR and MTBF data. For each corrective maintenance action, the following data is reported by device:

3.2.3.4.5.1 Report period. Cumulative, by calendar year.

3.2.3.4.5.2 Major subsystem/assembly. Report by major subsystem or assembly, as identified in the Equipment Inventory Record (EIR), or work statement Major Equipment List. Trainer meter time shall be the standard for time measurements.

3.2.3.4.5.3 Time failed. Enter the date and time of the failure. This is used to compute MTTR and MTBF for the calendar year.

3.2.3.4.5.4 Time restored. Enter the date and time the device was restored to its operational level. This is used to compute MTTR and MTBF for the calendar year.

3.2.3.4.5.5 Time to repair. The number of days, in 0.1 hour increments, required to repair the device.

3.2.3.4.5.6 Last failure. Enter the date and time of the last failure prior to the current failure.

3.2.3.4.5.7 MTTR to date. Calculate the average MTTR to date. Express in number of days, in 0.1-hour increments, for the calendar year.

3.2.3.4.5.8 MTBF to date. Calculate the average MTBF to date. Express in number of days, in 0.1-hour increments, for the calendar year.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

3.2.3.5 Section V: Fire fighter consumables. Summarize the actual consumption of fire fighter training device consumables, by device, by month, for the fiscal year (October through the report date), and related class statistics. The data elements include:

3.2.3.5.1 Device number. Identify each fire fighter training device (FFTD) for which the contractor has operations and maintenance responsibility, whether or not the device was actually utilized during the reporting period.

3.2.3.5.2 Report month. The month for which consumable data are reported.

3.2.3.5.3 Commodity. List each consumable required to support the operation of the FFTD. Typical examples are included in Figure 1.

3.2.3.5.4 Unit. List the unit of consumption associated with each period for each identified commodity.

3.2.3.5.5 Beginning balance. The balance at the beginning of the reporting period for each identified commodity.

3.2.3.5.6 Units used. The consumption of each commodity for the reporting period.

3.2.3.5.7 Units purchased. The quantity of each commodity purchased during the reporting period.

3.2.3.5.8 Ending balance. The balance in inventory of each commodity at the end of the reporting period. Mathematically, this equals the beginning balance, less consumption, plus purchases.

3.2.3.5.9 Unit cost. The unit price the Government is to be charged for the consumed quantities.

3.2.3.5.10 Total cost. The total price the Government is to be charged for the consumed quantities. Mathematically, this is equal to the units used times the unit cost.

3.2.3.5.11 Total. The sum of the total costs for each commodity consumed.

3.2.3.5.12 Classes taught. The course identification number, as furnished by the Government, for the classes taught utilizing the FFTD.

3.2.3.5.13 Number taught. The number of classes taught, by course identification number, during the reporting period.

3.2.3.5.14 Students. The number of students taught, by course identification number, as provided by the Government, for the reporting period.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

3.2.3.5.15 Other consumption. List the quantity of Oxygen Breathing Apparatus (OBA) canisters consumed during the month, as well as the number of fire extinguishers refilled and replaced, by type (AFFF, CO2, PKP), for the reporting period.

FIGURE 1. EXAMPLE OF A MANAGEMENT STATUS REPORT

SECTION I: DEVICE OPERATIONAL STATUS

Device	Status	Comments/CASREP	Note	Sched	Operating Window
11G2 #9	B1		1	N	0600-1130, 1145-2000
11G3 #1	A		2	Y	0600-1130, 1145-2000
12D8 #5	B3	MOD IN PROGRESS	3	N	
14E28 #2	B6	12-JAN-90	4	N	0800-1600
15F6 #1	A		5	Y	0800-1600
20F15B/1	B1	P-222305Z	6	N	0800-1600
20F17 #1	B2		7	N	NOT SCHEDULED
MK-19	B4	HVAC LEAKS	8	N	2300-0600
21C12 #1	B7		9	Y	0830-1630

STATUS CODES:

A – 100% Available for Government Use
B – Less than 100% Available for Use

1 – In repair
2 – Under Test
3 – Modification (Mod #)
4 – HVAC Failure
5 – Power Failure
6 – Awaiting Parts
7 – Preventive Maintenance Schedule (PMS)
8 – Other

1. 11G2 #9: Power conditioner down; tune in the NTSC for repair; RSD 3/16/95.

2. 11G3 #1: Trainer available for use.

3. 12D8 #5: 4 spare touch panel controllers down; new software load installed by NTSC; awaiting NTSC turnover to COMS; RSD 2/25/95.

4. 14E28 #2: Cable connector on logic panels brittle; replacements ordered from OEM 12 Jan 95; RSD 2/28/95.

5. 15F6 #1: Trainer available for use.

6. 20F15B/1: CASREPT, Sys Interface down; referred to NTSC for repair; RSD 3/5/95.

7. 20F17 #1: Trainer awaiting acceptance by NTSC; RSD 2/20/95.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

8. MK-19: HVAC failure; leaks around device; Public Works notified 2/25/95; RSD unknown.

9. 21C12 #1: Upper level floor grating preservation in progress; 10% reduction in student access. RSD- 8/31/93

SECTION II: PERFORMANCE

Device	# Sched Uses	Current Month OPF %	Current Month PPF %	Current Month CPF %	Note
19F5A #1 (TUE)	20	92.0*	95.0*	92.8*	1
19F5A #1 (FAC)	20	95.0*	95.0*	100.0*	2
19F5A #1 (TSG)	20	99.0*	95.0*	100.0*	1
14E35C	20	95.0*	95.0*	100.0*	3
21C12	2	92.0*	95.0*	92.8*	4

1. 19F5A #1: Computer required tape rebuild.

2. 19F5A #1: Propane leak identified & repaired.

3. 14E35C #4: NTDS card manufacturer discontinued; alternate sourcing being Investigated.

4. 21C12 Computer required tape rebuild.

* Performance Data Provided By the Government for Summarization Herein

SECTION III: MANPOWER

	Current Mo.	Previous Mo.	Fiscal Yr to Date
Personnel On-Site			
Full Time	8	7	7.5 (avg)
Part Time	1	1	1.0 (avg)
Total	9	8	8.5 (avg)
Total Manhours Expended	1,462.0	1,299.0	2,761.0 (2 mos.)

Cumulative Distribution of Expended Manpower by Fiscal Year
(Oct – Month of Report)
(Hours by Device, by Skill Type)

Device Number:

Requirement	Site Mgr	Sr. ET	Elec Tech	Log Spec	Etc.
Mobilization					
Ops & Maint:					
Operations					

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

Corrective					
Preventive					
Standby					
SW Maint					
Maint-Other					
Modifications					
Remove/Relocate					
Documentation:					
Verification					
SW Library					
Other					
Supply Support:					
Physical Inventory					
Other					
Records/Reports					
Admin-Other					
Transition					

SECTION IV: MAINTENANCE ACTIONS

	Current Mo.	Previous Mo.	Fiscal Yr to Date
Corrective Maintenance Actions			
# On-Site	16	20	36 (2 mos.)
# Corporation	1	2	3 (2 mos.)
# Other Vendor	0	0	0 (2 mos.)
# Other	2	0	2 (2 mos.)
Totals to date:	17	22	39 (2 mos.)

Device MTTR and MTBF Data
(For Corrective Maintenance Actions)

DEVICE _____ Report Period _____

Major Sub-Sys Assy	Time Failed	Time Restored	Time to Repair	Last Failure	MTTR To Date	MTBF To Date
As listed in TDIR or Major Eqpt List	Date/Time; used to compute MTTR/MTBF for calendar year		# of days to repair; use 0.1 hour day increments	Date of last failure	Averages of ti taken to repair a time between fai express in hours for	me nd of ure; s/ dar

SECTION V: FIRE FIGHTER CONSUMABLES REPORT

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

DEVICE NUMBER:
REPORT MONTH:

		BEG	UNITS		END	UNIT	TOTAL
COMMODITY	UNIT	BAL	USED	PURCH	BAL	COST	COST
Propane	GL	1000	1000	1000	1000	$0.000	$0.00
Smoke Gen. Agent	GL	10	10	10	10	$0.000	$0.00
AFFF Surrogate	GL	10	10	10	10	$0.000	$0.00
PKP Surrogate	LB	10	10	10	10	$0.000	$0.00
CO2	LB	10	10	10	10	$0.000	$0.00
Sulfuric Acid	LB	10	10	10	10	$0.000	$0.00
Foam Control Agent	GL	10	10	10	10	$0.000	$0.00
PKP CO2 Seals (5.25)	EA	10	10	10	10	$0.000	$0.00
PKP CO2 Seals (8.5)	EA	10	10	10	10	$0.000	$0.00
						TOTAL	$0.00

CLASSES TAUGHT	NUMBER	STUDENTS
XXX-XX-XXX	15	345
YYY-YY-YYY	10	234
ZZZ-ZZ-ZZZ	5	123

OTHER CONSUMPTION

OBA CANISTERS USED:	00
AFFF FIRE EXTINGUISHERS REFILLED:	00
CO2 FIRE EXTINGUISHERS REFILLED:	00
PKP FIRE EXTINGUISHERS REFILLER:	00
AFFF FIRE EXTINGUISHERS REPLACED:	00
CO2 FIRE EXTINGUISHERS REPLACED:	00
PKP FIRE EXTINGUISHERS REPLACED:	00

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.

End of DI-MISC-81392A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:47Z
Check the source to verify that this is the current version before use.