MILITARY SPECIFICATION

BAG LOADING ASSEMBLY FOR M36A2 PROPELLING CHARGE

This specification is approved for use by the U.S. Army Armament Research and Development Command, and is available for use by all Department and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification contains requirements not covered by the drawings and provides quality assurance provisions for the fabrication of parts, assembly, loading and packing of one type of bag loading assembly for M36A2 Propelling Charge.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PP-B-26 - Bag, Plastic (General Purpose)
PPP-T-96 - Tape, Pressure-sensitive Adhesive, Filament Reinforced

MILITARY

MIL-A-48078 - Ammunition Standard Quality Assurance Provisions, General Specification for

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedure and Tables for Inspection by Attributes

FSC: 1315

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

DRAWINGS (See 6.4)

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND (ARRADCOM)

76-1-1-39	- Drum, Metal, for 75MM, and 105MM Howitzer Propelling Charges
76-4-46	- Box, Packing, with Metal Liner, M24, for Smokeless Powder, Assembly and Details
76-4-56	- Box, Packing, Metal-Wood, M18 for Smokeless Powder
7548645	- Box, Fiberboard, Packing, Reusable Collapsible for High Explosives
7549033	- Container, Metal, Universal, M25 for Propellants and Explosives
8858577	- Marking Diagram and Sealing of Container, Metal, Universal M25 for Shipment of Propellants
8858848	- Marking Diagram and Sealing of Metal Lined Wooden Packing Boxes for Shipment of Propellants
9244181	- Bag Loading Assembly

(Copies of specifications, standards, drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material. Materials shall be in accordance with applicable drawings and specifications.

3.2 Bag loading assembly. The bag loading assembly shall comply with all requirements specified on drawing (dwg.) 9244181 and with all requirements specified in applicable specifications.

3.3 Gross weight of bag loading assembly. The weight of the bag loading assembly dwg. 9244181 within each lot shall not vary more than plus or minus three grains from the established loaded bag weight (assessed propellant weight plus propellant bag average or actual weight).

3.4 Workmanship. The bag loading assembly shall be free of dirt, grease and other foreign material. Markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of inspection. Quality conformance inspection shall be conducted on this item.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

4.3 First article inspection. Not required.

4.4 Quality conformance inspection

4.4.1 Inspection lot formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078. In addition, inspection lots of Bag Loading Assemblies shall contain:

a. M9 propellant from not more than one lot from one manufacturer.

b. Bag assemblies from not more than one interfix lot from one manufacturer.

4.4.2 Examination. See MIL-A-48078.

a. Sampling plans. Unless otherwise specified in the Classification of Defects and Test tables, sampling plans and procedures for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48088A (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.1	Body, Increment	1 OF 1	9244183
			NEXT HIGHER ASSEMBLY 9244181

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor 201	Outside diameter		0.65%	3.2	Gage

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48088A (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9244182
4.4.2.2	Body Assembly				NEXT HIGHER ASSEMBLY 9244181
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor					
201	Distance between bar tacks		0.65%	3.2	Gage
202	Length of bar tack		0.65%	3.2	Gage

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48088A (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.3	Bag Loading Assembly	1 OF 1	9244181
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical					
1 *	Assembly damaged or incompletely stitched to the extent that propellant can escape		100%	3.2	Visual
2	Weight of propellant		100%	3.2	Gage
Major					
101	Gross weight		100%	3.3	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.4	Gage

NOTES: *This inspection to be performed prior to the gross weight examination.

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48088A (AR)

PARAGRAPH	TITLE	SHEET OF	DRAWING NUMBER
4.4.2.4	Box or Container, Prior to Filling * (76-1-1039, 74-4-46, 76-4-59 and 7549033 as applicable)		* NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Crack or hole in metal liner (when applicable)		0.40%	5.1.1	Visual
102	Foreign matter on interior		0.40%	5.1.1	Visual
Minor	None defined				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48088A (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.5	Sealed Box or Container * (76-1-1039, 74-4-46, 76-4-59, 7549033, 8858577 and 8858848 as applicable)	1 OF 1	* NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Air pressure test (as applicable)		100%	5.3	4.5.1
102	Gasket incompletely closed		0.40%	5.1.1	Visual/Manual
103	Gasket missing or broken		0.40%	5.1.1	Visual
104	Wooden cover split or damaged (as applicable)		0.40%	5.1.1	Visual
105	Crack or hole in metal container (as applicable)		0.40%	5.1.1	Visual
Minor					
201	Car seal seal missing, unsealed or improperly positioned		0.65%	5.1.1	Visual
202	Hardware improperly engaged		0.65%	5.1.1	Visual
203	Marking misleading or unidentifiable		0.65%	5.1.1	Visual
204	Bare areas in exterior coating of metal container, the sum of which is in excess of 1/4 square inch (as applicable)		0.65%	5.1.1	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil - Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48088A (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.6	Carton, Packing, Reusable Callapsible for High Explosives, Prior to Placing Cover Over Body, If Applicable	1 OF 1	7548645
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Body damaged exposing plastic liner		0.40%	5.1.2	Visual
102	Liner closing tape missing		0.40%	5.1.2	Visual
Minor	None defined				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-B-48088A (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.7	Carton, Packing, Reusable Collapsible for High Explosives, If Applicable	1 OF 1	7548645
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Cover damaged exposing plastic liner		0.40%	5.1.2	Visual
102	Banding strip applied improperly		0.40%	5.1.2	Visual
103	Marking improper		0.40%	5.1.2	Visual
104	Mating of cover-body improper		0.40%	5.1.2	Visual
Minor	None defined				

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. Testing is described in the Quality Conformance Inspection tables.

4.4.4 Inspection equipment. The inspection equipment required to perform the examinations and tests prescribed herein is described in the "Paragraph Reference/Inspection Method" column in the tables starting with paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and 6. herein.

4.5 Methods of inspection

PRECAUTION: This specification covers sampling and testing of chemical, toxic or explosive materials which are potentially hazardous to personnel. Accordingly, it is emphasized that all applicable safety rules, regulations and procedures must be followed in handling and processing these materials.

4.5.1 Air pressure test. The container shall be subjected to an internal pressure of 0.5 to 1.0 pounds per square inch (psi). A pressure drop of 0.7 inches or more of water in 15 seconds shall be cause of rejection.

5. PACKAGING

5.1 Packaging requirements.

5.1.1 Level A. The bag loading assemblies shall be packed in containers complying with dwgs. 76-1-1039, 76-4-46, 76-4-56, 76-4-59 or 7549033.

5.1.2 Level B. The bag loading assemblies shall be packed in a No. 1 fiberboard carton as specified on dwg. 7548645, except that the liner shall be a .004 inch nominally thick, conductive polyolefin Type I bag in accordance with PPP-B-26. The liner shall be closed by rolling down the top and taping with tape in accordance with PPP-T-97 to prevent unrolling of the liner.

5.2 Marking

5.2.1 Level A. The containers shall be marked in accordance with dwg. 8858577 or 8858848.

5.2.2 Level B. The containers shall be marked in accordance with dwg. 7548645.

5.3 Sealing. The containers shall be sealed in accordance with dwg. 8858577 or 8858848.

6. NOTES

6.1 Intended use. The components covered by this specification is intended for use on the 4.2 Inch, HE, M329A2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. See MIL-A-48078.

6.3 Submission of inspection equipment for design approvals. See MIL-A-48078. Submit designs as required to Commander, US Army Armament Research and Development Command, ATTN: DRDAR-QAT-I, Dover, NJ 07801.

6.4 Drawings. Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by, and identified as Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under the cognizance of ARRADCOM.

Custodian:
Army-AR

Preparing Activity:
Army-AR

Project Number: 1315-A420

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-B-48088A Bag Loading Assembly for M36A2 Propelling Charge

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.