MIL-R-0050068D(EA)
8 August 1983
SUPERSEDING
MIL-R-0050068C(EA)
20 January 1977
USED IN LIEU OF
MIL-R-50068A
30 September 1964

MILITARY SPECIFICATION

RING, CRIMPING (FOR ABC-M17 MASK)

This limited coordination military specification has been prepared by the US Army Armament, Munitions and Chemical Command based upon currently available technical information, but it has not been approved for promulgation as a coordinated revision of Military Specification MIL-R-50068A. It is subject to modification. However, pending its promulgation as a coordinated military specification, it may be used in acquisition.

1. SCOPE

1.1 Scope. This specification covers one type of crimping ring for the ABC-M17, M17A1 and M17A2 mask (see 6.1).

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. Unless otherwise specified, the following specifications, standards, and handbooks of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein.

STANDARDS

FEDERAL

Fed. Std. No. 123 - Marking for Shipment (Civil Agencies).

: Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed: to: Commander, US Army Armament Research and Development Command, ATTN: DRDAR-TSC-S, Aberdeen Proving Ground, MD 21010 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 4240

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein.

DRAWINGS

US ARMY ARMAMENT, MUNITIONS AND CHEMICAL COMMAND

CHEMICAL RESEARCH AND DEVELOPMENT CENTER

C5-2-975 - Ring, Crimping (Assembly and Bill of Material).

(Copies of specifications, standards, handbooks, drawings, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.1.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Materials and components. All materials and components shall conform to specifications and drawings forming a part of this specification.

3.2 Manufacture. The crimping ring shall be manufactured as specified on Drawing C5-2-975.

3.3 Preproduction. Prior to the start of regular production, a preproduction sample of crimping rings shall be produced in accordance with this specification for examination (see 4.3).

3.4 Workmanship. The crimping ring shall be free from all foreign matter, burrs, sharp edges and damage such as distortion, cracks, die marks, surface irregularities and dents which might impair use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.

4.1.1 Contractor's responsibility. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.2 Objective evidence. The contractor shall provide objective evidence acceptable to the contracting officer that the requirements of 3.1 and section 5 for which specific inspection has not been provided in this specification have been satisfied.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Preproduction inspection (4.3)
(b) Quality conformance inspection (see 4.4)

4.3 Preproduction inspection.

4.3.1 Sample. A preproduction sample of five crimping rings shall be produced from each die set using the same methods, materials and equipment as will be used during regular production.

4.3.2 Examination. The sample crimping rings shall be inspected for all requirements of the drawings and this specification.

4.3.3 Acceptance/rejection criteria. The crimping rings shall meet the examinations specified by 4.3.2 to be acceptable. The contractor shall obtain written approval from the contracting officer prior to proceeding with regular production.

4.4 Quality conformance inspection.

4.4.1 Lotting. A lot shall consist of the crimping rings produced by one manufacturer at one plant, from the same materials, under essentially the same manufacturing conditions.

4.4.2 Sampling for examination. Sampling shall be conducted in accordance with MIL-STD-105.

4.4.3 Inspection procedure.

4.4.3.1 For examination. Sample crimping rings shall be examined in accordance with the classification of defects and MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

4.4.3.2 Classification of defects.

(a) Ring, crimping (Dwg C5-2-975).

Categories		Defects
Critical:		None defined
Major:	AQL 2.5 percent defective	
101		Plan view profile incorrect
*102		Height of inner flange (0.094) incorrect
*103		Notches missing, incorrect or incorrectly located
104		Flange length incorrect (11/32 inch)
105		Rivet incorrect, missing, loose, or incorrectly located
106		Workmanship (3.4)
Minor:	AQL 6.5 percent defective	
201		Protective finish missing or incorrect

*These characteristics are tool controlled and should be periodically checked.

5. PACKAGING

5.1 Unit packing, packing, and marking, interplant shipment (see 6.4). The crimping rings shall be unit packed and packed to provide adequate protection from physical damage from the supply source to the first receiving activity for immediate use or further processing. Shipping containers shall be in compliance with the rules and regulations applicable to the mode of transportation. Marking shall be in conformance with Fed. Std. No. 123 and shall include the contractor's name, address, and contract number.

5.2 Repair parts. When crimping rings are procured for storage and issue as repair parts, preservation, unit packing, packing and marking shall be as specified on the packaging data sheet which is identified by the National Stock Number.

6. NOTES

6.1 Intended use. This specification covers the crimping ring that seals the C29R1 and C29R5 voicemitter-outlet valve assemblies to the C17 and C17R1 faceblank.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Acquisition documents should specify the following:

(a) Title, number, and date of this specification.
(b) Preproduction:

(1) Time allowed for contractor submission of samples for Government test and evaluation after award of contract.
(2) Name and address of test facility and shipping instructions when testing is performed by the Government.
(3) Time required for the Government to notify the contractor whether or not sample is acceptable.

6.3 International interest. Certain provisions of this specification are the subject of international standardization agreement (see Serial No. 21, Supplement B to Quadripartite Standardization List Sheet Report). When amendment, revision or cancellation of this specification is proposed which will affect or violate the international agreement concerned, the preparing activity will take appropriate reconciliation action through international standardization channels including departmental standardization offices, if required.

6.4 Interplant shipments. Packaging for interplant shipment is for supplies and materials that do not enter the military supply system. Typical interplant shipments are shipments from a vendor to a subcontractor or a prime contractor, or from a subcontractor to a prime contractor, or from a vendor or contractor to a mililtary arsenal or plant.

Custodians:

Army - EA

Preparing activity:

Army - EA

Project No. 4240-A796

★ U.S. GOVERNMENT PRINTING OFFICE: 1983—705—040/A481

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

spray

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
Armament Research and Development Center
US Army Armament, Munitions and Chemical Command
ATTN: DRSMC-TSC-S(A)
Aberdeen Proving Ground, MD 21010

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-R-0050068D(EA)	RING, CRIMPING (FOR ABC-M17 MASK)

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 EDITION OF 1 OCT ~~75 IS OBSOLETE~~

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:15Z
Check the source to verify that this is the current version before use.