MIL-S-52804A(ME)
16 June 1980
SUPERSEDING
MIL-S-52804(ME)
9 May 1974

MILITARY SPECIFICATION

STENCIL SET: STENCIL

BOARD; NONADJUSTABLE

This specification is approved for use by the Mobility Equipment Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers a set of letters and numerals in 2-inch, 3-inch, 4-inch, 5-inch, and 6-inch sizes.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

QQ-S-781	- Strapping, Steel, and Seals.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.

FSC 7520

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:34Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-S-2580	- Signboards, Blank (for Temporary Outdoor Signs).

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-1188	- Commercial Packaging of Supplies and Equipment.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Description. The characters shall be as shown on Figures 1 through 9, and as specified herein. The dimensions of the individual letters and numbers shall be as shown on Tables I through V, as applicable.

3.2 Material. Material shall be as specified herein (see 6.3).

3.3 Printing. The patterns shall be printed with waterproof ink on signboard conforming to MIL-S-2580, Type I, White (one side). Printing shall be on the white side. Letters and numerals shall be solid black, shall appear in consecutive order on the signboard sheets, and shall be separated by not less than the applicable stroke width. Signboard sheets shall be 17- by 17-inches. Each size of letters and numerals shall begin on a new signboard sheet. Groups of letters or numerals, quantity dictated by appropriate sizes and spacing, shall be centered on each sheet.

3.4 Identification markings. Each sheet shall be identified with the contractor's name or trademark. The sizes of the letters and numerals shall be printed in the lower right corner of the stencil sheets.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

3.5 Workmanship. Printing shall be clean and uniform, free of blotches, ragged edges, or any other defect which might impair the quality of the stencils.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The contractor is responsible for insuring that materials used are manufactured, examined, and tested in accordance with referenced specifications and standards, as applicable.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Quality conformance inspection (see 4.3).
(b) Inspection of packaging (see 4.5).

4.3 Quality conformance inspection.

4.3.1 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.3.2 Examination. Samples selected in accordance with 4.3.1 shall be examined for the defects specified in 4.4.1. AQL shall be 2.5 percent defective.

4.4 Inspection procedure.

4.4.1 Examination. The stencil set shall be examined as specified herein for the following defects:

101. Patterns not as shown on the figures.
102. Patterns not in consecutive order.
103. Signboard not of the size specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

104. Printing not solid black.
105. Each size of letters or numerals does not start on a new sheet.
106. Letters or numerals not centered on each sheet.
107. Workmanship not as specified.

4.5 Inspection of packaging.

4.5.1 Quality conformance inspection of pack.

4.5.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.5.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.5.1.3 Examination. Samples selected in accordance with 4.5.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

108. Materials, methods, or containers not as specified. Each incorrect material, method, or container shall be considered one defect.
109. Strapping not as specified.
110. Fiberboard boxes not closed Method V as specified.
111. Marking illegible, incorrect, incomplete, or missing.

5. PACKAGING

5.1 Preservation. Preservation shall be Level A or Commercial as specified (see 6.2).

5.1.1 Level A. Each complete stencil set shall be preserved in accordance with MIL-P-116, Method IC-1.

5.1.2 Commercial. Each complete stencil set shall be preserved in accordance with MIL-STD-1188.

5.2 Packing. Packing shall be Level A, Level B, or Commercial as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:34Z
Check the source to verify that this is the current version before use.

5.2.1 Level A. Stencil sets, preserved as specified in 5.1, shall be packed in close-fitting boxes conforming to PPP-B-601, Overseas Type, style optional. Strapping shall conform to QQ-S-781, Class 1, Type I or IV, size as applicable. Unless otherwise specified (see 6.2), strapping shall be Finish B. When specified (see 6.2), strapping shall be Finish A.

5.2.2 Level B. Stencil sets, preserved as specified in 5.1, shall be packed in close-fitting boxes conforming to PPP-B-636, Class Weather Resistant, style optional. Box closure shall be in accordance with the appendix to the box specification, Method V.

5.2.3 Commercial. Stencil sets, preserved as specified in 5.1, shall be packed in accordance with MIL-STD-1188.

5.3 Marking.

5.3.1 Military packaging. Marking shall be in accordance with MIL-STD-129.

5.3.2 Commercial packaging. Marking shall be in accordance with MIL-STD-1188.

6. NOTES

6.1 Intended use. The stenciled letters and numerals are intended to make temporary signs for outdoor use.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Degree of preservation and degree of packing required (see 5.1 and 5.2).
(c) When strapping shall be Finish A (see 5.2.1).

6.3 Recycled material. It is encouraged that recycled material be used, when practical, as long as it meets the requirements of this specification.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.

Custodian:
Army - ME

User activity:
Army - GL

Preparing activity:
Army - ME

Project 7520-A172

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 1. Alphabet.

X-2676

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 2. Alphabet.

X-2677

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 3. Alphabet.

X-2678

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 4. Alphabet.

X-2679

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 5. Alphabet.

X-2680

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 6 Alphabet.

X-2681

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 7. Alphabet and numerals.

X-2682

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 8. Numerals.

X-2683

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.




FIGURE 9. Numerals.

X-2684

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:34Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions for 2-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.33	1.78											
B	0.33	1.48	0.51	0.51	0.82	0.64							
C	0.33	1.42	0.67	0.63	0.74	3.30							
D	0.33	1.50	0.79	0.40	0.36	0.79	3.30						
E	0.33	1.32	0.41	0.57	0.49								
F	0.33	1.32	0.41	0.49									
G	0.33	1.58	0.67	0.63	0.08	0.16	0.74	3.30					
H	0.33	1.48	0.74	0.90	0.82								
I	0.33												
J	0.33	1.39	0.74	0.63	0.69								
K	0.33	1.48	1.15	0.49									
L	0.33	1.32											
M	0.33	1.65	0.49										
N	0.33	1.48											
O	0.33	1.41	0.74	0.69	0.59	3.30							
P	0.33	1.42	0.49	0.59	0.59								
Q	0.33	1.65	0.76	0.89	0.59	0.69	0.74	3.30					
R	0.33	1.48	0.56	0.59									
S	0.33	1.52	1.42	0.57	0.20	0.87	0.59	0.41	0.56	0.11	0.28	0.23	0.66
T	0.33	1.32											
U	0.33	1.48	0.74	0.69									
V	0.33	1.65	0.24										
W	0.33	1.98	0.29	0.24	0.16								
X	0.33	1.48											
Y	0.33	1.65	0.66	0.82									
Z	0.33	1.32											
Numerals													
1	0.33	0.43	0.10	0.16	0.20	0.26							
2	0.33	1.35	0.67	0.59	0.08	0.26	0.82						
3	0.33	1.48	0.38	0.61	0.11	0.63	0.34	1.14	0.10	0.21			
4	0.33	1.48	0.23	0.59	0.66	0.13							
5	0.33	1.52	0.16	0.66	0.79	0.20							
6	0.33	1.46	0.56	0.59	0.26	0.43	0.23	1.15					
7	0.33	1.32	0.13	0.16									
8	0.33	1.48	0.59	0.89	0.49	0.57	0.63	0.16	0.23	0.03			
9	0.33	1.46	1.15	0.26	0.43	0.23	0.59	0.56					
0	0.33	1.52	0.69	0.59	0.74	3.30							

NOTE:

1/ All dimensions are in inches.

X-3612

MIL-S-52804A(ME)

Source: https://assist.dla.mil -- Downloaded: 20261022T21:34Z
Check the source to verify that this is the current version before use.

TABLE II. Dimensions for 3-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.5	2.70											
B	0.5	2.25	0.78	0.78	1.25	0.97							
C	0.5	2.15	1.02	0.95	1.12	5.00							
D	0.5	2.27	1.20	0.60	0.55	1.20	5.00						
E	0.5	2.00	0.62	0.87	0.75								
F	0.5	2.00	0.62	0.75									
G	0.5	2.40	1.02	0.95	0.12	0.25	1.12	5.00					
H	0.5	2.25	1.12	1.37	1.25								
I	0.5												
J	0.5	2.10	1.12	0.95	1.05								
K	0.5	2.25	1.75	0.75									
L	0.5	2.00											
M	0.5	2.50	0.75										
N	0.5	2.25											
O	0.5	2.13	1.12	1.05	0.90	5.00							
P	0.5	2.15	0.75	0.90	0.90								
Q	0.5	2.50	1.15	1.35	0.90	1.05	1.12	5.00					
R	0.5	2.25	0.85	0.90									
S	0.5	2.30	2.15	0.87	0.30	1.32	0.90	0.62	0.85	0.17	0.42	0.35	0.10
T	0.5	2.00											
U	0.5	2.25	1.12	1.05									
V	0.5	2.50	0.37										
W	0.5	3.00	0.44	0.37	0.25								
X	0.5	2.25											
Y	0.5	2.50	1.00	1.25									
Z	0.5	2.00											
Numerals													
1	0.5	0.65	0.15	0.25	0.30	0.40							
2	0.5	2.05	1.02	0.90	0.12	0.40	0.85	1.25					
3	0.5	2.25	0.57	0.92	0.17	0.95	0.52	1.72	0.15	0.32			
4	0.5	2.25	0.35	0.90	1.00	0.20							
5	0.5	2.30	0.25	1.00	1.20	0.30							
6	0.5	2.22	0.85	0.90	0.40	0.65	0.35	1.75					
7	0.5	2.00	0.20	0.25									
8	0.5	2.25	0.90	1.35	0.75	0.87	0.95	0.25	0.35	0.05			
9	0.5	2.22	1.75	0.40	0.65	0.35	0.90	0.85					
0	0.5	2.30	1.05	0.90	1.12	5.00							

1/ All dimensions are in inches.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

TABLE III. Dimensions for 4-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.66	3.59											
B	0.66	2.99	1.04	1.04	1.66	1.29							
C	0.66	2.85	1.36	1.26	1.49	6.65							
D	0.66	3.02	1.60	0.80	0.73	1.60	6.65						
E	0.66	2.66	0.82	1.16	1.00								
F	0.66	2.66	0.82	1.00									
G	0.66	3.19	1.36	1.26	0.17	0.33	1.49	6.65					
H	0.66	2.99	1.49	1.82	1.66								
I	0.66												
J	0.66	2.79	1.49	1.26	1.40								
K	0.66	2.99	2.33	1.00									
L	0.66	2.66											
M	0.66	3.32	1.00										
N	0.66	2.99											
O	0.66	2.83	1.49	1.40	1.20	6.65							
P	0.66	2.86	1.00	1.20	1.20								
Q	0.66	3.32	1.53	1.80	1.20	1.40	1.49	6.65					
R	0.66	2.99	1.13	1.20									
S	0.66	3.06	2.86	1.16	0.40	1.76	1.20	0.82	1.13	0.23	0.56	0.47	0.13
T	0.66	2.66											
U	0.66	2.99	1.49	1.40									
V	0.66	3.32	0.49										
W	0.66	3.99	0.59	0.49	0.33								
X	0.66	2.99											
Y	0.66	3.32	1.35	1.66									
Z	0.66	2.66											
Numerals													
1	0.66	0.86	0.20	0.33	0.40	0.53							
2	0.66	2.73	1.36	1.20	0.16	0.53	1.13	1.66					
3	0.66	2.99	0.76	1.22	0.23	1.26	0.69	2.29	0.27	0.43			
4	0.66	2.99	0.47	1.20	1.33	0.27							
5	0.66	3.06	0.33	1.33	1.60	0.40							
6	0.66	2.95	1.13	1.20	0.53	0.86	0.46	2.33					
7	0.66	2.66	0.27	0.33									
8	0.66	2.99	1.20	1.80	1.00	1.16	1.26	0.33	0.47	0.07			
9	0.66	2.95	2.33	0.53	0.86	0.47	1.20	1.13					
0	0.66	3.06	1.40	1.20	1.49	6.65							

1/ All dimensions are in inches.

X-3614

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

TABLE IV. Dimensions for 5-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.83	4.48											
B	0.83	3.73	1.29	1.29	2.07	1.61							
C	0.83	3.57	1.69	1.58	1.86	8.30							
D	0.83	3.77	1.99	1.00	0.91	1.99	8.30						
E	0.83	3.32	1.03	1.44	1.24								
F	0.83	3.32	1.03	1.24									
G	0.83	3.98	1.70	1.58	0.21	0.41	1.86	8.30					
H	0.83	3.73	1.86	2.27	2.07								
I	0.83												
J	0.83	3.49	1.86	1.58	1.74								
K	0.83	3.73	2.90	1.24									
L	0.83	3.32											
M	0.83	4.15	1.24										
N	0.83	3.73											
O	0.83	3.54	1.86	1.74	1.49	8.30							
P	0.83	3.57	1.24	1.49	1.49								
Q	0.83	4.15	1.91	2.24	1.49	1.74	1.86	8.30					
R	0.83	3.73	1.41	1.49									
S	0.83	3.82	3.57	1.44	0.50	2.19	1.49	1.03	1.41	0.28	0.70	0.58	0.17
T	0.83	3.32											
U	0.83	3.73	1.86	1.74									
V	0.83	4.15	0.61										
W	0.83	4.98	0.73	0.61	0.41								
X	0.83	3.73											
Y	0.83	4.15	1.66	2.07									
Z	0.83	3.32											
Numerals													
1	0.83	1.08	0.25	0.41	0.50	0.66							
2	0.83	3.40	1.70	1.49	0.20	0.66	1.41	2.07					
3	0.83	3.73	0.95	1.53	0.28	1.58	0.86	2.77	0.25	0.58			
4	0.83	3.73	0.58	1.49	1.66	0.33							
5	0.83	3.82	0.41	1.66	1.99	0.50							
6	0.83	3.68	1.41	1.49	0.66	1.08	0.58	2.90					
7	0.83	3.32	0.33	0.41									
8	0.83	3.73	1.49	2.24	1.24	1.44	1.58	0.41	0.58	0.08			
9	0.83	3.68	2.90	0.66	1.08	0.58	1.49	1.41					
0	0.83	3.82	1.74	1.49	1.86	8.30							

1/ All dimensions are in inches.

X-3615

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.

TABLE V. Dimensions for 6-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	1.0	5.40											
B	1.0	4.50	1.56	1.56	2.50	1.94							
C	1.0	4.30	2.04	1.90	2.24	10.00							
D	1.0	4.54	2.40	1.20	1.10	2.40	10.00						
E	1.0	4.00	1.24	1.74	1.50								
F	1.0	4.00	1.24	1.50									
G	1.0	4.80	2.04	1.90	0.25	0.50	2.24	10.00					
H	1.0	4.50	2.24	2.74	2.50								
I	1.0												
J	1.0	4.20	2.24	1.90	2.10								
K	1.0	4.50	3.50	1.50									
L	1.0	4.00											
M	1.0	5.00	1.50										
N	1.0	4.50											
O	1.0	4.26	2.24	2.10	1.80	10.00							
P	1.0	4.30	1.50	1.80	1.80								
Q	1.0	5.00	2.30	2.70	1.80	2.10	2.24	10.00					
R	1.0	4.50	1.70	1.80									
S	1.0	4.60	4.30	1.74	0.60	2.64	1.80	1.24	1.70	0.34	0.84	0.70	0.20
T	1.0	4.00											
U	1.0	4.50	2.24	2.10									
V	1.0	5.00	0.74										
W	1.0	6.00	0.88	0.74	0.50								
X	1.0	4.50											
Y	1.0	5.00	2.00	2.50									
Z	1.0	4.00											
Numerals													
1	1.0	1.30	0.30	0.50	0.60	0.80							
2	1.0	4.10	2.04	1.80	0.24	0.80	1.70	2.50					
3	1.0	4.50	1.14	1.84	0.34	1.90	1.04	3.45	0.30	0.64			
4	1.0	4.50	0.70	1.80	2.00	0.40							
5	1.0	4.60	0.50	2.00	2.40	0.60							
6	1.0	4.44	1.70	1.80	0.80	1.30	0.70	3.50					
7	1.0	4.00	0.40	0.50									
8	1.0	4.50	1.80	2.70	1.50	1.74	1.90	0.50	0.70	0.10			
9	1.0	4.44	3.50	0.80	1.30	0.70	1.80	1.70					
0	1.0	4.60	2.10	1.80	2.24	10.00							

1/ All dimensions are in inches.

X-3616

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-S-52804A(ME) Stencil Set: Stencil Board; Nonadjustable

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.