INCH-POUND

A-A-52119A
11 November 2012
SUPERSEDING
A-A-52119
11 December 1992

COMMERCIAL ITEM DESCRIPTION

SACHET, CHLORINE, FLOCCULATING, EMERGENCY WATER PURIFICATION

The General Services Administration has authorized the use of this Commercial Item Description.

This Commercial Item Description (CID) covers a chlorine flocculating emergency water purification sachet, packed in commercially acceptable containers, suitable for use by the Federal Government. The sachet is intended to clarify and disinfect polluted water to make it microbiologically safe for drinking. The sachet is recommended for use in situations where municipally treated water is not provided or where the available water is suspected of being polluted.

Salient characteristics.

The sachets shall contain a chlorine disinfectant and a combination of flocculating and coagulating agents which promote rapid formation of a sediment in the polluted water. Each sachet;s contents shall weigh 600-1000 mg. The active ingredient shall be sodium dichloro-s-triazinetrione (sodium dichloroisocyanurate) at a level 11-15 miligrams per sachet. When used according to label instructions, the sachet shall provide 7 to 9 parts per million free available chlorine and enough flocculating agents to clarify and disinfect 1 liter (1.10 quarts) of polluted water at 41°F (5°C) and above. The sachets shall be certified and registered by the U.S. Environmental Protection Agency (EPA) for emergency treatment of water for human consumption. The sachets shall be certified to have a stable shelf life of not less than two years at 41-77°F (5-25°C).

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-WTP, Natick, MA 01760-5018.
The Military organizations listed at the end of this document were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil/.

FSC 6850

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.

Analytical requirements.

Chemical analysis for available chlorine shall be made in accordance with Chlorine (Residual)/Amperometric Titration Method or equivalent method of the American Public Health Association Methods for the Examination of Water and Waste Water.

Contractor's certification.

The contractor shall certify, and maintain objective quality evidence, that the product offered meets this commercial item description, and that the product conforms to the producer's own specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformation prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

The delivered product shall comply with all applicable Federal and State mandatory requirements and regulations relating to the preparation, packaging, labeling, storage, distribution, and sales of the product in the commercial marketplace. The delivered product shall conform with all applicable provisions of the Federal Food, Drug, and Cosmetic Act, the Federal Insecticide, Fungicide, and Rodenticide Act, and regulations promulgated thereunder. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

Preservation, packaging, packing, labeling, and marking.

The water purification sachets shall be preserved, packaged, packed, labeled and case marked in accordance with good commercial practice. Commercial labeling and packaging, as may be augmented by the solicitation, contract, or purchase order, shall be acceptable. Shipping containers shall comply with the National Motor Freight Classification or Uniform Freight Classification, as applicable.

For Department of Defense procurements (Only).

A. Preservation, Packing, and Marking. Unless otherwise specified (see sections B, C, D, E, F, and G), preservation, packing, and marking shall be as specified in the acquisition order (See section J-1).

B. Packaging. Each sachet's contents shall be sealed in a heat sealed laminated pouch. The pouch material shall be a three-ply material made by laminating, from outside to inside, 25 to 30 pounds basis weight (24 by 36-500) kraft or sulfite paper, 0.00035 to 0.0005 inch thick aluminum foil, and 0.002 inch to 0.003 inch thick polyethylene. The material shall show no evidence of delamination after heat sealing. When specified, the complete exterior surface of the

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.

pouch shall be uniformly colored in the range of green or brown specified below in accordance with FED-STD-595.

Color Number	Color Family
24052, 24064, 24070, 24079, 24084, 34079, 34082, 34083, 34084, 34086	Green
10045, 30045, 30097, 30099, 30108, 30111, 30117, 30118	Brown


C. Intermediate Packaging. Twenty four intermediate packages containing 30 sachets each shall be packed in intermediate fiberboard box. The intermediate packaging shall be made from a polyethylene zip-lock pouch. The intermediate fiberboard box shall conform to the style of a regular slotted box (RSC) of ASTM D1974/D1974M, “Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes".

D. Packing. Packages containing 24 intermediate fiberboard boxes shall be packed in a fiberboard shipping container, constructed, closed and reinforced in accordance with Style RSC of ASTM D1974/D1974M. Each shipping container shall be closed and waterproofed in accordance with ASTM D1974/D1974M.

E. Unit loads. Packaging shall be arranged in unit loads and secured with strapping in accordance with DSCP FORM 3507.

F. Labeling. Intermediate packaging shall be printed on the outside with the following procedure labels:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.

1.	Add 1 or 2 (600mg) sachets to 1 litre (1.1 quart) of water as directed in the table opposite. Tear sachets open at the designated mark then place the open end inside bottle neck before adding powder.	
2.	Shake for 1 minute then leave for 3 minutes.	
3.	Swirl for 30 seconds, then wait 7 minutes at temp. of 77 F (25 C) or above, or 15 minutes at colder temperatures as specified above. Then strain through a piece of cotton cloth (eg. T-shirt material) into a clean container.	
4.	The clarified water is now ready for drinking. IF STILL MURKY add an additional one half sachet and repeat step 3.	
5.	Place spent sachet paper in the secondary waste compartment of your storage pouch as indicated. Pouch suitable for normal waste disposal.	

USE DIRECTIONS :

NET CONTENT:

30 (600mg) Sachets

Temperature Of water	Number of Sachets	Waiting Period After step 3
77 F (25 C)	1	7 minutes
58 F (15 C)	1	15 minutes
50 F (10 C)	1	15 minutes
41 F (15 C)	2	15 minutes

IMPORTANT

DISCARD SEDIMENT BETWEEN USES. RINSE CLOTH THOROUGHLY WITH TREATED WATER BEFORE USE. ALWAYS USE SAME SIDE OF CLOTH FOR STRAINING.

STORAGE AND DISPOSAL:

Store sachets in sealed containers away from excessive heat or direct sunlight. Discard empty sachet as indicated in step 5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.



6850-01-352-3129
CHLOR-FLOC WATER PURIFICATION SACHETS
FOR EMERGENCY TREATMENT OF POLLUTED WATER
1 POUCH (30 SACHETS)
DLA 412-93-D-4044
MNF:
EXP:

ACTIVE INGREDIENT:
Sodium Dichloro-s-Triazinetrione Dihydrate 2.5%
INERT INGREDIENTS..... 97.5%
(Provides 1.4% available chlorine) NET CONTENTS: 30 (600 milligram) sachets
KEEP OUT OF REACH OF CHILDREN
CAUTION: PRECAUTIONARY STATEMENTS • HAZARD TO HUMANS AND DOMESTIC ANIMALS
Powder may be harmful if swallowed

Insert cage code and bar code

Precautionary statements: causes moderate eye irritation. Harmful if absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash contaminated clothing before re-use. Prolonged and frequently repeated skin contact may cause allergic reactions in some individuals.

DIRECTIONS FOR USE: FOR EMERGENCY TREATMENT OF POLLUTED WATER

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.
CHLOR-FLOC SACHETS are intended for the clarification and disinfection of polluted or suspected water, to make it bacteriologically safe for drinking when treated as directed.
Recommended for use by the military to treat suspected water during field exercises or where municipally treated water is not available.
CHLOR-FLOC contains a combination of flocculating and coagulating agents which promotes rapid formation of a sediment in the treated water. Pollutants, in the form of gross organic matter and micro-scopic particles adhere to the sediment by the action of the flocculating and coagulating agents. The sediment with the entrapped pollutants are removed from the clarified water by straining through a piece of cloth (preferably flannelette). The cloth can be reused after rinsing with clarified treated water.
After clarification of the water by separating sediment from the treated water, the chlorine released by the active ingredient is then free to kill Glardia Lamblia Cysts; bacteria; viruses; and other harmful micro-organisms which were not removed with the sediment.

Each package of CHLOR-FLOC contains 30 Sachets, enough to treat 30 liters (33 quarts) of polluted water . One 600 milligram sachet provides 1.4% available chlorine and flocculating agents for the CLARIFICATION AND DISINFECTION OF 1 LITER (1.10 quart) OF WATER FROM POLLUTED SOURCES AT TEMPERATURES OF 77 degrees Fahrenheit (25 degrees c) : at 41 degrees F (5 C) two 600 milligram Sachets will provide 2.8% available chlorine for the same purpose.
(See additional directions/guidance on the back panel). Made in South Africa

EPA REG. NO. 57425-1
EPA EST. NO. 57425-SA-001
U.S. PATENT NO. 5,023,012

MANUFACTURED BY:
CONTROL CHEMICALS
D/B/A DEATRICK & ASSOCIATES, INC

G. Marking. Shipping containers shall be marked in accordance with MIL-STD-129.

H. Notes.

Sources of documents.

FAR. The FAR may be obtained from the superintendent of documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Electronic copies of FAR documents may be obtained from http://www.arnet.gov/far.

Federal Specifications and Standards. Copies of federal specifications and standards may be obtained from General Services Administration, Federal Supply Service, Specification Section, 470 East L'Enfant Plaza SW, Suite 8100, Washington, DC 20407. Electronic copies of ASTM standards may be obtained from https://assist.dla.mil/.

ASTM Standards. Copies of ASTM standards may be obtained from ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Electronic copies of ASTM standards may be obtained from http://www.astm.org/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.

I. Ordering Data. The acquisition order should specify the following:

1. CID document number and revision.
2. Packaging requirements (see section A).

MILITARY INTERESTS:

Custodians

Army – GL
Navy - MC
Air Force - 68

Review Activities

Army - MD, QM, EA
Navy - SH
DLA- SS, GS
Air Force – 50

CIVIL AGENCY COORDINATING ACTIVITIES:

COM - EPA
HHS - NIH

PREPARING ACTIVITY:

Army-GL

Project 6850-2013-002

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.