INCH-POUND

A-A-52127A
23 November 2018
SUPERSEDING
A-A-52127
15 June 1993

COMMERCIAL ITEM DESCRIPTION

PIN, NET, LAUNDRY, (5-INCH)

The General Services Administration has authorized the use of this commercial item description for all federal agencies. This CID supersedes Federal Specification FF-P-419, which has been cancelled.

1. CLASSIFICATION

1.1 Scope. This commercial item description covers one type and size of laundry net pin.

2. SALIENT CHARACTERISTICS.

2.1 Materials. The materials used in the manufacture of laundry pins shall be of the quality normally used by the manufacturer for pins, providing that the completed item complies with all the provisions of this commercial item description.

2.1.1 Sheet and strip. Sheet and strip shall be alloy not less than 0.034 inch in thickness. The material shall conform to ASTM B36/B36M alloy number C26000 or C26800.

2.1.2 Wire. The wire shall be copper alloy conforming to ASTM B134/B134M alloy number C26000 or C27000, having a diameter of 0.141 to 0.159 inches.

2.2 Construction. Pins shall conform to the dimensions shown in figure 1. The clasp shall be formed of the sheet and strip specified in 2.1.1. The wire body shall conform to the wire specified in 2.1.2, and shall have a blunt point.

Comments, suggestions, or questions on this document should be addressed to DLA Troop Support – Construction and Equipment Division (ATTN: Code FCSB), 700 Robbins Avenue, Philadelphia, PA 19111-5096 or email trpsptspecspa@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil .

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.

2.3 Finish and workmanship. Pins shall have a chromium or nickel finish evenly applied over all surfaces in accordance with the manufacturer's commercial practice. The pins, prior to finishing, shall be free of slivers, sharp edges, rough spots and all oil, grease and foreign matter.

3. REGULATORY REQUIREMENTS

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.




Figure 1. Pin, net, laundry, 5 inch.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.

4. PACKAGING

4.1 Packaging, packing and marking. The laundry net pins shall be packaged, packed, and marked in accordance with the domestic or overseas requirements of ASTM D 3951, as applicable (see 5.2).

5. NOTES

5.1 Intended use. The laundry net pins are intended for closing laundry net bags. The blunt point precludes the use of these pins for other purposes.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Type of packaging, packing, and marking required (see 4.1).

5.3 Sources of documents.

5.3.1 Sources of Government documents. Copies of military and federal documents are available from:

Standardization Document Order Desk,
700 Robbins Avenue,
Building 4D,
Philadelphia, PA 19111-5094.)
Or online at: ASSIST Online (https://assist.dla.mil) or ASSIST Quick Search (http://quicksearch.dla.mil)

5.3.2 Source of nongovernment association documents.

ASTM B36/B36M	-	Standard Specification for Brass Plate, Sheet, Strip, And Rolled Bar.
ASTM B45-36	-	Method for Chemical Analysis of Brasses.
ASTM B134/B134M	-	Standard Specification for Brass Wire.
ASTM D3951	-	Standard Practice for Commercial Packaging.

are available from:

ASTM International
The American Society for Testing and Materials
100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.
Or online at http://www.astm.org

5.6 Changes from previous issues. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.

MILITARY ACTIVITIES:

Custodians:
Army – GL
Navy - YD

Preparing activity:
DLA - CQ

(Project 3510-2018-006)

Reviewer:

DLA - GS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:06Z
Check the source to verify that this is the current version before use.