MIL-B-36212A
12 August 1974
SUPERSEDING
MIL-B-36212 (DM)
25 May 1964

MILITARY SPECIFICATION

BARIUM HYDROXIDE LIME, USP, GRANULAR, 7 lb (3.18 kg)

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers Barium Hydroxide Lime, U.S.P. Granular (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-00186B	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.

STANDARDS

Federal

Fed. Std. No. 140a	Tablets (for Medicinal Purposes).

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specification and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations
Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, D. C. 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

Pharmacopeia of the United States.

(Application for copies should be addressed to the Mack Publishing Company, Easton, Pa. 18042.)

3. REQUIREMENTS

3.1 Material. Shall be in accordance with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto, for Barium Hydroxide Lime. and shall comply with the following requirements.

3.1.1 Formula. Shall be in accordance with the following formula:

Barium hydroxide, octahydrate		11%
Calcium hydroxide		74%
Potassium hydroxide		5%
Sodium silicate		0.1%
Moisture	(approx.)	0%
Color dye	qs	

The formula tolerance shall be not less than 95 percent and not more than 105 percent of the required amount of barium hydroxide, octahydrate, calcium hydroxide, and potassium hydroxide.

3.1.2 Color dye. The color dye shall meet the requirements for "added substances" as stated in the U.S.P. and shall indicate the exhaustion point of the material by the color changing from pink to blue.

3.2 Mesh size of granules. Size of the granules shall be 4 to 8 mesh.

3.3 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of sampling, a lot shall consist of a mixture prepared from one batch or mixture of the ingredients and quantities specified in 3.1.1, without any change in the processing procedure, and presented for acceptance inspection at one time. If production is in continuous process, a lot shall consist of 2500 pounds or that number of pounds normally produced in an 8-hour period, provided it is less than 2500 pounds. In no case, shall a lot consist of more than 2500 pounds.

4.3 Sampling. Sampling shall be conducted in accordance with Standard MIL-STD-105.

For visual examination	Inspection level	AQL (defects per 100 units)	Unit of product
Major A	S-1	1.0	Filled immediate container
Major B	II (normal) (single)	1.0	Filled immediate container
Minor A	S-3	2.5	Immediate container
Minor B	II (normal) (single)	2.5	Immediate container

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

For end item testing.

Inspection level S-1 to obtain a composite sample to be utilized in performing the required tests.

The minimum sample shall be 2.

The acceptance number shall be zero for all sample sizes.

4.4 Inspection. The Barium Hydroxide Lime, granular, shall be inspected to determine compliance with all requirements of this specification. Non-conformance with these requirements will be permitted to the extent indicated in 4.3.

4.4.1 Classification of defects. Inspection shall be conducted in accordance with the following classification of defects.

Categories and defects*	
Major A	
101	Material not free of dirt or foreign matter.
102	Container and components not free of interaction.
Major B	
151	Labels not free of defacing marks and scratches.
Minor A	
201	Dimensional requirements not as specified.
Minor B	
251	Wire bale handle not present as specified.

*--Inspection is not restricted to the classified possible defects listed above.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Shall be in accordance with all applicable requirements of Interim Federal Specification PPP-C-00186B, dated 15 June 1972, and as specified herein.

5.1.1 Immediate containers. The immediate container for the granules shall be a one gallon metal can having a body, bottom, and top made of 90 pound or 107 pound material or a combination of both. The can and screwcap closure shall be tinplated. The top of the can shall be fitted with a suitable nozzle joined to the top of the can in an airtight manner. The nozzle shall measure 1-1/2 inches $\pm$ 1/8 inch in diameter and shall have a lined screwcap closure. The can shall be equipped with a wire bale handle for carrying, and ears shall be bumped or soldered into the sides of the body. The inside surfaces of the can shall be properly lacquered. The overall size of the can shall be not more than 9 inches in height and not more than 6-5/8 inches in diameter. The immediate containers shall be such as to comply with the requirements defined in the U.S.P. for "Tight Containers."

5.1.2 Polyethylene liner. Each immediate container shall have a polyethylene liner (bag) of not less than 0.0015 inch in thickness. The bag shall be of sufficient depth so that after filling, closure of the bag shall be effected by means of a fold-over, using at least four (4) folds which will retain the contents within the bag.

5.2 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.2.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the date of manufacture.

5.2.2 Unit packages. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.

(b) the National Stock Number.

NOTE: The National Stock Number shall not be preceded by any prefix.

Strip labeling may be used.

Label adhesion test shall not apply.

If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

5.3 Packaging.

5.3.1 Unit of issue. One (1) can containing 7 lbs, as specified, constitutes one unit of issue.

5.3.2 Packaging quantities. The number of units of issue indicated in table I shall be packaged in each unit and exterior container as applicable for the required level of protection specified in procurement document.

TABLE I. - Packaging quantities

Unit package	Intermediate package	Exterior container
1 unit (optional)	Not required	6 units

5.3.2.1 Packing variation permitted. If the required number of units in the entire shipment is less than the number of units specified to be overpacked in an exterior container, such units may be packed in an exterior container of suitable size and design, acceptable to a common carrier, which shall insure safe delivery to destination.

5.3.3 Level A.

5.3.3.1 Unit package. At the option of the contractor, a unit package may be furnished. If furnished, each unit shall be packaged in a snug fitting box constructed in accordance with PPP-B-636, type CF, class domestic. Closure shall conform to method I of PPP-B-636.

5.3.4 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.4 Packing.

5.4.1 Level A.

5.4.1.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2; or PPP-B-636, class weather-resistant. Fiberboard boxes shall conform to special requirements specified in Table II of PPP-B-636.

5.4.1.2 Case liner. Each level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

5.4.1.3 Closure. Closure of wood boxes shall be in accordance with appendix of applicable box specification. Closure of each fiberboard box shall be as specified in the appendix, and waterproofing shall conform with 30.4 of PPP-B-636.

5.4.1.4 Strapping. Strapping, when required, shall be in accordance with appendix of applicable box specification.

NOTE: Strapping shall not be required for shipments forwarded to a receiving activity within the continental limits of the United States for storage and redistribution.

5.4.2 Level B.

5.4.2.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-585, class 1, style 3; PPP-B-601, domestic type; PPP-B-621, class 1, or PPP-B-636, class domestic. Closure shall be as specified in the appendix of the applicable box specification. Closure of fiberboard boxes shall conform to method II as specified in PPP-B-636. In addition, fiberboard boxes shall conform to the special requirements specified in Table I of PPP-B-636.

5.4.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.5. Marking.

5.5.1 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot control number shall be shown.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packing. (see 5.3 and 5.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following National Stock Number and Item Identification:

National Stock No.	Item Identification
6505-00-053-2461	BARIUM HYDROXIDE LIME, USP, Granular, 7 lb (3.18 Kg).

6.3 This specification does not include all types, classes, grades, sizes, etc., of the commodity indicated by the title of this specification, or which are commercially available, but is intended to cover the types, etc., which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activities:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1309

Review information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on information in the current DODISS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-B-36212A

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T08:13Z
Check the source to verify that this is the current version before use.