QQ-T-371C
February 8, 1971
SUPERSEDING
Fed. Spec. QQ-T-371B
January 18, 1963

FEDERAL SPECIFICATION

TIN, PIG

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 This specification covers one composition of pig tin.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Standards:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civil Agencies).
Fed. Test Method Std. No. 151 - Metals, Test Methods.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles and Seattle, Washington.

FSC 9650

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:05Z
Check the source to verify that this is the current version before use.

(Federal Government activities may obtain copies of Federal Specifications and Standards and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Chemical composition. The chemical composition of pig tin shall be as shown in table I.

Table I. Chemical composition

Element	Percent, max.
Tin	99.80[1]
Antimony	0.04
Arsenic	.04
Bismuth	.015
Copper	.03
Iron	.015
Lead	.05
Nickel plus cobalt	.015
Silver	.01
Sulfur	.003
Zinc, cadmium, aluminum each	.001

[1] Minimum

3.2 Form. Pig tin shall be furnished in standard commercial ingot form.

3.3 Marking. Each individual pig shall be legibly and indelibly marked or stamped with the Federal specification number and the manufacturer's name or trademark, when practical.

3.4 Workmanship. The pigs shall be clean and of uniform quality.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:05Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Lot. A lot shall consist of all material from one melt, but not more than 11,200 pounds (5 long tons).

4.3 Sampling.

4.3.1 Sampling for chemical analysis. A sample for chemical analysis shall be taken from each lot. It shall consist of not less than five ounces of drillings taken from sound metal below the surface and shall be fine and clean, and free from oil, grit, and other foreign matter.

4.3.2 Sampling for visual examination. From each lot of material, samples for visual examination shall be selected in accordance with MIL-STD-105 at inspection level I. The acceptable quality level (AQL) shall be 1.5 percent defective.

4.4 Visual examination. Each sample selected in accordance with 4.3.2 shall be subjected to surface examination for workmanship requirements.

4.5 Examination of preparation for shipment. Examination of the preservation, packaging, packing, and marking for shipment shall be made for conformance with the requirements of section 5.

4.6 Test procedures.

4.6.1 Chemical analysis. The samples selected in accordance with 4.3.1 shall be analyzed in accordance with method 111 or 112 of Fed. Test Method Std. No. 151. A single analysis of a composite sample may be made. In case of dispute, referee analysis shall be by method 111.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:05Z
Check the source to verify that this is the currentversion before use.

4.7 Rejection.

4.7.1 Examination. Any sample unit containing one or more visual or dimensional defects shall be rejected. If the number of defective units in any sample exceeds the acceptance number specified in 4.3.2 for that sample size, the entire lot represented by the sample shall be rejected.

4.7.2 Tests. A lot shall be rejected for failure to meet any of the test requirements when tested in accordance with 4.6.

4.8 Retests. Retests shall be permitted in accordance with Fed. Test Method Std. No. 151.

5. PREPARATION FOR DELIVERY

5.1 Packaging and packing, level C. Pig tin ingots shall be packaged and packed for shipment in compliance with common carrier regulations applicable to that mode of transportation to ensure safe delivery at destination at lowest transportation cost without assessment of penalty charges for improper packing.

5.2 Marking.

5.2.1 Civil agencies. In addition to any special marking required in the contract or order, marking of the shipping containers shall be in accordance with Fed. Std. No. 123.

5.2.2 Military agencies. In addition to any special marking required in the contract or order, marking of the shipping containers shall be in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use. Pig tin is used as an alloying additive in the melting and preparation of nonferrous alloys and for tinplate and tinning, foil, tubing, and similar applications.

6.2 Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Special marking, when required (5.2.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:05Z
Check the source to verify that this is the current version before use.

6.3 The chemical composition of pig tin covered by this specification is equivalent to the chemical composition of pig tin conforming to grade A of ASTM B 339-59T.

6.4 The packaging, packing, and marking requirements specified herein apply to direct shipment to the Government, and are not intended to apply to contracts or orders between the manufacturer and the prime contractor.

6.5 Federal specifications do not include all types, classes, grades, etc., of the commodities indicated by the titles of the specifications, or which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirements.

MILITARY CUSTODIANS:

Army - MR
Navy - SH
Air Force - 84

Preparing activity:

Army - MR

Review activities:

Army - MR, MU, MI
Air Force - 85

User activities:

Navy - YD, SH

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See Section 2 of this specification to obtain copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:05Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:05Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATE

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Director
US Army Materials and Mechanics Research Center
ATTN: DRXMR-SSS
Watertown, MA 02172

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:05Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426

PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:05Z
Check the source to verify that this is the current version before use.