MIL-C-37325A
30 September 1976
SUPERSEDING
MIL-C-37325 (DSA-DM)
26 September 1975

MILITARY SPECIFICATION

CARBENICILLIN DISODIUM, STERILE, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Carbenicillin Disodium, Sterile, USP.

1.2 Classification. The preparation covered by this specification shall be of the following strengths and sizes (see 6.2):

Strength 1 - 1.0 Gram
Strength 2 - 5.0 Grams
Size 1 - Normal size vial
Size 2 - Oversize vial

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

STANDARDS

FEDERAL

FED-STD-142	Parenteral Preparations.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Material, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Carbenicillin Disodium, Sterile, USP and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type IV, class 1, style a.

S5.3 The following is added to this paragraph:

Strength 1 shall be suitable for intravenous and intramuscular administration when solubilized.

Strength 2 shall be suitable for intravenous use when solubilized.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

Size 2 shall be suitable for use with stock-listed intravenous sets.

Each immediate container (vial) for strength 1 shall contain a quantity of carbenicillin disodium equivalent to 1.0 gram of carbenicillin, within the applicable FDA assay limits.

Each immediate container (bottle) for strength 2 shall contain a quantity of carbenicillin disodium equivalent to 5.0 grams of carbenicillin, within the applicable FDA assay limits.

Shall be in accordance with the regulations for the Certification of Antibiotics and Antibiotic-Containing Drugs, as promulgated by the FDA.

Each lot shall be certified by the FDA (see S6.7.3).

The carbenicillin disodium used in the manufacture of the product shall be in accordance with the regulations for the Certification of Antibiotics and Antibiotic-containing Drugs and promulgated by the FDA.

All the ingredients used in the manufacture of the product shall comply with S5.1.

S6.4 Dry solids in final container. The method described and the sample size in the USP Weight Variation Test for Sterile Solids shall be employed. In addition, ten (10) immediate containers shall be reconstituted as directed on the label and the recommended dose volume withdrawn. Each sample (withdrawn dose) shall be individually assayed by the method described in the applicable Antibiotic regulations. No container shall assay less than 90.0 percent or more than 120.0 percent of the required amount of Carbenicillin (on a dose basis). The average of the ten (10) assay results shall be not less than 93.0 percent and not more than 107.0 percent of the average of the assay tolerances (90.0 to 120.0) specified in the applicable Antibiotic regulations.

3.2 Expiration dating period. The expiration dating period shall be 18 months.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

4.3 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit or product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One package containing 10 vials of size 1, strength 1, or one bottle (vial) containing 5 grams of size 1, strength 2, or one package containing one vial of size 2, strength 2, together with a bag or other device which allows the vial to be hung, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate containers. The immediate container shall be a commercially available vial considered acceptable by the Food and Drug Administration (FDA) for the product container therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. In addition, the vial and closure for size 2 shall be compatible with stock-listed IV sets and accompanied by a suitable hanging device which allows the bottle to be hung for intermittant I.V. administration. The immediate container for size 2 shall be an oversized vial, having a rated capacity of not less than 100 ml.

5.2.2.2 Unit package. Each unit of size 1, strength 1, or each unit of size 2, strength 2, shall be packaged as specified in 5.2.5 of PPP-C-186. At the option of the contractor, a unit package may be furnished for size 1, strength 2. If a unit package is furnished, each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve (12) units of issue of size 1, strength 1, or size 2, strength 2, shall be packaged as specified in 5.2.8 of PPP-C-186. Twelve (12) units of issue of size 1, strength 2, shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Six intermediate packaged (72 units) of size 1, strength 1, or twenty-four intermediate packages (288 units) of size 1, strength 2, or twelve intermediate packaged (144 units) of size 2, strength 2, shall be packaged as specified in 5.4.4 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

5.3.2 Level B. Six intermediate packages (72 units) of size 1, strength 1, or twelve intermediate packages (144 units) of size 2, strength 2, shall be packaged as specified in 5.4.3.2 of PPP-C-186. Twenty-four intermediate packages (288 units) of size 1, strength 2 shall be packaged as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject ocmmodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice,
(b) the National Stock Number.
(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied for size 1, strength 2, the National Stock Number and extended potency lines shall appear on the immediate container label.

5.4.2 Intermediate package. Intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F.)".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F.)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) the National Stock Number.
(c) Selection of applicabel levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification	Specification Designation
6505-00-159-4462	CARBENICILLIN DISODIUM, Sterile, USP, Equivalent to 1.0 Gram of Carbenicillin, 10s.	Size 1, Strength 1
6505-00-159-4463	CARBENICILLIN DISODIUM, Sterile, USP, Equivalent to 5.0 Gram of Carbenicillin	Size 1, Strength 2
6505-01-008-1329	CARBENICILLIN DISODIUM, Sterile, USP, Equivalent to 5.0 Gram of Carbenicillin	Size 2, Strength 2.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1647

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-C-37325A CARBENICILLIN DISODIUM, STERILE, USP

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974— 603-680/ 6128 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.