MILITARY SPECIFICATION

CHLORPHENIRAMINE MALEATE, ASPIRIN, CAFFEINE, METHOXYPHENAMINE HYDROCHLORIDE, AND PHENACETIN TABLETS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Chlorpheniramine Maleate, Aspirin, Caffeine, Methoxyphenamine Hydrochloride and Phenacetin Tablets (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (see 6.3)

STANDARDS

Federal

FED-STD-140	Tablets (for Medicinal Purposes).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:29Z
Check the source to verify that this is the current version before use.

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Chlorpheniramine Maleate, Aspirin, Caffeine, Methoxyphenamine Hydrochloride, and Phenacetin Tablets, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein:

S2. Classification. Shall be type I, or type XII, or type XIII, class 2, style C (compression coated).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:29Z
Check the source to verify that this is the current version before use.

S5.3 The following additional requirements are added to this paragraph:

Tablets shall contain 2.0 mg Chlorpheniramine Maleate, 226.8 mg Aspirin, 32.4 mg Caffeine Anhydrous, 25.0 mg Methoxyphenamine Hydrochloride, and 162.0 mg Phenacetin per tablet, within the designated assay limits for the tablets.

S6.4.9 Disintegration. Shall meet the requirements of the U.S.P. Disintegration Test for Uncoated Tablets in not more than 30 minutes.

S6.4.10.1 Uncoated tablets. The finished tablets and the inner cores (if an inner core is part of the manufacturing procedure) shall comply with the requirements of the U.S.P. Weight Variation Test for Uncoated Tablets.

S6.9.1 Classification of defects. Examinations shall be conducted in accordance with Table IV - Uncoated Tablets, for Types I, or XII, or XIII.

3.1.1 Assay. The tablets shall contain not less than 90.0 percent and not more than 110.0 percent of the required amounts of Aspirin, Phenacetin, and Caffeine and not less than 90.0 percent and not more than 115.0 percent of the required amounts of Chlorpheniramine Maleate and Methoxyphenamine Hydrochloride.

3.1.1.1 Assay of the active ingredients in the finished tablets shall be determined by appropriate, accurate, and reproducible method(s). The bidder or offeror shall submit with its bid or proposal the detailed proposed method(s) of assay and identification. Assay methods shall be validated by submission of an adequate number of test results including date of assay, lot number, mg of ingredient, percentage of required amount, and statistical data including as a minimum the Standard Deviation and Relative Standard Deviation. If the method(s) are approved and accepted by the Government, such methods shall be employed in the testing of the tablets, and need not be resubmitted, provided the bidder or offeror certifies that there has been no change in formulation, method of manufacture and assay methods.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:29Z
Check the source to verify that this is the current version before use.

3.1.2 Frec salicylic acid content. The tablets shall contain not more than 0.75 percent free salicylic acid, based upon labeled amount of Aspirin, when determined as specified in the N.F., under the monograph for Aspirin Capsules.

3.2 Ingredients.

3.2.1 Chlorpheniramine Maleate, Aspirin and Caffeine. The Chlorpheniramine Maleate, Aspirin, and Caffeine used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.2.2 Methoxyphenamine Hydrochloride. The Methoxyphenamine Hydrochloride used in the manufacture of the tablets shall be in accordance with the tests, standards, and requirements of the N.F., including any supplements or revisions thereto.

3.2.3 Phenacetin. The Phenacetin used in the manufacture of the tablets shall be in accordance with the tests, standards, and requirements of the U.S.P. XVIII, except that a non-U.S.P. Phenacetin reference standard may be used.

3.2.4 Other ingredients. All other ingredients shall comply with S5.1 of FED-STD-140.

3.3 Expiration dating period. The expiration dating period shall be not less than 24 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:29Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

4.3 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be Level A or C as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing twelve (12) tablets as specified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:29Z
Check the source to verify that this is the currentversion before use.

5.2.2 Level A.

5.2.2.1 Immediate container. Immediate container shall be a commercially available immediate container with child-proof safety closure considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. One hundred forty-four (144) units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Five hundred seventy-six (576) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Five hundred seventy-six (576) units of issue shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:29Z
Check the source to verify that this is the currentversion before use.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.

(b) the national stock number.

NOTES: (1) The National stock number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the national stock number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F)".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F.)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:29Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-104-8652	CHLORPHENIRAMINE MALEATE, ASPIRIN, CAFFEINE, METHOXYPHENAMINE HYDROCHLORIDE, AND PHENACETIN TABLETS, 12s

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1490

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:29Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-C-37347 CHLORPHENIRAMINE MALEATE, ASPIRIN, CAFFEINE, METHOXYPHENAMINE HYDROCHLORIDE, & PHENACETIN TABLETS

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974—603-680/6128 2-1

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:29Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:29Z
Check the source to verify that this is the current version before use.