MILITARY SPECIFICATION

DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFIED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Diethylpropion Hydrochloride Tablets, Modified (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

STANDARDS

Federal

FED-STD-140	Tablets (for Medicinal Purposes).

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and
Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Diethylpropion Hydrochloride Tablets, Modified, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein:

S2. Classification. Shall be type XIII, class 1 (timed release).

S5.3 The following is added to this paragraph:

Shall be timed-release tablets containing 75 mg of diethylpropion hydrochloride per tablet, within the designated assay limits for the tablets.

The tablet base, in which the diethylpropion hydrochloride is dispersed, shall be such that the tablets comply with all requirements of this document.

S6.4.5 Shape. Delete reference to any specific shape.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

S6.4.9.1 Disintegration. Tablets shall disintegrate as specified in the release rate (See 3.1.2).

3.1.1 Assay. Tablets shall assay to contain not less than 92.0 percent and not more than 113.0 percent of the required amount of diethylpropion hydrochloride when assayed as specified in 4.3.1.

3.1.2 Release rate. When tested as specified in 4.3.2 the release rate shall be either release rate (a) or release rate (b):

At end of	Release rate (a) mg per tablet	Release rate (b) mg per tablet
1 hour	17.0 to 29.0	200 to 320
3 hours	36.0 to 54.0	420 to 600
5 hours	48.0 to 74.0	520 to 780
7 hours	58.0 to 80.0	660 to 840
9 hours	64.0 to 87.0	680 to 870

3.2 Ingredients. The Diethylpropion Hydrochloride used in the manufacture of the tablets shall be in accordance with the tests, standards, and requirement of the N.F. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

3.3 Expiration dating period. The expiration dating period shall be not less than 48 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

4.3 Tests.

4.3.1 Assay.

Procedure. Accurately weigh a quantity of not less than twenty (20) tablets and reduce them to a fine powder. Weigh accurately a sample equivalent to approximately 20 mg of diethylpropion hydrochloride. Add approximately 100 ml of 0.1N hydrochloric acid and stir for about 10 minutes. Dilute quantitatively to 200 ml with 0.1N hydrochloric acid; mix well, and allow to stand for approximately 5 minutes. Pour off several ml of the solution to discard insolubles floating at the surface, and let the solution stand for about another 10 minutes. Pipet 20.0 ml of the solution into a separatory funnel. Add 20 ml of 10% sodium hydroxide solution and extract immediately with three 50-ml portions of chloroform. Combine the chloroform extracts and recover the diethylpropion by extraction with three 50-ml portions of 0.1N hydrochloric acid. Transfer the aqueous acid quantitatively to a 200 ml volumetric flask. Adjust to volume with 0.1N hydrochloric acid and mix well. Concomitantly determine the absorbance of the solution and of a solution of N.F. Diethylpropion Hydrochloride Reference Standard 1/, in 0.1N hydrochloric acid at a concentration of about 10 mcg per ml, in 1 cm cells at the maximum at about 253 nm with a suitable spectrophotometer, using 0.1N hydrochloric acid as a blank. Calculate the percent of the required amount of Diethylpropion Hydrochloride in the tablets.

4.3.2 Disintegration and release rate.

Procedure for disintegration.

Place 600 ml of simulated gastric fluid T.S. (omit pepsin) in an 800 ml beaker.

Place the basket rack assembly in this fluid so that the bottom of the top plate of the basket just touches the liquid surface at the bottom of the downstroke. Set up a "blank" basket rack assembly in gastric fluid and intestinal fluid (made without enzymes): Run concurrently with the tablet disintegration test and use in the assay procedure. Place one tablet in each of the 6 tubes of the basket rack assembly and operate the apparatus for one hour.

Remove the basket rack assembly, allowing the basket to drain well, and reserve this simulated gastric fluid for assay.

1/ As an alternate to the N. F. Reference Standard for Diethylpropion Hydrochloride, a standard Diethylpropion Hydrochloride which has been tested against the N.F. Reference Standard for Diethylpropion Hydrochloride and is of comparable purity may be used. Test records delineating the results shall be made available, if requested. Test comparison for each lot of standard with the N.F. Reference Standard need be performed one time only.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

Replace basket rack assembly in 600 ml of simulated intestinal fluid T.S. (omit pancreatin), in an 800 ml beaker and proceed as above for a 2-hour period. Repeat with fresh simulated intestinal fluid T.S. at 2-hour period. Repeat with fresh simulated intestinal fluid T.S. at 2-hour intervals for a total elapsed time of 9 hours or until all tablets are disintegrated. Adjustments, to compensate for evaporation loss, shall be made. Assay suitable aliquots for diethylpropion hydrochloride as follows:

Treat the "blank" gastric and intestinal fluids in exactly the same manner as the sample fluids.

Transfer the reserved disintegration fluids from the beakers into separate 1000 ml glass-stoppered graduated cylinders. Rinse the beakers with sufficient purified water to make 600 ml in each cylinder. When the temperature of the fluid has cooled to 25° C., bring the volume of 600 ml with purified water and mix well. Use 50 ml of each sample solution for diethylpropion hydrochloride assay along with 50 ml of the appropriate "blank" solution.

Procedure for assay.

Prepare a dilution of the gastric fluid and intestinal fluid samples in 0.1 N hydrochloric acid so that about 0.01 mg of diethylpropion hydrochloride is present in 1.0 ml of 0.1 N hydrochloric acid. Make the same aliquot dilutions for the corresponding "blank" gastric and "blank" intestinal fluid.

Filter both solutions (sample and blank) through Whatman No. 42 filter paper. Fill the filter paper to within 1/4 inch of the top and allow the entire solution to drain into a 50-ml graduated cylinder. Allow to drain through completely before refilling. Discard the first 50 ml. Determine the ultraviolet absorbance of the diluted and filtered samples on a Beckman spectrophotometer, Model DU, at 253 nm, using the respective diluted blanks in the reference cells. Filter another portion of the solution through the same filter papers and check the absorbance. These readings shall check within ± 0.005 of the first reading. Use a third portion of the filtrate to obtain a constant reading, if necessary.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

Compare the absorbance to that of N.F. Diethylpropion Hydrochloride Reference Standard determined at a concentration of 0.01 mg per ml in 0.1 N hydrochloric acid and read at 253 mm.

Prepare the standard solution as follows:

Weigh accurately, exactly 50 mg of N.F. Diethylpropion Hydrochloride Reference Standard and place in a 200 ml volumetric flask. Add purified water, dilute the solution to 200 ml with purified water and mix well. Pipet a 10.0 ml aliquot into a 250 ml volumetric flask, dilute to 250 ml with 0.1 N hydrochloric acid and mix well.

Calculations

$$\frac{\text{Absorbance of sample}}{\text{Absorbance of standard}} \times 0.01 \text{ mg} \times \text{dilution} \times \frac{600}{\text{sample size ml}} \times 1/6 = \text{mg diethylpropion hydrochloride released/tablet}$$

NOTE: To obtain consistent and reproducible results, it is necessary to standardize the apparatus and procedure with closer tolerances than specified in the U.S.P. for disintegration apparatus; e.g., the stroke length, the speed, the position of the basket, the beakers, etc. Tablets shall not break above the liquid surface on the upstroke.

4.4 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable paragraph of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing one hundred tablets, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercial available bottle considered acceptable by the Food and Drug Administration (F.D.A.) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in paragraph 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units of issue shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Eight intermediate packages (96 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Eight intermediate packages (96 units) shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit packages. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) the National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II Shelf Life Marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II Shelf Life Marking as specified in MIL-STD-129 shall be shown. Marking shall also include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-082-2684	DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFIED, 75 mg, 100s

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1475

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: MIL-D-37333 - DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFIED

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974—603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:27Z
Check the source to verify that this is the current version before use.