MIL-M-37323A
30 September 1976
SUPERSEDING
MIL-M-37323(DSA-DM)
25 September 1975

MILITARY SPECIFICATION

METHICILLIN SODIUM FOR INJECTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Methicillin Sodium for Injection, USP.

1.2 Classification. The items covered by this specification shall be of the following sizes and strengths (See 6.2):

Strength 1 - 1 Gram
Strength 2 - 2 Grams
Strength 3 - 4 Grams
Size 1 - Normal size vial
Size 2 - Oversize vial

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 S. 20th St., Phila. PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:26Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Methicillin Sodium for Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type IV, class 1, style A.

S5.3 The following is added to this paragraph:

Size 1 shall be suitable for intramuscular and intravenous use. Size 2 shall be suitable for intravenous use. Size 3 shall be suitable for hanging for intermittent intravenous administration.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:26Z
Check the source to verify that this is the current version before use.

Each immediate container of strength 1 shall contain a weight of powder equivalent to 1 gram of methicillin sodium, within the applicable FDA assay limits for the injection.

Each immediate container of strength 2 shall contain a weight of powder equivalent to 2 grams of methicillin sodium, within the applicable FDA assay limits for the injection.

Each immediate container of strength 3 shall contain a weight of powder equivalent to 4 grams of methicillin sodium, within the applicable FDA assay limits for the injection.

Shall be in accordance with the regulations for the Certification of Antibiotics and Antibiotic-Containing Drugs, as promulgated by the FDA.

Each lot shall be certified by the FDA (see S6.7.3).

The methicillin sodium used in the manufacture of the product shall be in accordance with regulations for the Certification of Antibiotic and Antibiotic-Containing Drugs as promulgated by the FDA.

All other ingredients used in the manufacture of the product shall comply with S5.1.

3.2 Expiration dating period. The expiration dating period shall be not less than 48 months. Not more than 4 months of the expiration dating period shall have elapsed at time of delivery to the Government.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

4.3 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3), and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:26Z
Check the source to verify that this is the current version before use.

5.2.1 Unit of issue. One bottle of strength 1, size 1, or one package containing a vial along with a hanging device of strength 1, size 2, strength 2, size 2, or strength 3, size 2, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1. The immediate container for size 1 shall be a commercially available vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 2. The immediate container for size 2 shall be a commercially available oversized bottle, having a rated capacity of not less than 100 ml considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The bottle closure shall be compatible with stocklisted I.V. sets, and accompanied by a suitable bag or other hanging device which allows the bottle to be hung for intermittent I.V. administration.

5.2.2.2 Unit package.

5.2.2.2.1 Size 1. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each vial shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.2.2 Size 2. Each bottle along with bag or hanging device shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Fifty size 1, strength 1, units of issue or ten size 2, strength 3, unit packages shall be packaged in an intermediate package as specified in 5.2.7.1 of PPP-C-186. An intermediate package shall not be required for size 2, strength 1 and size 2, strength 2.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Twelve intermediate packages (600 units) of size 1, strength 1, or ten intermediate packages (100 units) of size 2, strength 3, or twenty-five unit packages of size 2, strength 1 or size 2, strength 2 shall be packaged in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twelve intermediate packages (600 units) of size 1, strength 1 or ten intermediate packages (100 units) of size 2, strength 2, or twenty-five unit packages of size 2, strength 1, size 2, strength 2 shall be packaged in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock No.
(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Labeling adhesion test shall not apply.
(4) If a unit package is not supplied for size 1, the National Stock Number and extended potency lines shall appear on the immediate container.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:26Z
Check the source to verify that this is the current version before use.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with 5.5.3 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification	Specification Designation
6505-00-890-1561	METHICILLIN SODIUM FOR INJECTION, USP, 1 Gram	Strength 1, Size 1
6505-01-004-7833	METHICILLIN SODIUM FOR INJECTION, USP, 4.0 Grams	Strength 3, Size 2
6505-01-025-0492	METHICILLIN SODIUM FOR INJECTION, USP, 1 Gram	Strength 1, Size 2
6505-01-025-0493	METHICILLIN SODIUM FOR INJECTION, USP, 2 Grams	Strength 2, Size 2

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:26Z
Check the source to verify that this is the current version before use.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1644

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-M-37323A METHICILLIN SODIUM FOR INJECTION, USP

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLAC CH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:26Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:26Z
Check the source to verify that this is the current version before use.