MILITARY SPECIFICATION

MENINGOCOCCAL POLYSACCHARIDES VACCINE, GROUP C

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers Meningococcal Polysaccharides Vaccine, Group C (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

STANDARDS

Federal

FED-STD-142	Parenteral Preparations.

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Meningococcal Polysaccharides Vaccine, Group C, with sterile diluent.

3.1.1 Meningococcal Polysaccharide Vaccine. Shall be in accordance with the applicable requirements of the Bureau of Biologics, FDA, and all applicable requirements of FED-STD-142. and as specified herein:

S2. Classification. Shall be type IV, class 2, style A.

S4. Shall be lyophilized Meningococcal Group C Polysaccharides Vaccines.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

S6.1.3 Added substances. Shall contain no preservatives.

S6.4 Dry solids in final container. Delete in its entirety and substitute:

"S6.4 Dry solids in final container. The dry solids in each vial shall be of sufficient quantity for the administration of fifty (50) doses, when reconstituted."

3.1.2 Diluent. Shall be Bacteriostatic Water for Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type I, class 1.

S6.1.3 Added substances. Shall contain Thimerosal as a preservative (1:20,000).

S6.3 Volume in final containers. Shall contain 27.5 ml plus the required excess.

3.2 Add the following new paragraph to FED-STD-142:

"S6.9.5 Samples of parenterals shall be submitted as follows:

"The quality assurance representative, when inspection is at source, or the contractor, when inspection is at destination, shall send the following by fastest route directly to:

Department of Biologics Research
Division of Communicable Diseases and Immunology
Walter Reed Army Institute of Research
Walter Reed Army Medical Center
Washington, DC 20012

"(1) Six (6) samples (complete unit packages with circulars) from each lot or batch, accompanied by appropriate document bearing the following information:

(a) National Stock No.
(b) Item Identification
(c) Contract number
(d) Contractor's name and address
(e) Lot or control number
(f) Quantity of material represented by the sample

Source: https://assist.dla.mil -- Downloaded: 20260-21T10:28Z
Check the source to verify that this is the current version before use.

"(2) One (1) copy of the protocol which the manufacturer had submitted to Bureau of Biologics stating the essential manufacturing processes and results of tests for each lot or batch.

"(3) One (1) copy of Bureau of Biologics release for each lot or batch.

"Shipment of material shall not be withheld for a report from Walter Reed Army Institute of Research.

"When inspection is made at source, the cognizant quality assurance representative shall submit one (1) copy of the Bureau of Biologics release and certificate of sterility for each lot or batch, and two (2) copies of document, submitted with samples, directly to the Directorate of Medical Materiel, Technical and Quality Assurance Division, Defense Personnel Support Center, 2800 South 20th Street, Philadelphia, PA 19101, Attention: Quality Assurance Branch.

"When inspection is made at destination, the contractor shall submit one (1) copy of the Bureau of Biologics release and certificate of sterility for each lot or batch, and two (2) copies of document submitted with samples, directly to the Defense Personnel Support Center, addressed as shown above, and one (1) copy of the Bureau of Biologics release shall also be forwarded with the shipment to the consignee."

3.3 Expiration dating period. The expiration dating period shall be 18 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling and examination. The sampling and examination as shown in FED-STD-142 shall be applicable.

4.3 Tests. Tests shall be performed to determine compliance with all referenced documents.

4.4 Examination for preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in Table I. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units. For labeling, the acceptance number shall be zero.

Table I. Examination for preparation for delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging & packing materials	Any component missing or damaged.
Workmanship	Inadequate application of components, such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper location, sequence, or method of application.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with all applicable requirements of PPP-C-186 and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One package containing one vial of vaccine and one vial of diluent, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate containers shall be commercially available vials considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the containers are altered in any way by each other. The vial containing the vaccine shall be suitable for use with Hypodermic Injection Apparatus, Jet, Automatic (see 6.5).

5.2.2.2 Unit package. One vial of vaccine along with one vial of diluent shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve unit packages shall be packaged in an intermediate container as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B, or C as specified (See 6.1).

5.3.1 Level A. Eight intermediate packages (96 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Eight intermediate packages (96 units) shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 20260-21T10:28Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit packages. Each unit package label shall bear the following:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. Lot (control) number, contract or purchase order number and name of contractor shall be shown. Type I Shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legends:

"STORE BETWEEN 2° - 8°C (35° - 46°F)"
and
"DO NOT PERMIT TO FREEZE".

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:28Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior containers shall be marked in accordance with MIL-STD-129, Type I Shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the lot (control) number and the following legends:

"STORE BETWEEN 2° - 8°C (35° - 46°F)"
and
"DO NOT PERMIT TO FREEZE".

NOTE: Shipping instructions. Material shall be shipped under constant refrigeration 2° - 8° C (35° - 46° F).

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock No.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-01-008-7916	MENINGOCOCCAL POLYSACCHARIDES VACCINE, Group C, Freeze Dried, 50 Doses

6.3 All reference to PPP-C-186 refers to PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

6.5 The Hypodermic Injection Apparatus items used to administer the vaccine are 6515-00-656-1021 and 6515-00-910-0097.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1481

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:28Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-M-37340(DSA-DM) MENINGOCOCCAL POLYSACCHARIDES VACCINE, GROUP C

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974—603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:28Z
Check the source to verify that this is the current version before use.