MIL-N-37311
17 February 1976

MILITARY SPECIFICATION

NYSTATIN CREAM

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Nystatin Cream (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-676	- Boxes, Setup.
PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals (See 6.3).

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:25Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be a smooth, homogeneous, perfumed vanishing cream base containing in each Gram, 100,000 U.S.P. units of Nystatin.

3.1.1 Certification. Each lot of cream shall conform to the pertinent provisions of the regulations for the Certification of Antibiotic and Antibiotic-containing drugs, as promulgated by the Food and Drug Administration (F.D.A.), U. S. Department of Health, Education, and Welfare. Each lot shall be certified by the F.D.A.

3.2 Ingredients.

3.2.1 Nystatin. The Nystatin used in the manufacture of the cream shall be in accordance with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto, and shall be in accordance with the applicable regulations for the certification of Antibiotic and Antiobiotic-containing Drugs, as promulgated by the F.D.A., U.S. Department of Health, Education and Welfare.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:25Z
Check the source to verify that this is the currentversion before use.

3.2.2 Other ingredients. All other ingredients entering into the cream shall be of U.S.P. or N.F. quality and shall conform to all the tests, standards and requirements as set forth in the compendia; or if not included in either of these compendia, they shall be of a high quality and purity suitable for use in this preparation.

3.3 Expiration dating period. The expiration dating period shall be not less than 48 months.

3.3.1 Delivery. Not more than 4 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

3.4 Workmanship. The material and its container shall be free from any defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:25Z
Check the source to verify that this is the current version before use.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single uniform, and homogeneous quantity of cream produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Immediate container
Minor	II	2.5	Immediate container

4.3.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE II. Classification of defects.

Categories	Defects 1/
Major	
101	Cream not free from foreign matter.
102	Cream has crystal formation.
103	Cream not homogeneous.
104	Cream not smooth.
105	Cream not perfumed.
Minor	
201	Exterior of immediate container not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.4 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:25Z
Check the source to verify that this is the current version before use.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.6 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One tube containing fifteen (15) grams, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available ointment tube considered acceptable by the Food and Drug Administration (FDA) for the product container therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each tube shall be packaged as specified in paragraph 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units of issue shall be packaged as specified in 5.2.12.1 of PPP-C-186. Boxes conforming to PPP-B-566 or PPP-B-676 may be fabricated of .020 inch board.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:25Z
Check the source to verify that this is the currentversion before use.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Thirty-six intermediate packages (432 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Thirty-six intermediate packages (432 units) shall be packed in an exterior container as specified in 5.4.3.5.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.
(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Labeling adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number and extended potency lines shall appear on the immediate container label.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:25Z
Check the source to verify that this is the current version before use.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with paragraph 5.5.3 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F).

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-890-2013	NYSTATIN CREAM, 15 Grams

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1458
cs

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:25Z
Check the source to verify that this is the currentversion before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-N-37311 NYSTATIN CREAM

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:25Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:25Z
Check the source to verify that this is the current version before use.