MILITARY SPECIFICATION

RESORCINOL MONOACETATE AND COLLOIDAL SULFUR LOTION

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Resorcinol Monoacetate and Colloidal Sulfut Lotion (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be a water-washable nonstaining lotion, containing 4.0 percent Colloidal Sulfur and 3.0 percent Resorcinol Monoacetate (equivalent to 2.0 percent Resorcinol).

3.2 Finished product.

3.2.1 Assays.

3.2.1.1 Colloidal Sulfur. The finished lotion shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required amount of Colloidal Sulfur when determined by an appropriate, accurate, and reproducible method. The bidder or offeror

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

3.2.1.1 Colloidal Sulfur (cont'd)

shall submit with its bid or proposal the proposed method used to determine the Colloidal Sulfur content. If the method is approved and accepted by the Government, the method shall be employed in the testing of the material. The requirement for submission of the method may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and that the suppliers of the ingredients, specification of the ingredients, and the method of manufacture of the finished product have not been changed.

3.2.1.2 Resorcinol Monoacetate. The finished lotion shall assay to contain not less than 85.0 percent and not more than 115.0 percent of the required amount of Resorcinol Monoacetate when determined by an appropriate, accurate, and reproducible gas chromatograpic method. The bidder or offeror shall submit with its bid or proposal the proposed method used to determine the Resorcinol Monoacetate content. If the method is approved and accepted by the Government, the method shall be employed in the testing of the material. The requirement for submission of the method may be waived provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and that the suppliers of the ingredients, specification of the ingredients, and the method of manufacture of the finished product have not been changed.

3.2.2 Identification of Resorcinol Monoacetate. A copy of the gas chromatographic spectrum for Resorcinol Monoacetate identifying and indicating retention time of each peak shall be submitted by the bidder or offeror. The spectrum shall be kept on file in the Technical and Quality Assurance Division, Directorate of Medical Materiel, Defense Personnel Support Center, for use when samples are submitted.

3.2.3 pH. The pH of the undiluted finished product shall be not less than 3.40 and not more than 5.50 at 25°C, when determined potentiometrically, using the U.S.P. method.

3.3 Ingredients.

3.3.1 Resorcinol Monoacetate. The Resorcinol Monoacetate used in the manufacture of the finished product shall be in accordance with the tests, standards, and requirements of the N.F., including any supplements or revisions thereto except that the specific gravity shall be not less than 1.203 and not more than 1.210. In addition the Resorcinol Monoacetate shall assay between 95 percent and 105 percent when determined by a suitable, accurate and reproducible method.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

3.3.2 Other ingredients. All other ingredients entering into the finished lotion shall be of U.S.P. or N.F. quality, or, if not included in either of these compendia, shall be suitable for use in the product.

3.4 Expiration dating period. The expiration dating period shall be 21 months.

3.4.1 Delivery. Not less than 18 months of the expiration dating period shall remain at the time of delivery of the product to the Government.

3.5 Workmanship. The material and its containers shall be free from any defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of solution produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.3.1 For end item testing. Noncompliance with any of the following is cause for rejection.

TABLE II. End item testing

Characteristic	Requirement paragraph	Inspection level 1/	Minimum sample
Assay of Colloidal Sulfur	3.2.1.1	S-2	5 } Composite
Assay of Resorcinol Monoacetate	3.2.1.2	S-2	5 } Composite
Identification of Resorcinol Monoacetate	3.2.2	S-2	5 } Composite
pH	3.2.3	S-2	5 } Composite

1/Where possible, the sample shall be used for two or more tests.

4.4 Examination. The finished solution shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE III. Classification of defects

Categories	Defects 1/
Major	
101	Lotion not free from foreign matter.
102	Lotion not homogeneous.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

TABLE III. Classification of defects (cont'd)

Categories	Defects 1/
Minor	
201	Exterior of immediate container is not free from contents and foreign matter.
202	Label not free from defacing marks and tears.

1/Inspection is not restricted to the classified possible defects listed above.

4.4.2 Examination of preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in table IV. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units. For labeling, the acceptance number shall be zero.

TABLE IV. Examination of preparation for delivery 1/

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging & packing materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

1/ The above examination is only applicable to the unit, intermediate and exterior containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be Level A or C as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 2 fl. oz. (59 ml) as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. Immediate container shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve (12) units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. One hundred forty-four (144) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. One hundred forty-four (144) units of issue shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.

(b) the national stock number.

NOTES: (1) The national stock number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the national stock number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legend: "SUBJECT TO DAMAGE BY FREEZING."

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "SUBJECT TO DAMAGE BY FREEZING."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-105-0848	RESORCINOL MONOACETATE AND COLLOIDAL SULFUR LOTION, 2 fl. oz. (59 ml)

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1484
cs

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-R-37342 RESORCINOL MONOACETATE AND COLLOIDAL SULFUR LOTION

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:28Z
Check the source to verify that this is the current version before use.