MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

HOSE AND TUBING FLEXIBLE

TO ALL HOLDERS OF MIL-STD-35-21A(MI):

1. THE FOLLOWING PAGES OF MIL-STD-35-21A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
1	15 MARCH 1984	(Reprinted without change)	
2	30 JUNE 1992	2	15 MARCH 1984
3	30 JUNE 1992	3	15 MARCH 1984
4	30 JUNE 1992	4	15 MARCH 1984
5	30 JUNE 1992	5	15 MARCH 1984
6	30 JUNE 1992	6	15 MARCH 1984

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of MIL-STD-35-21A(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SC
Army-CR

User activity:
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A404

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS) provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Hose and Tubing Flexible.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects that are applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35.

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for the assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index, entered on a SRS, will specify that the title of the MSE will be the title shown in the Title Index.

Each MSE title listed in the Title Index is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user°s reference; when more than one document is listed for an MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Reprinted without change.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIGG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE	234001	AA-2245	FIRE FIGHTING
		L-H-520	GENERAL SPEC
		MIL-H-2815	DIVERS, AIR SUP
		MIL-H-5593	LOW PRESSURE
		MIL-H-6399	WIRE WOUND (SYN)
		MIL-H-7061	SELF SEALING
		MIL-H-7938	RUBBER, FLAME RES
		MIL-H-8788	HI PRESS,HYDR
		MIL-H-8794	HYDR,FUEL RES
		MIL-H-13444	RUBBER,FUEL,OIL
		MIL-H-15217	SANDBLAST
		MIL-H-24135	REINF,OIL RESIST
		MIL-H-27267	TFE, GEN SPEC
		MIL-H-28596	RUBBER, STEAM
		MIL-H-51059	FLAME THROWER
		MIL-H-52544	REINF,OIL SUCT
		MIL-H-62217	ENG COLLANT,GEN
		WW-H-1053	FLEXIBLE, GEN
		ZZ-H-428	ENG COLLANT,GEN
		ZZ-H-451	FIRE FIGHTING
		ZZ-H-461	GAS, WELDING
		ZZ-H-601	WATER,REINF YARN
		ZZ-H-617	WIPER,WINDSHEILD
HOSE, AIR DUCT	234002	MIL-H-7365	GROUND HEATER
		MIL-H-8796	FLEXIBLE
		MIL-H-62028	HIGH TEMP FLEX
		MIL-H-87961	OXYGEN SYSTEM
HOSE, ASSEMBLY	234003	MIL-H-370	RUBBER, LIQ FUEL
		MIL-H-3868	GREASE GUN
		MIL-H-4495	AERIAL REFUELING
		MIL-H-8790	HYDR,HI PRESSURE
		MIL-H-10868	GAS TRANSFER
		MIL-H-11588	LIQ PETRO DISP
		MIL-H-17505	SUCTION-DISCH
		MIL-H-17902	RUBBER,FUELING
		MIL-H-23592	TFE, HI TEMP

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE, ASSEMBLY	234003 (CONT)	MIL-H-25579	TFE, HI TEMP
		MIL-H-26385	OXYGEN AND PRESS
		MIL-H-26499	METAL,FLEX,OXYGEN
		MIL-H-26626	TFE, OXYGEN
		MIL-H-26666	PNEU,HI PRESSURE
		MIL-H-27267	TFE,MED PRESSURE
		MIL-H-27301	METAL,CRYON LIQ
		MIL-H-27516	RUBBER
		MIL-H-38360	TFE, HI TEMP
		MIL-H-38390	TFE, HI PRESSURE
		MIL-H-81581	OXYGEN AND AIR
		MIL-H-82127	FUEL DISCH (SYN)
		MIL-H-83298	TFE, HI TEMP
		MS8000	FLARE-FLARE
		MS8001	FLARELESS-FLARE-LESS
		MS8003	FLARELESS-FLANGE
		MS8004	FLANGE-FLANGE
		MS8005	FLARE-FLARE
		MS8006	FLARELESS-FLARE-LESS
		MS8008	FLARELESS-FLANGE-
		MS8009	FLANGE-FLANGE
		SAE AS 153 OR 627	FLARED TUBE
		SAE AS 154 OR 628	STRAIGHT-ELBOW 45 DEG, FLARED TUBE
		SAE AS 155 OR 629	STRAIGHT-ELBOW 90 DEG, FLARED TUBE
		SAE AS 156 OR 630	ELBOW 45 DEG TO ELBOW 45 DEG, FLARELESS TUBE
		SAE AS 157 OR 631	ELBOW 45 DEG TO DLBOW 90 DEG, FLARED TUBE
		SAE AS 158 OR 632	ELBOW 90 DEG TO ELBOW 90 DEG, FLARED TUBE

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:54Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
HOSE, ASSEMBLY	234003 (CONT)	SAE AS 115 OR 622	FLARELESS TUBE
		SAE AS 116 OR 622	STRAIGHT-ELBOW 45 DEG,FLARELESS TUBE
		SAE AS 117 OR 623	STRAIGHT-ELBOW 90 DEG,FLARELESS TUBE
		SAE AS 118 OR 624	ELBOW 45 DEG TO ELBOW 45 DEG, FLARELESS TUBE
		SAE AS 119 OR 625	ELBOW 45 DEG TO ELBOW 90 DEG, FLARELESS TUBE
		SAE AS 120 OR 626	ELBOW 90 DEG TO ELBOW 90 DEG, FLARELESS TUBE
		ZZ-H-466	GAS, WELDING
HOSE AND HOSE ASSEMBLY	234004	MIL-H-370	LIQUID FUEL
		MIL-H-3992	BRAKE,AIR-VAC
		MIL-H-22240	SMOOTH BORE, FUEL
		ZZ-H-500	PNEU, WRAPPED
		ZZ-H-521	NON-METAL,SPRAY
TUBING	234005	MIL-T-6945	BRASS
		MIL-T-7081	TUBE,ALUM ALLOY
		MIL-T-8231	TUBE,COPPER ALLOYT
		MIL-T-36999	NON-METAL,RUBBER
		MIL-T-46072	TUBE,ALLOY
		MIL-T-50777	TUBING,ALUM
		MIL-T-81914	PLASTIC, FLEXI
		ZZ-T-831	PLASTIC, FLEXI

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-P-775	Hose, Hose Assemblies, Rubber Plastic, Fabric, or Metal (Including Tubing), and Fittings, Nozzles and Strainers, Packing of
MIL-C-5501	Cap and Plug, Protective, Dust and Moisture Seal
MIL-H-5606	Hydraulic Fluid, Petroleum Base, Aircrafdt, Missile and Ordance
MIL-M-6002	Marking, Standard Hose, Aircraft
MIL-H-8788	Hose, Hydraulic, High Pressure
MIL-C-52404	Connection: Hose, Fire and Water
MIL-S-12165	Strainers, Suction, Firehose; and Strainers, Suction, Hose
MIL-C-27487	Coupling Halves, Quick-Disconnect, Cam-Locking Type
MIL-H-38360	Hose Assemblies, Tetrafluoroethylene High Temperature, High Pressure, 3000 PSI Hydraulic and Pneumatic
MIL-T-81914	Tubing, Plastic, Flexible, Convoluted, Conduit, General Specification for

STANDARDS

FEDERAL

FED-STD-162	Hose, Rubber, Visual Inspection Guide for
FED-STD-601	Rubber: Sampling and Testing

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:54Z
Check the source to verify that this is the current version before use.

FED-STD-H28/10	Screw-Thread Standards for Federal Services Section 10 American National Hose Coupling Threads.

MILITARY

DOD-STD-35E	Automated Engineering Document Preparation System
MIL-STD-105	Sampling Procedures and Tables for Inspection by Attribues
MIL-STD-129	Marking for Shipment and Storage
MIL-STD-1523	Age Controls of Age-sensitive Elastomeric material.
WW-C-621	Coupling Assembly, Hose (Fire, Woven - Jacketed, Rubber - or Fabric - Lined and Unlined)

(Copies of specifications, standards, drawings, and publications required by contractor in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this standard to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

ASTM D380	Rubber Hose, Methods of Testing
ASTM D412	Rubber Properties in Tension, Test Methods for.
ASTM D413	Rubber Property - Adhesion to Flexible Substrate, Test Method for.
ASTM D518	Rubber Deterioration - Surface Cracking, Test Method for.
ASTM D573	Rubber - Deterioration in an Air Oven, Test Method for.
ASTM D1149	Rubber Deterioration - Surface Ozone Cracking in a Chamber (Flat Specimen), Test Method for.
ASTM E380	Standard for Metric Practice

(Application for copies should be addressed to the American National Standards Institute, Inc., 1430 Broadway, New York, N.Y. 10018.)

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:54Z
Check the source to verify that this is the current version before use.