(Project No. 5940-0722)

FED. SUP CLASS
5940

USER SYMBOLS:
NAVY - MC

REVIEWER SYMBOLS:
NAVY - SH, EC
USAF - 11
ARMY - AV





TABLE I

| DASH NO. | WIRE SIZE | STUD SIZE | A MAX | B MIN | C ±.010 | D MAX | D MIN | E | F | G MAX | G MIN | W MAX | W MIN | MIL-E-16366 (SHIPS) REFERENCE |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 22-18 | 8 | .998 | .250 | .156 | .037 | .023 | .165 / .110 | .070 / .052 | .178 | .168 | .322 | .302 | L-15, 1-2 |
| 2 | 16-14 | | 1.061 | .250 | | .037 | .023 | .192 / .139 | .090 / .181 | | | | | L-15, 2-1/2-4 |
| 3 | 12-10 | | 1.186 | .250 | | .046 | .032 | .255 / .199 | .135 / .128 | | | | | L-15, 6-9 |

TABLE II (REF)

| WIRE SIZE | NAVY CABLE SIZE | WIRE SIZE | NAVY CABLE SIZE | WIRE SIZE | NAVY CABLE SIZE |
|---|---|---|---|---|---|
| 22-18 | 1 (1) | 16-14 | 2-1/2 (1) | 12-10 | 6 (7) |
| | 1 (7) | | 2-1/2 (19) | | 6 (19) |
| | 1 (10) | | 2-1/2 (26) | | 9 (7) |
| | 1-1/2 (1) | | 3 (7) | | 9 (37) |
| | 1-1/2 (7) | | 4 (1) | | |
| | 1-1/2 (16) | | 4 (19) | | |
| | 1-1/2 (41) | | 4 (7) | | |
| | 2 (7) | | 4 (41) | | |

ADDITIONAL REQUIREMENTS:

1. MATERIAL: SEE PROCUREMENT SPECIFICATION.
2. FINISH: TIN PLATED. SEE PROCUREMENT SPECIFICATION.
3. DIMENSIONS IN INCHES.
4. TENSILE STRENGTH: THE TENSILE STRENGTH SHALL BE THAT SPECIFIED IN PROCUREMENT SPECIFICATION.
5. DESIGN AND CONSTRUCTION: LUG TERMINALS SHALL BE OF THE DESIGN, CONSTRUCTION, AND PHYSICAL DIMENSIONS SPECIFIED IN THE FIGURE AND TABLE I, AND SHALL MEET THE PERFORMANCE REQUIREMENTS OF MIL-T-7928 WHEN CRIMPED ON MIL-C-915 AND MIL-C-2194 CABLE WITH A 9000-S6202-73809 CRIMPING TOOL AND MS17776 CRIMPING TOOL. THIS STANDARD DEPICTS ONLY GENERAL DESIGN CHARACTERISTICS AND IS NOT INTENDED TO LIMIT SPECIFIC MANUFACTURING PROCESSES. WIRE INSULATION SUPPORT NOT REQUIRED.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

(A) REVISED AND REDRAWN

APPROVED 26 Sept 67 REVISED (A) 12 March 1973

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

| P.A. NAVY - AS<br>Other Cust<br>ARMY - EL<br>USAF - 80 | TITLE<br>TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, LIPPED END, CRIMP STYLE, COPPER, TYPE I, CLASS 1 | MILITARY STANDARD<br>MS21012 |
|---|---|---|
| PROCUREMENT SPECIFICATION<br>MIL-T-7928 | SUPERSEDES: | SHEET 1 OF 1 |

DD FORM SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17709

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:25Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:25Z
Check the source to verify that this is the current version before use.

| STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL | OMB Approval No. 22-R255 |
|---|---|

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MS21012A TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, LIPPED END, CRIMP STYLE, COPPER, TYPE I, CLASS 1

| NAME OF ORGANIZATION AND ADDRESS | CONTRACT NUMBER |
|---|---|
| | MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT |

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS

| SUBMITTED BY (Printed or typed name and address - Optional) | TELEPHONE NO. |
|---|---|
| | DATE |

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:25Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316

U.S.MAIL

Engineering Specifications and Standards Department (Code X)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:25Z
Check the source to verify that this is the current version before use.