
PROJECT NO. 1660-0456

FED. SUP CLASS
1660



-1 ASSEMBLY (D)

(D) DENOTES CHANGES

REVISED (A) 29 SEPT 66 (B) 13 AUG 69 (C) 23 JAN 75 (D) 10 SEPT 82

APPROVED 9 MAY 63


P.A. NAVY — AS Other Cust USAF - 99 ARMY - AV	INTER-NATIONAL INTEREST *	TITLE: OXYGEN SYSTEM, PORTABLE, 295 CU IN. HIGH PRESSURE, AIRCRAFT	MILITARY STANDARD MS 22059
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES: BuAer DWGS 9153, 9207	SHEET 1 OF 7

DD FORM 1 MAR 72 672-1 (Continued)

PROJECT NO. 1660-0456

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



APPROVED 9 MAY 63 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7

P.A. NAVY-AS Other Cust USAF - 99 ARMY-AV	INTERNATIONAL INTEREST: •	TITLE: OXYGEN SYSTEM, PORTABLE, 295 CU IN. HIGH PRESSURE, AIRCRAFT	MILITARY STANDARD MS22059
PROCUREMENT SPECIFICATION: MIL-O-23678		SUPERSEDES: BuWep DWGS 9153, 9207	SHEET 2 OF 7

DD FORM 1 SEP 57 S72-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

USER SYMBOLS:

REVIEWER SYMBOLS:
ARMY - AV.
NAVY - AS
AIR FORCE - 11


"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is Approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

USER SYMBOLS:
REVIEWER SYMBOLS:
ASNT - AV
NAVY - AS
AIR FORCE - 11
"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."
This military standard is Approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


FED. SUP CLASS
1660




-4 RETAINER STRAP ASSEMBLY



-5 RETAINING STRAP ASSEMBLY



-6 KEEPER



-7 BUCKLE

APPROVED 9 MAY 63 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7

P.A. NAVY - AS Other Cust USAF -99 ASNT - AV	INTERNATIONAL INTEREST: •	TITLE: OXYGEN SYSTEM, PORTABLE, 295 CU IN. HIGH PRESSURE, AIRCRAFT	MILITARY STANDARD MS22059
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES: ANwep DWGS 9153, 9207	SHEET 3 OF 7


DD FORM 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

REVIEWER SYMBOLS: USER SYMBOLS:
ARMY - AV
NAVY - AS
AIR FORCE - 11
"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."
This military standard is Approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


FED. SUP CLASS
1660



-8 CYLINDER HOLDER ASSEMBLY



-11 CLAMP



-12 BRACKET

APPROVED 9 4 63 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7


P.A.: NAVY- AS; Other Coord: USAF -99, ARMY-AV	INTERNATIONAL INTEREST: *	TITLE: OXYGEN SYSTEM, PORTABLE, 295 CU IN. HIGH PRESSURE, AIRCRAFT	MILITARY STANDARD MS22059
PROCUREMENT SPECIFICATION: MIL-O-23678		SUPERSEDES: ByWep DWGS 9153, 9207	SHEET 4 OF 7

DD FORM SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660




-15 CONNECTOR BRACKET L. H. (HIDDEN)


-15 CONNECTOR BRACKET R. H. (OPPOSITE)




-16 STIFFENER




-14 BRACKET



-17 CLAMP



-22 NIPPLE (D)



-23 NUT (D)

REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7

APPROVED 9 MAY 1963

USER SYMBOLS:

REVIEWER SYMBOLS:
ARMY - AV
NAVY - AS
AIR FORCE - 11

*Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is Approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. NAVY - AS Other Cust USAF -99 ARMY -AV	INTERNATIONAL INTEREST •	TITLE OXYGEN SYSTEM, PORTABLE, 295 CU. IN. HIGH PRESSURE, AIRCRAFT	MILITARY STANDARD MS22059
PROCUREMENT SPECIFICATION MIL-O-23378		SUPERSEDES: BUSHIPS DWGS 9153, 9207	SHEET 5 OF 7

DD FORM 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 15320

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.


USER SYMBOLS:

REVIEWER SYMBOLS:
ARMY = AV
NAVY = AS
AIR FORCE = 11

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is Approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
1660



-13 BOX ASSEMBLY

APPROVED 9 MAY 1963 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7

P.A. NAVY – AS Other Cust USAF -99 ARMY-AV.	INTERNATIONAL INTEREST	TITLE: OXYGEN SYSTEM, PORTABLE, 295 CU. IN. HIGH PRESSURE, AIRCRAFT	MILITARY STANDARD MS22059
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES: BUWEPS 9153, 9207	SHEET 6 OF 7


DD FORM 1 SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 15320

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



-24 CYLINDER AND VALVE ASSY (D)

(D) NOTES:

1. MATERIAL: (A) KEEPER, -6; EDGE REINFORCING, -9; CLAMP, -11; BRACKET, -12, BRACKET, -14; CONNECTION BRACKET, -15 R. H. AND -15, L. H.; STIFFENER, -16; AND BOX, -20; SHEET STEEL, QQ-S-698 NO. 3 TEMPER, (QUARTER HARD), NEOQ.
   (B) BUCKLE, -7; STEEL WIRE, QQ-W-461.
   (C) BASE PLATE, -10; WHITE WOOD.
   (D) CLAMP, -17; STEEL STRIP, CORROSION RESISTING, QQ-S-766.
   (E) TAPE, -18 AND -19; COTTON, MIL-T-5661, TYPE II, 1 INCH WIDE.
   (F) THREAD, NYLON, V-T-295, SIZE E, TYPE II, CLASS 1 OR 2.
   (G) NIPPLE, -22; AND NUT, -23; BRASS QQ-B-626, COMP 360 OR 377.

2. FINISH: (A) KEEPER, -6; EDGE REINFORCING, -9; CLAMP, -11; BRACKET, -12; BRACKET, -14, CONNECTOR BRACKET, -15 R. H. AND -15 L. H.; STIFFENER, -16 AND BOX, -20, ZINC CHROMATE PRIMED PER TT-P-1757 AND PAINTED LUSTRELESS ENAMEL PER TT-E-516, COLOR BLACK (NO. 37038) PER FED-STD-595.
   (B) BUCKLE, -7; CADMIUM PLATE, QQ-P-416, CLASS A, TYPE 1.

3. ALL BEND RADII .06 UNLESS OTHERWISE SPECIFIED. REMOVE ALL BURRS AND BREAK ALL SHARP EDGES.

4. DIMENSION IN INCHES, UNLESS OTHERWISE SPECIFIED, TOLERANCES: FRACTIONS ± 1/16, DECIMALS ± .010, ANGLES ± 1°. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5.

5. ANGLE MOUNTING, -18; SHALL BE DZUS FASTENER CO., INC., 127 UNION ST., WEST ISLIP, N.Y. PART NO. PR3 1/2 RECEPTACLE OR EQUIVALENT.

6. VALVE OUTLET CONNECTION SHALL BE IN ACCORDANCE WITH FED-STD-H28/9, CONNECTION NO. 540 (.903-14NGO-RH-EXT.)

7. CYLINDER CLASS IS OPTIONAL. USE CLASS 1, 2, 3 OR 4.

8. SIL-BRAZE, SILVER SOLDER SHALL BE IN ACCORDANCE WITH QQ-B-654, CLASS BAg-5

* CERTAIN PROVISIONS (FUNCTIONAL AND PHYSICAL INTERCHANGEABLE FEATURES) OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT ADC AIR STANDARD 14/5, "WALK AROUND OXYGEN SETS". WHEN AMENDMENT, REVISION, OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH WILL AFFECT OR VIOLATE THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE RECONCILIATION ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES, IF REQUIRED.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.

APPROVED 9 MAY 1963 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7

REVIEW SYMBOLS: ARMY - AV, NAVY - AS, USAF - 11

USER SYMBOLS:

"Reasons/user information is current as of the date of this document. For future consideration of changes to this document, draft circulation should be based on the information on the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications, and for repetitive use shall be made from this document.

P.A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
NAVY — AS Other Cust USAF - 99 ARMY - AV	*	OXYGEN SYSTEM, PORTABLE, 295 CU. IN. HIGH PRESSURE, AIRCRAFT	MS22059
PROCUREMENT SPECIFICATION MIL-O-23678	SUPERSEDES: BUWEPS DWGS 9153, 9207		SHEET 7 OF 7

DD FORM 1 MAR 72 672-1 (Coordinated)

PLATE NO. 23059

☆U.S. GOVERNMENT PRINTING OFFICE: 1982-505-022/4640

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.