
FED. SUP CLASS
3895







Review Interest: Army - MO; Navy - None; Air Force - 84
User Interest: Army - None; Navy - YD, MC; Air Force - None

NOTES:

1. FOR DESIGN PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.
3. UNLESS OTHERWISE STATED ALL DIMENSIONS ARE IN INCHES.
4. THE DRAWINGS ARE NOT TO SCALE.
5. SHEETS 2 & 3 APPLY TO 3-INCH COUPLING AND SHEETS 4 & 5 APPLY TO 4-INCH COUPLING.
6. SURFACES AND AREAS MARKED "√" ARE TO BE MACHINED.

| NO. | NAME OF PIECE | REQ. | |
|---|---|---|---|
| 1 | FAUCET END | 1 | BRASS 85-5-5-5 |
| 2 | BODY | 1 | MALLEABLE IRON |
| 3 | GLAND | 1 | " " " " |
| 4 | NIPPLE | 1 | BRASS 85-5-5-5 |
| 5 | HOSE END | 1 | |
| 6 | DOUBLE MALE ADAPTER | 1 | BRASS 85-5-5-5 |
| 7 | COUPLING | 1 | MALLABLE IRON |
| 8 | DUST CAP | 1 | " " " " |
| 9 | GASKET | 1 | SYNTHETIC COMP. |
| 10 | METAL WASHER | 1 | STEEL |
| 11 | LOCK WASHER, 5/16 | 1 | " |
| 12 | CAP SCREW, 5/16 x 1/2 | 1 | " |
| 13 | STOVE BOLT, 3/16 x 1/2 | 2 | " |
| 14 | CHAIN, #12 JACK | 1 | " |
| 15 | RIVET, 1/4 x 1-3/4 R.H. | 2 | " |
| 16 | SPRING LOCK RING | 1 | STEEL, CAD. PL. |
| 17 | HANDLE | 2 | MALLABLE IRON |
| 18 | STOVE BOLT, 3/16 x 3/8 | 2 | STEEL |
| 19 | CLIP, CHAIN, DUST CAP | 1 | BRASS |
| 20 | CLIP, CHAIN, FAUCET END | 1 | BRASS |

(A) FOR CHANGES SEE SHEETS 4 & 5 ADDED

APPROVED 11 JULY 1961 REVISED (A) 2 October 1964

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


| P.A. MO(ENDL) | TITLE | MILITARY STANDARD |
|---|---|---|
| Other Cust | COUPLING, QUICK DISCONNECT, 3-AND 4-INCH, FOR CONSTRUCTION EQUIPMENT. | MS 39153 |
| NAVY - YD<br>AIR FORCE - 84 | | |
| PROCUREMENT SPECIFICATION | SUPERSEDES: | SHEET 1 OF 5 |


DD FORM 1 SEP 57 672-1 (Coordinated)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
3895










CASTING
INTERIOR SURFACES FINISHED

BODY (2)





FAUCET END (1)




GLAND (3)




NIPPLE (4)

REVISED (A) FOR CHANGES SEE SHEETS 4 & 5

APPROVED


| | | |
|---|---|---|
| P.A. MD(ERDL)<br>Other Cost<br>NAVY - YD<br>AIR FORCE - 84 | TITLE<br>COUPLING, QUICK DISCONNECT, 3-AND 4-INCH, FOR CONSTRUCTION EQUIPMENT | MILITARY STANDARD<br>MS 39153 |
| PROCUREMENT SPECIFICATION | SUPERSEDES: | SHEET 2 |

DD, FORM, SEP 87 672-1 (Coordinated)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS 3895





DUST CAP (8)





WASHER (10)





DOUBLE MALE ADAPTER (6)




BRASS CLIP (20)




FEMALE COUPLING (7)




BRASS CLIP (19)

REVISED (A) FOR CHANGES SIZE SHEETS 4 & 5


APPROVED

| | | |
|---|---|---|
| P.A. MD(ERDL)<br>Other Cust<br>NAVY - YD<br>AIR FORCE - 84 | TITLE<br>COUPLING, QUICK DISCONNECT, 3- AND 4-INCH, FOR CONSTRUCTION EQUIPMENT. | MILITARY STANDARD<br>MS 39153 |
| PROCUREMENT SPECIFICATION | SUPERSEDES: | SHEET 3 |


DD FORM 1 SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.




Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.




| P.A. NO(ERDL) | TITLE | MILITARY STANDARD |
|---|---|---|
| Other Cost<br>NAVY - YD<br>AIR FORCE - 84 | COUPLING, QUICK DISCONNECT, 3 AND 4 INCH, FOR CONSTRUCTION EQUIPMENT | MS 39153 |
| PROCUREMENT SPECIFICATION | SUPERSEDES: | SHEET 5 |

DD FORM 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.