
This document has been approved for public release and sale; its distribution is unlimited.

MILITARY SPECIFICATION SHEET

LENSES, INDICATOR LIGHT, DIMMER, STYLE LC39

The complete requirements for procuring the lenses described herein shall consist of this document and the latest issue of Specification MIL-L-3661.



INCHES	MM
1/8	3.18
.157	3.99
3/8	9.53
21/32	16.67
49/64	19.45
7/8	22.23
1-1/16	26.99

Figure 1 - Style LC39 lenses.

NOTES:
1. All dimensions are in inches. Unless otherwise specified, tolerances are ±1/64 inch (0.38mm) for fractions and ±0.005 inch (0.13mm) for decimals.
2. Metric equivalents (to the nearest 0.01mm) are given for general information only and are based upon 1 inch =25.4 mm.

(A) Denotes changes

FSC 6210

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:06Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

1. Qualification: Not required.
2. Material: Material shall be as shown on the figure and as follows:

   (a) Shell, pin: Brass.
   (b) Gasket, washer: Rubber.
   (c) Lens:

   Bullseye: See table I.
   Disc: Clear transparent heat resistant acrylic plastic having a minimum light transmittance of 91 percent.

3. Finish: All exposed metal parts, black nickel.
4. Design and construction: See figure 1.
5. Knurl design: Optional.
6. Ozone: The lenses shall be subjected to ozone having a concentration of from 0.010 to 0.015 percent by volume for 2 hours at room temperature. At the end of this period, the samples shall be examined for evidence of deterioration such as cracking or discoloration.
7. Sealing: Dripproof.
8. Shell rotation: The outer shell shall rotate to provide for no illumination to maximum illumination through three holes as shown on the figure. A pin on the inner shell shall align these holes for no illumination when the pin is at one end of the slot and for maximum illumination when the pin is at the other end.
9. Temperature cycling:

   Glass: -65° to 200°C.
   Plastic: -55° to 125°C.

Table I - Style LC39 lenses.

Type designation 1/	Lens material	Transmittance	Lens color
LC39CN3	Plastic	Nondiffusing	Colorless
LC39ED1	Glass	Diffusing	Red
LC39GD1	Glass	Diffusing	Green
LC39BD1	Glass	Diffusing	Blue
LC39YD1	Glass	Diffusing	Yellow
LC39CN1	Glass	Nondiffusing	Colorless

1/ The style LC 39 lenses shall mate with any of the indicator light housings shown on MIL-L-3661/61 through MIL-L-3661/65.

Supersession data: This specification sheet replaces Piece 50 of Drawing 9000-S6202-73907.

QUALITY ASSURANCE PROVISIONS

First article inspection:
Complete lampholder assembly: When lenses specified herein are procured as a part of an assembly, the lens with the indicator light housing shall be subjected to the applicable tests listed in the Qualification tests of MIL-L-3661. An ozone test to determine conformance with requirement 6 and light transmission to determine conformance with requirement 2 (c) shall also be conducted. The light transmission test shall be conducted in accordance with MIL-C-25050.
Lenses: When lenses are procured separately, first article inspection shall consist of the following examination and tests:

Visual and dimensional examination
Sealing
Temperature cycling
Ozone

Quality conformance inspection: Quality conformance inspection shall consist of the following examination and test:

Visual and dimensional examination
Sealing

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:06Z
Check the source to verify that this is the current version before use.

Sampling for quality conformance inspection: A random sample of lenses shall be selected from each lot in accordance with MIL-STD-105, inspection level I. The AQL shall be 2.5 percent defective. Any lens in the sample containing one or more defects or failing to conform to the sealing test shall be rejected. If the number of nonconforming lenses in any sample exceeds the acceptance number for that sample, the lot represented by the sample shall be rejected.

Preparing activity:
Navy - SH
(Project 6210-N310)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:06Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commander
Naval Sea Systems Command (SEA 55z3)
DOD Standardization Program and Documents
Division
Department of the Navy
Washington, DC 20362

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426

PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-16T21:06Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)