MIL-P-15024D
AMENDMENT 3
18 July 1986
SUPERSEDING
AMENDMENT 2
7 December 1984

MILITARY SPECIFICATION

PLATES, TAGS AND BANDS FOR IDENTIFICATION OF EQUIPMENT

This amendment forms a part of Military Specification MIL-P-15024D dated 10 May 1971, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Under 1.2, Type K2, add:
"1.2.1 Laser generated plate. A laser generated plate may be used provided it meets the requirements of this specification."

2.1, delete the paragraph and substitute: "Government documents."

* Add:
"2.1.1 Specifications and standards. The following specifications and standards form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation."

PAGE 2

* 2.1.1, under Federal Specifications,
add:

"GG-P-455	Plates and Foils, Photographic, Photosensitive, Anodized Aluminum
PPP-B-665	Boxes: Paperboard, Metal Edged and Components"

change "Box" to "Boxes" in the title of PPP-B-566

delete title of PPP-T-60 and substitute: "Tape, Packaging, Waterproof"

delete title of PPP-T-76 and substitute: "Tape, Packaging, (For Carton Sealing)".

PAGE 3

* 2.1.1, under Federal Standards, delete "FED-STD-141" and its title.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:23Z
Check the source to verify that this is the current version before use.

* 2.1.1, under Military Specifications,
add:
"MIL-C-87936 Cleaning Compounds, Aircraft Exterior Surfaces, Water Dilutable"

delete:
"MIL-C-25769" and "MIL-B-43014" and their respective titles.

* 2.1.1, below last specification and its title, add:
"(See supplements for applicable specification sheets.)"

PAGE 4

* 2.1.1, under Military Standards, delete "MIL-STD-810" and "MIL-STD-1472" and their respective titles.

* 2.2, below ASTM D 1924-70, add:
"ASTM D 523 Standard Test Method for Specular Gloss"

2.2, below paragraph "(Application for copies ------)" add:
"(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)"

*Add: "2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for associated specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained."

*3.1 Specification sheets, delete the first sentence in its entirety and substitute: "The individual item requirements shall be as specified herein and in accordance with the applicable specification sheet. In the event of any conflict between the requirements of this specification and the specification sheet, the latter shall govern. (If a specific requirement specified herein is not required for an item, it shall be so indicated on the specification sheet)."

PAGE 5

* 3.2.1 Identification plates, delete the last sentence in its entirety and add: "The contractor shall include all required marking information, and shall attempt to use the required format and sequencing of the marking information (see 6.2.1)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:23Z
Check the source to verify that this is the current version before use.

* 3.2.1.1 Additional marking information, delete the first sentence in its entirety and substitute: "Type J tags and all identification plates, except plastic Type B, Type F adhesive backed plates, and Types E and G, may be steel stamped with additional information which may be added sometime after initial manufacture. Additional information is information not required by the contract or purchase order."

* 3.4 Filling of markings, after the end of the first sentence, on the second line, add: "Filling of markings with paint, enamel or lacquer may be omitted for color anodized aluminum plates meeting color styles III, VIII, and IX."

PAGE 6

3.6.3 Color Style, delete the paragraph in its entirety and substitute: "The background and character color of the identification device shall be as specified in the detail specification sheet, and in accordance with the color style of Table I. The color numbers of FED-STD-595 shall be used as an approximate color comparison for anodic coatings and finishes other than paint, enamel, lacquer or varnish. When a color style for identification devices to be used on electronic equipment is not specified, color style III shall be used. Other colors may be used with the approval of the acquiring activity."

PAGE 7

* 3.6.4.1 Gloss, delete the sentence in its entirety and substitute: "The surfaces of plastic plates shall have a specular gloss of 25 ±10, except that adhesive backed Type F plates may be designated as lusterless with a specular gloss of 6 or less, or gloss with a specular gloss of 40 or more, in accordance with MIL-M-43719 (see 4.4.1.10)."

PAGE 8

* 3.7.2 Marking method, after the end of the second sentence, on the third line, add: "Filling of markings with paint, enamel or lacquer may be omitted for color anodized aluminum plates meeting color styles III, VIII, and IX (see 3.7.3)."

* 3.7.3 Dimensions, delete the first sentence in its entirety and substitute: "Etched areas shall not be less than 0.003 inch deep except that color anodized plates, that are not filled, shall be etched to the depth necessary to produce clear, legible characters."

PAGE 10

* 3.12.2 Marking method, delete the last sentence in its entirety and substitute: "Only on Type F plates having a thickness of 0.03 inch or greater, may additional information be steel stamped in accordance with 3.2.1.1."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:23Z
Check the source to verify that this is the current version before use.

* 3.12.3 Dimensions, delete the sentence in its entirety and substitute: "Thickness of Type F plates shall not be less than 0.03 inch for plates using fasteners. For plates using adhesives, the thickness shall not be less than 0.006 inch and shall not be greater than 0.025 inch."

3.14.1 Materials, delete the paragraph in its entirety and substitute: "Type H plates shall be aluminum alloy with anodized surfaces in accordance with GG-P-455, except thickness of plates shall be as specified in 3.14.3. They may be mounted by fastener devices or by an adhesive."

PAGE 12

* Add: "4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

PAGE 15

* 4.4.1.6 Flammability test, after the end of the first sentence, on the second line, add: "Type F adhesive backed plates shall be laminated to a self-extinguishing backing plate to a total thickness of 0.03 inch or greater for testing purposes."

* 4.4.1.8 Cleaning resistance test, second line, delete "MIL-C-25769" and substitute: "MIL-C-87936".

* 4.4.1.10 Gloss for nonmetallic items, second line, delete "FED-STD-141, Method 6101" and substitute: "ASTM D 523".

PAGE 16

* Delete: "5. PREPARATION FOR DELIVERY" and substitute: "5. PACKAGING".

Page 17

* 5.4, fifth line, delete "MIL-B-43014" and substitute: "PPP-B-665, Class 2."

PAGE 18

* 6.2 Ordering data, delete: "Procurement documents should specify the following: ".

* Below 6.2, but above (a), (b), (c), - - - -, add:
"6.2.1 Acquisition requirements. Acquisition documents should specify the following:".

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:23Z
Check the source to verify that this is the current version before use.

* 6.2.1, below (l), add:
"(m) Required marking information, required format, and required sequencing of marking information on plates, tags, and bands."

PAGE 19

* Add:

"6.4 Subject term (key word) listing.

Identification devices
Identification of equipment
Identification plates
Information plates
Plates, tags and bands"

* Delete: "6.4" and substitute: "6.5" for paragraph on "Changes from previous issue."

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - GL
Navy - AS
Air Force - 99

Review activities:
Army - ER, AV
Navy - SH, EC, OS
Air Force - 84
DLA - GS

User activities:
Army - AR, ME, MI
Navy - CG, MC

Preparing activity:
Navy - AS
(Project No. 9905-0284)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:23Z
Check the source to verify that this is the current version before use.