[INCH-POUND]
A-A-1607B
July 28, 1998
SUPERSEDING
A-A-1607A
October 11, 1985

COMMERCIAL ITEM DESCRIPTION

MEASURE, LIQUID

The General Services Administration has authorized the use of this Commercial Item Description for all federal agencies.

1. SCOPE

1.1 Scope. This commercial item description (CID) covers valved liquid measures with flexible pouring spouts intended for dispensing motor oil and other liquids not for human consumption.

2. CLASSIFICATION

2.1 Classification. The liquid measure shall be of the following type and size, as specified (see 7.1).

Type I
- Size 1 - 1 quart (0.95 L) minimum capacity with 10 inch (254 mm) minimum length spout
- Size 2 - 2 quart (1.89 L) minimum capacity with 14 inch (356 mm) minimum length spout
- Size 4 - 4 quart (3.78 L) minimum capacity with 14 inch (345 mm) minimum length spout
- Size 8 - 8 quart (7.57 L) minimum capacity with 14 inch (345 mm) minimum length spout

Type II - Deleted

3. SALIENT CHARACTERISTICS

3.1 Materials. The liquid measure, including container, spout and handle, shall be 0.0179 inch (0.45 mm) (uncoated thickness) sheet steel. The liquid measure shall have an oil resistant enamel coating or a galvanized coating over its entire surface. Any washers used in the valve or the spout shall be impervious to motor oil.

3.2 Construction. The liquid measure shall be cylindrical in design with a flexible pouring spout connected near the bottom of the container and a carrying/pouring handle at the top or side opposite the spout. The spout shall be so connected that it will completely drain the measure. There shall be an internal release valve where the spout connects with the container. This valve shall be operable by a single hand while holding the measure handle.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor St., Fort Worth, TX 76102.

FSC 7240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

3.3 Handle. The handle shall be securely attached to the container at its upper and lower ends. The handle shall support the measure, filled to capacity, without deformation or separation.

3.4 Spout. The spout shall be provided with a pouring tip and shall be flexible throughout its entire length. The spout and pouring tip shall have a minimum diameter of 0.8 inch (20.3 mm) for all sizes. The spout shall be securely attached to the container in a manner that allows a minimum 60° arc of swivel. The liquid measure shall have a provision for holding the spout in a vertical position when it is not in use.

3.5 Capacity marking. The liquid measure shall be indelibly marked or stamped with its specified capacity and the manufacturer's name or trademark.

3.6 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The metric values stated in parentheses are for informational purposes only.

3.7 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

3.8 Workmanship. The liquid measure shall be free from any defects, imperfections, or material that would adversely affect performance, serviceability, or appearance. The measure shall contain the specified amount of liquid without leaking.

4. REGULATORY REQUIREMENTS

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

6. PACKAGING

6.1 Packaging. Preservation, packing, and marking shall be as specified in the contract or order.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:15Z
Check the source to verify that this is the current version before use.

7. NOTES

7.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number, and date of this CID.
b. Size.
c. Preservation, packing, and marking desired.

7.2 Illustration. Figure 1, which depicts the liquid measure, is for the convenience of identification. It is not intended to preclude the purchase of liquid measures of similar design which are otherwise in accordance with the requirements of this CID.




Figure 1

7.3 Part Identification Number (PIN). Liquid measures conforming to this CID are identified by a part number configuration consisting of a portion of the CID number and size. An example of the part number configuration is shown below. This part numbering system is intended for identification and cross-indexing of the item within the Federal cataloging system. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

AA16072 ← Example: 2 quart (1.89 L) minimum capacity.
└── Size (1, 2, 4, and 8).
└──── CID number.

7.4 National Stock Numbers (NSNs). The following is a list of NSNs assigned which correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

NSN	Size	Capacity
7240-00-233-6013	1	1 quart (0.946 L)
7240-00-255-8113	2	2 quarts (1.89 L)
7240-00-233-6025	4	4 quarts (3.78 L)
7240-00-255-5996	8	8 quarts (7.57 L)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.