[INCH-POUND]
A-A-359A
December 3, 1997
SUPERSEDES
A-A-359
November 27, 1979

COMMERCIAL ITEM DESCRIPTION

BRUSH, SCRUB, BASEBOARD

The General Services Administration has authorized the use of this commercial item description by all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description (CID) covers baseboard scrub brushes with both natural and synthetic filaments.

2. CLASSIFICATION

2.1 Classification.

Type I - Synthetic filaments.
Type II - Natural filaments.

3. SALIENT CHARACTERISTICS

3.1 Block. The block shall be wood or plastic at the manufacturer's option. Wood blocks shall be fine textured, close and straight grained hardwood. Plastic blocks shall be general purpose impact resistant plastic molding material commercially used for floor brushes. The block shall be triangular in shape similar to figure 1 and meeting the requirements of table I. Two ACME threaded holes shall be provided for handles centered longitudinally in the base of the block. The holes shall be drilled at an angle of 45° ±10° from the vertical through the block, or to a minimum depth of 1-1/16 inch (2.70 cm). Each hole shall be threaded with an ACME thread having 5 threads per inch (2.5 cm). The holes and threads shall be of such dimensions so as to enable a handle with threads as specified by CID A-A-3082 Type I, to be attached.

3.2 Filaments.

3.2.1 Natural. The natural filament shall be 100% oiled palmetto, a mixture of tule and tampico, or 100% bassine.

3.2.2 Synthetic. The synthetic filament shall be nylon or polypropylene at the manufacturer's option.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor Street, Fort Worth, TX 76102

FSC 7920

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:07Z
Check the source to verify that this is the current version before use.




Figure 1
(Handle not shown.)

Table I, Physical characteristics

	Type I	Type II
Block, inches (cm)		
Length, overall (A)	4-1/8 (10.5) minimum	5-1/2 (14.0) minimum
Width, overall (B)	2-5/8 (6.7) minimum	2-3/4 (7.0) minimum
Height, overall (C)		
Tuft holes		
Number,	98 minimum	100 minimum
Number of rows	16 minimum	16 minimum
Filament		
Length clear of block (D)	1-1/4 in. (3.2 cm) min	1-1/2 in. (3.8 cm) min
Number per tuft	38, minimum	60, minimum
Handle, inches (cm)		
Length, overall	53 (134) minimum	53 (134) minimum
Diameter	7/8 (2.2) minimum	7/8 (2.2) minimum

3.3 Handle. The brush shall be supplied with a handle meeting the requirements of table I. The handle shall be wood, closed grained and straight.

3.4 Construction. The filaments shall be evenly distributed over the working surface of the block. The filaments shall fill the tuft holes and be firmly set so that they cannot be pulled free by hand.

3.5 Workmanship. The brushes shall be clean, free from splinters, check, sharp edges, roughness, or any defects that may affect appearance, serviceability or durability.

3.6 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified and all other requirements of this document are met.

4. REGULATORY REQUIREMENTS

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:07Z
Check the source to verify that this is the current version before use.

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, shall conform to the producer's own drawings, specifications, standards, and quality assurance practices, and shall be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. PACKAGING, PACKING AND MARKING

6.1 Packaging, packing and marking. The packaging, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a. Title, number, and date of this CID.
b. Type.
c. The packaging, packing and marking desired.

7.2 National Stock Numbers. The following NSNs use this document:

7920-00-689-9097	Type I
7920-00-068-7903	Type II

Preparing Activity:
GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:07Z
Check the source to verify that this is the current version before use.