The documentation and process conversion measures necessary to comply with this amendment shall be completed by 18 Nov 95.

METRIC

MIL-S-19500/587
AMENDMENT 3
18 August 1995
SUPERSEDING
AMENDMENT 2
2 December 1994

MILITARY SPECIFICATION

SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER
TYPES 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, AND 1N6663US
JAN, JANTX, JANTXV AND JANS

This amendment forms a part of MIL-S-19500/587, dated 14 January 1993, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Following title; add the following:

"

1N645-1, 1N647-1 and 1N649-1 are nonpreferred part numbers and are inactive for new design. The preferred part numbers are JANS1N6661, JANS1N6662, JANS1N6663. Devices processed to this specification as JANS1N6661, JANS1N6662, JANS1N6663 may be alternately marked as JANS1N645-1, JANS1N647-1 and JANS1N649-1 see 3.4.3.

"

1.3, T_{stg} column, delete all three "+200" and substitute with "+175"; delete "6.3" and substitute "8.75".

PAGE 2

3.4, delete the following: "At the option of the manufacturer, marking of the country of origin may be omitted from the body of the device, but shall be retained on the initial container."

Add the following paragraph:

"3.4.3 Part number marking. Parts processed as JANS1N6661, JANS1N6662 and JANS1N6663 to the requirements of this specification may alternately be marked as JANS1N645-1, JANS1N647-1 and JANS1N649-1 for a period of 3 years after the date of this specification. This allowance is for reprocurement only; JANS1N6661, JANS1N6662 and JANS1N6663 remain the preferred parts for new design.

Processed as	May be Marked as
JANS1N6661	JANS1N645-1
JANS1N6662	JANS1N647-1
JANS1N6663	JANS1N649-1

"

PAGE 3

4.3, screening table, step 11, JANS level; delete "Table III, test 1, 2, 6 and 7" and substitute "Table III, test 1, 2, 5 and 6"; step 13, screen column; add "2/"; step 13, all levels, delete "Table III, tests 6 and 7" and substitute "Table III, tests 5 and 6"; End of table after footnote 1; add "2/ $Z_{\theta JX}$ need not be repeated if performed prior to screen 13."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T03:46Z
Check the source to verify that this is the current version before use.

PAGE 5

4.5.4, end of paragraph; add the following:

"I_H = 75 mA to 300 mA.
t_H = 25 s minimum.
I_H = 1 mA to 10 mA.
t_{HD} = 100 μs maximum."

* 4.5.5.1, delete "I_H = 10 A" and substitute "I_H = 1 to 5 A, delete "t_{HD} = 70 μs" and substitute "t_{HD} = 70 to 100 μs".

PAGE 7

Table I, subgroup 6, conditions column; delete "See table III, steps 1, 2, and 5" and substitute "See table 1, 2, and 4".

Bottom of page; delete "Table II. Group E inspection (all quality levels) for qualification only."

PAGE 8

At the top of the table add "Table II. Group E inspection (all quality levels) for qualification only."

Table II, subgroup 4, conditions column; delete "(see 4.5.5)" and substitute "(see 4.5.4)"

PAGE 9

Table III, note 1/b; delete "2" and substitute "3".

PAGE 12

6.3, delete entirely and substitute with the following:

"6.3 Cross reference substitution list. JANS level will no longer be built to MIL-S-19500/240. Devices in stock are acceptable provided the date code does not exceed the date of implementation of MIL-S-19500/240. Devices required for space flight applications are found herein. Existing supplies of 1N645-1, 1N647-1 and 1N649-1 can be used until existing supplies are exhausted. A PIN for PIN replacement table follows, and these devices are directly interchangeable:

Nonpreferred PIN	Preferred PIN
1N645-1	1N6661
1N647-1	1N6662
1N649-1	1N6663

"

PAGE 12

Concluding material; delete and substitute as printed in this amendment.

NOTE: The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T03:46Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodian:
Army - ER
Navy - EC
Air Force - 17
NASA - NA

Review activities:
Army - AR, AV, MI, SH
Air Force - 19, 85, 99
Navy - AS, CG, MC

Preparing activity:
DLA - ES

(Project 5961-1794)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T03:46Z
Check the source to verify that this is the current version before use.