
THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-29576

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

FORM APPROVED
OMB NO. 0704-0188



CYLINDER, STRAIGHT TYPE (OPEN ONE END) -1, -2, -3, AND -4 (SEE TABLE I)

TABLE I

DASH NO.	ANPT	A HOLE	INTERNAL VOLUME CU IN (MIN)	WEIGHT POUNDS MAX
-1	3/8	.578	30	1.245
-2	1/4	.437		
-3	1/8	.328		
-4	---	----		

(C) DENOTES CHANGE

PREPARING ACTIVITY: NAVY — AS
CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — 71 DLA —
REVIEW: AIR FORCE 99
USER:
PROJECT NUMBER: 1660-0610

MILITARY SPECIFICATION SHEET

TITLE
CYLINDERS, OXYGEN, NON SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, "U", AND SPIRAL TYPES)

SPECIFICATION SHEET NUMBER
MS90389C 27 NOV 1990
SUPERSEDING
MS90389B 31 JAN 1974
AMSC — N/A FSC

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.


DD FORM 1 MAY 88 672 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:36Z
Check the source to verify that this is the current version before use.


THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-29576

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

FORM APPROVED
OMB NO. 0704-0188



CYLINDER, STRAIGHT TYPE (OPEN BOTH ENDS), -5 (SEE TABLE II)



DETAIL A, CYLINDER HEAD (O-RING STYLE)
FOR -4, -5, -6, -7 AND -8

TABLE II

DASH NO.	INTERNAL VOLUME CU IN (MIN)	WEIGHT POUNDS (MAX)
-5	50	1.90

PREPARING ACTIVITY: NAVY — AS
CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — 71 DLA —
REVIEW: AIR FORCE - 99
USER:
PROJECT NUMBER: 1660-0610

MILITARY SPECIFICATION SHEET

TITLE

CYLINDERS, OXYGEN, NON-SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, "U", AND SPIRAL TYPES)

SPECIFICATION SHEET NUMBER
MS90389C 27 NOV 1990

SUPERSEDING
MS90389B 31 JAN 1974

AMSC — N/A FSC

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:36Z
Check the source to verify that this is the current version before use.

DD FORM 1 MAY 88 672

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-29576

FORM APPROVED
OMB NO. 0704-0188




TABLE III

DASH NO.	INTERNAL VOLUME CU IN. (MIN)	WEIGHT POUNDS (MAX)
-6	105	3.16

PREPARING ACTIVITY: NAVY — AS

CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — 71 DLA —

REVIEW: AIR FORCE - 99
USER:
PROJECT NUMBER: 1660-0610

MILITARY SPECIFICATION SHEET

TITLE

CYLINDERS, OXYGEN, NON-SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, "U", AND SPIRAL TYPES)

SPECIFICATION SHEET NUMBER
MS90389C 27 NOV 1990

SUPERSEDING
MS90389B 31 JAN 1974

AMSC — N/A FSC

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.


DD FORM 1 MAY 88 672 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:36Z
Check the source to verify that this is the current version before use.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-29578

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

FORM APPROVED
OMB NO. 0704-0188



CYLINDER "U" TYPE (OPEN BOTH ENDS), -7 & -8 (SEE TABLE IV)

TABLE IV

DASH NO.	B	C	INTERNAL VOLUME CU IN. (MIN)	WEIGHT POUNDS (MAX)
-7	14.12 ± .20	12.50 ± .06	53	2.35
-8	14.63 ± .20	12.00 ± .06	53	2.35

PREPARING ACTIVITY: NAVY — AS

CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — 71 DLA —

REVIEW: AIR FORCE - 99
USER:
PROJECT NUMBER: 1660-0610

MILITARY SPECIFICATION SHEET

TITLE

CYLINDERS, OXYGEN, NON-SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, "U", AND SPIRAL TYPES)

SPECIFICATION SHEET NUMBER
MS90389C 27 NOV 1990

SUPERSEDING
MS90389B 31 JAN 1974

AMSC — N/A FSC


DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

DD FORM 1 MAY 88 672 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:36Z
Check the source to verify that this is the current version before use.

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.
THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-29576

FORM APPROVED
OMB NO. 0704-0188



CYLINDER SPIRAL TYPE (OPEN BOTH ENDS) -10 (SEE TABLE VI)

TABLE VI

DASH NO.	INTERNAL VOLUME CU IN. (MIN)	WEIGHT POUNDS (MAX)
(a) -10	100	7,190

PREPARING ACTIVITY: NAVY — AS
CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — 71 DLA —
REVIEW: AIR FORCE - 99
USER:
PROJECT NUMBER: 1660-0610

MILITARY SPECIFICATION SHEET

TITLE
CYLINDER, OXYGEN, NON-SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, "U", AND SPIRAL TYPES)

SPECIFICATION SHEET NUMBER
MS90389C 27 NOV 1990

SUPERSEDING
MS90389 B 31 JAN 1974

AMSC — N/A FSC

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.


DD FORM 1 MAY 88 672 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:36Z
Check the source to verify that this is the current version before use.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-29576

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

FORM APPROVED
OMB NO. 0704-0188



CYLINDER "U" TYPE (OPEN BOTH ENDS) -11

DASH NO.	INTERNAL VOLUME CU IN. MIN.	WEIGHT POUNDS (MAX)
-11	53	2.35

PREPARING ACTIVITY: NAVY — AS

CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — 71 DLA —

REVIEW: AIR FORCE - 99
USER:
PROJECT NUMBER: 1660-0610

MILITARY SPECIFICATION SHEET

TITLE

CYLINDERS, OXYGEN, NON-SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, "U", SPIRAL TYPES)

SPECIFICATION SHEET NUMBER
MS90389C 27 NOV 1990

SUPERSEDING
MS90389B 31 JAN 1974

AMSC — N/A FSC

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

DD FORM 1 MAY 88 672 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:36Z
Check the source to verify that this is the current version before use.

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-29576

FORM APPROVED
OMB NO. 0704-0188

NOTES:

1. MATERIAL: SEE PROCUREMENT SPECIFICATION.
2. SURFACE TEXTURE: 125/ ALL OVER, EXCEPT AS NOTED. SURFACE CONDITION FINISH DESIGNATIONS SHALL BE INTERPRETED IN ACCORDANCE WITH ANSI B46.1.
3. (C) THREADS: DIMENSIONS AND DESIGNATIONS SHALL BE INTERPRETED IN ACCORDANCE WITH FED-STD-H28 AND ANSI Y14.6 RESPECTIVELY UNLESS OTHERWISE SPECIFIED.
4. (C) WELDING SYMBOLS TO BE INTERPRETED IN ACCORDANCE WITH ANSI/AWS A2.4.
5. REMOVE ALL BURRS AND ALL SHARP EDGES, EXCEPT AS NOTED.
6. (C) DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED: TOLERANCES: DECIMAL ± .010, ANGLES ± 1°. INTERPRET DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5M.
7. MACHINE ENDS TO .750 DIA MAX ⊥ Ø .005 , AFTER CYLINDER IS EXPANDED.
8. -9 HAS BEEN SUPERSEDED BY -10.
9. (C) IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
10. (C) REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THIS ISSUE TO THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

PREPARING ACTIVITY: NAVY — AS
CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — 71 DLA —
REVIEW: AIR FORCE 99
USER:
PROJECT NUMBER: 1660-0610

MILITARY SPECIFICATION SHEET

TITLE

CYLINDERS, OXYGEN, NON-SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, "U", AND SPIRAL TYPES)

SPECIFICATION SHEET NUMBER
MS90389C 27 NOV 1990

SUPERSEDING
MS90389B 31 JAN 1974

AMSC — N/A FSC

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Downloaded from https://assist.dla.mil - Document created: 2021-10-23T20:36Z
Check the source to verify that this is the current version before use.