NOTE: THIS DRAFT, DATED JUNE 1966 PREPARED BY WESO HAS NOT BEEN APPROVED AND IS SUBJECT TO MODIFICATION. DO NOT USE PRIOR TO APPROVAL.


Review/user information is current as of the date of this document. For future coordination of changes to this document draft circulation should be based on the information in the current DODISS.


Users:


Reviewers:
ARMY - EL
NAVY - AS
AIR FORCE - 11

This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
5975







MS PART NUMBER 1/	DIMENSIONS					LOAD RANGE (POUNDS)
	A	B	C	D	E	
2/MS91405-A1B, 2/MS91405-A1C, 2/MS91405-A1D (SEE NOTE 6)	9-1/16	12-5/8	5	4-1/8	3-1/2	8 to 18
	12-1/16	15-5/8	5	4-1/8	3-1/2	12 to 20
	16-1/16	19-5/8	5	4-1/8	3-1/2	18 to 40
MS91405-B1B	9-1/16	12-5/8	10-1/4	9-3/8	8-3/4	18 to 40
MS91405-B1C	12-1/16	15-5/8	10-1/4	9-3/8	8-3/4	18 to 40
MS91405-B1D1	16-1/16	19-5/8	10-1/4	9-3/8	8-3/4	25 to 50
MS91405-B1D2	16-1/16	19-5/8	10-1/4	9-3/8	8-3/4	40 to 80
MS91405-C2D	16-1/16	19-5/8	15-1/2	14-5/8	14	40 to 80

1/ THE MS PART NUMBER CONSISTS OF THE MS MILITARY-STANDARD NUMBER FOLLOWED BY A DASH NUMBER. THE DASH NUMBER INDICATES BASES THAT ARE DESIGNED TO HOLD CASES HAVING THE SAME DASH NUMBER. FOR EXAMPLE, A MS91405-A1D BASE WILL HOLD A MS91403-A1D CASE, EXCEPT THAT MS91405 - C2D BASE WILL HOLD MS91403 - C1D AND MS91403 - C2D CASES.

2/ A MINIMUM OF TWO JUMPERS PREFERABLY LOCATED AT THE DIAGONAL CORNERS AND AT THE EXTREME ENDS OF THE BASE SHOULD BE PROVIDED.

(E) ENTIRE STANDARD REVISED AND REDRAWN.

APPROVED 15 DEC 1953 REVISED (A) 10 MAY 1954 (B) 11 OCT 55 (C) 11 SEPT 1958 (D) 8 DEC 1958 (E) 20 OCT 1966

P.A. NAVY - AS; Other Cust: ARMY - EL; USAF-11	TITLE: BASES, MOUNTING, LARGE-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)	MILITARY STANDARD MS91405
PROCUREMENT SPECIFICATION: MIL-C-172	SUPERSEDES:	SHEET 1 OF 3

DD FORM 1 SEP 57 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:42Z
Check the source to verify that this is the current version before use.

NOTE: THIS DRAFT, DATED JUNE 1966 PREPARED BY WESO HAS NOT BEEN APPROVED AND IS SUBJECT TO MODIFICATION, DO NOT USE PRIOR TO APPROVAL.


Review/user information is current as of the date of this document. For future coordination of changes to this document draft circulation should be based on the information in the current DODISS.


Users:

Reviewers:
ARMY - EL
NAVY - AS
AIR FORCE - 11


This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


FED. SUP CLASS
5975






MATERIAL:- CORROSION-RESISTANT STEEL
FRONT CLAMP ASSEMBLY





MATERIAL:- CORROSION-RESISTANT STEEL

REAR PIN ASSEMBLY
(SEE NOTE 7)



TYPICAL DETAIL PLAN OF MTG HOLES

(FOR INSTALLING MOUNTING BASE IN AIR-CRAFT FOR SIZE 2 MOUNTS. ONLY OUTSIDE HOLES NECESSARY WHEN BEAM-TYPE MOUNTS ARE USED) (SEE NOTE 3)

APPROVED 15 DEC 1953 REVISED (A) 10 MAY 1964 (B) 11 OCT 1955 (C) SEPT 1966 (D) 8 DEC 1958 (E) FOR CHANGES SEE SHEETS 1, 2, 3

P.A. NAVY - AS Other Cust ARMY - EL USAF- 11	TITLE BASES, MOUNTING, LARGE-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)	MILITARY STANDARD MS 91405
PROCUREMENT SPECIFICATION MIL-C-172	SUPERSEDES:	SHEET 2

DD FORM SEP 57 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:42Z
Check the source to verify that this is the current version before use.

NOTE: THIS DRAFT, DATED FEB 1965 PREPARED BY WP HAS NOT BEEN APPROVED AND IS SUBJECT TO MODIFICATION. DO NOT USE PRIOR TO APPROVAL.

FED. SUP CLASS
5975

1. ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED, TOLERANCES: FRACTIONS ± 1/32. INTERPRET DRAWING IN ACCORDANCE WITH MIL-STD-8.
2. THE MANUFACTURER'S RATED LOADED HEIGHT IS NOT TO EXCEED THE SPECIFIED MAXIMUM DESIGN VALUE. THE MEASURED LOADED HEIGHT OF THE MOUNTING BASE AT MINIMUM RATED LOAD IS THE MANUFACTURER'S RATED LOADED HEIGHT ±3/64.
3. PROVIDE AS MANY MOUNTING HOLES, IN THE LOCATIONS SHOWN, AS MAY BE NECESSARY FOR SWAY SPACE. THESE HOLES ARE FOR THE STANDARDIZATION OF INSTALLATION ONLY AND ARE NOT INTENDED TO DICTATE POSITION OR TYPE OF VIBRATION MOUNTS.
4. THE FRONT CLAMP ASSEMBLY ACCOMMODATES UP TO 1/8 PANEL.
5. UNLISTED DIMENSIONS AND DETAILS OF DESIGN OPTIONAL.
6. LATERAL SWAY SPACE NOT APPLICABLE TO MS91405-A1B, MS91405-A1C, AND MS91405-A1D.
7. QUALIFICATION INSPECTION REQUIRED.
8. ALL MOUNTING BASES INCLUDE VIBRATION INSULATING ELEMENTS DESIGNED IN ACCORDANCE WITH MIL-C-172, CLASS A.
9. FOR AUTOMATIC LOCKING DEVICES SEE PROCUREMENT SPECIFICATION.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

APPROVED 15 DEC 1963 REVISED (A) 10 MAY 1954 (B) 11 OCT 1955 (C) 11 SEPT 1956 (D) 8 DEC 1958 (E) FOR CHGS, SEE SHTS 1, 2, and 3.

Review/user information is current as of the date of this document. For future coordination of changes to this document draft circulation should be based on the information in the current DODISS.

Users:

Reviewers:
ARMY - EL
NAVY - AS
AIR FORCE - 11

This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. NAVY-WP Other Cust ARMY - EL USAF-11	TITLE BASES, MOUNTING, LARGE-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)	MILITARY STANDARD MS91405
PROCUREMENT SPECIFICATION MIL-C-172	SUPERSEDES:	SHEET 3

DD FORM 1 SEP 57 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. SHEET NO 1203A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:42Z
Check the source to verify that this is the current version before use.