DATA ITEM DESCRIPTION
Title: COMPARTMENT CLOSEOUT SCHEDULE REPORT

Number: DI-MGMT-82076
AMSC Number: N9727
DTIC Applicable: No
Preparing Activity: SH
Applicable Forms: N/A

Approval Date: 20161003
Limitation: N/A
GIDEP Applicable: No
Project Number: MGMT-2016-066

Use/Relationship: This DID will identify each compartment where work has been completed and work that remains to be accomplished.

This DID contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract.

Requirements:

Format. The report shall be in the contractor's format.

Content.

The report shall contain the following information:

A list of each compartment where work has been completed and work that remains to be accomplished. Include each compartment number and name and any work not completed by the Work Item number.

A brief summary of the work that remains to be accomplished by the contractor.

Any impact that known Ship's Force work will have on the contractor.

The date when the contractor expects to complete his work within each compartment. Highlight major trouble spots.

Index the compartment closeout schedule by compartment number listing the page number of where the information about the compartment can be located.

The Report shall provide for completion of the following compartments, including associated machinery, equipment, electrical, alarm, control, piping, and ventilation systems, prior to the crew move aboard milestone date:

Messing, berthing, and living compartments, including galley, scullery, pantry, mess decks, walk-in freezer, chill and thaw boxes, dry provisions and breakout storerooms, wardroom, CPO mess, berthing compartments, staterooms, lounges, wash rooms, water closets and showers, laundry, and associated access routes and passageways that have had other than cable installation performed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:58Z
Check the source to verify that this is the current version before use.

Refrigeration and air conditioning machinery rooms.

CHT machinery spaces and tanks.

Medical and dental spaces

End of DI-MGMT-82076

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:58Z
Check the source to verify that this is the current version before use.