MILITARY STANDARD

MIL-STD-1320-83 (NAVY)

2 NOVEMBER 1979

SUPERSEDING
WR-51/83
30 APRIL 1970


TRUCKLOADING

GUIDED MISSILE, AIM-9G OR 9H IN CRADLE, MK 16 MOD 0 OR AIM-9G, 9H OR 9L IN CONTAINER, CNU-287/E W/O WINGS AND FINS (SIDEWINDER)

UNIT LOAD UNDERWAY REPLENISHMENT

UNIT LOAD DATA

LENGTH	106
WIDTH	36
HEIGHT	34
WEIGHT	SEE NOTE 1
CUBE	97.3 CU FT
DOT HAZARD CLASSIFICATION	EXPLOSIVES A
UNIT LOAD DRAWING	MIL-STD-1325-169



INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL 40 FT FLATBED	3
LTL 40 FT FLATBED	4, 5 & 6
UNITIZING PROCEDURE	8 & 9
DETAIL	9

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

SIGNATURE (RECAND) DIRECTOR (TDA) DATE 10/10/79

SIGNATURE AMSDSCOM BY DIRECTION DATE

ORIGINATOR Charles Thatcher 10/10/79 DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE SIDEWINDER MISSILE AGM-9G AND AGM-9H IN THE MK 16 MOD 0 CRADLE AND THE AGM-9G AGM-9H AND AGM-9L IN THE CNU-287/E CRADLE THE CRADLES SHALL BE UNITIZED IN ACCORDANCE WITH MIL-STD-1323-169
2. PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40 TO 45 FT FLATBED TRAILERS DO NOT USE TRAILERS WITH NON-NAILABLE FLOORS WHEN LOADING TRAILERS LONGER THAN 40 FT , POSITION LOAD IN CENTER OF TRAILER
3. CHAINS AND STEEL STRAPS MAY BE USED INTERCHANGEABLY FOR TIE-DOWNS ON A 1 TO 1 BASIS
4. STEEL STRAP USED AS TIEDOWNS SHALL BE 2 X 050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY) AND AS SHOWN ON PAGE 3 OF THIS DOCUMENT
5. CHAINS, FITTINGS AND LOADBINDERS SHALL MEET THE REQUIREMENTS OF THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY) AND APPLIED AS SHOWN ON PAGE 3 OF THIS DOCUMENT

WARNING

THE CHAIN SHALL BEAR AGAINST THE END LIFT TRUCK FITTING (NOT THE LIFTING EYES) TO PREVENT THE CHAIN TOUCHING THE PLASTIC POD SEE DETAIL F, PAGE 7

6. PRIOR TO LOADING THE TRAILER AND DURING THE PRELOADING INSPECTION REQUIRED BY NAVWEPS OP 2165 AND REPORTED ON DD FORM 626, THE CHAINS, FITTINGS, AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH,GOUGING, BENT LINKS, WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS AND LOADBINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 23 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOADBINDER
7. TWO HIGH UNIT LOADS SHALL BE UNITIZED AS SHOWN ON PAGE 8
8. EACH STACK OF CRADLES IS SECURED TOGETHER WITH TWO 1 1/4 X 035 CROSS STRAPS THESE STRAPS PASS THROUGH THE FORK POCKETS OF THE TOP CRADLES AND RETURN THROUGH THE FORK POCKETS OF THE CRADLES BENEATH THE TOP CRADLES THE STRAPS ARE SEALED WITH ONE DOUBLE NOTCHED SEAL EDGE PROTECTORS SHALL BE USED AT EACH FORK POCKET
9. A SEPARATOR SHALL BE USED BETWEEN CONTAINERS OF THE SAME STACK, SEE DETAIL A AND C INSTALL AS SHOWN IN DETAIL F, PAGE 7
10. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS
11. AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES, FRONT, AND BACK OF TRAILER
12. UNLESS OTHERWISE SPECIFIED, ALL MATERIAL SHALL BE IN ACCORDANCE WITH THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
13. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY)

FTL 40 FT TRAILER (FLATBED)





TABLE I

CONTENTS	WEIGHT LBS (APPROX)		
	CRADLE G W	UNIT LOAD	FTL
AIM-9G	1158	2319	27,828
AIM-9H	1138	2279	27,348
AIM-9L	1115	2233	26,796


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

NOTE
UNIT LOAD STRAPS
OMITTED FOR CLARITY



TRUCKLOAD DATA

NUMBER OF UNIT LOADS	12
NUMBER OF CRADLES	24
WEIGHT	SEE TABLE I



ITEM NO	DESCRIPTION	SIZE	NO PCS REQD	NAIL TO	NUMBER	SIZE
12	STAKE POCKET PAD (STRAPPING)	2 X .050 X 24	12	-	-	-
11	SEAL	FOR 2" STRAP	48	-	-	-
10	TIEDOWN STRAP	2 X .050 X 27 FT	6	-	-	-
9	UPRIGHT	2 X 6 X 60	6	SEE 9	-	-
8	CROSS PIECE	2 X 4 X 14	12	10	3/ JOINT	10d
7	CROSS STRAP	1 1/4 X .035 X 16 FT	6	-	-	-
6	EDGE PROTECTOR	FSN 8135-00-291-0962	72	-	-	-
5	SEAL	FOR 1 1/4 STRAP	18	-	-	-
4	UNITIZING STRAP	1 1/4 X .035 X 10 FT	12	-	-	-
3	SLEEPER	2 X 4 X 20	21	SEE FIELD NOTE		
2	SEPARATOR	2 X 4 X 76	4	SEE FIELD NOTE		
1	BACKUP CLEAT	2 X 6 X 24	16	SEE FIELD NOTE		
























LIST OF MATERIAL AND BILLING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

LTL 40 FT TRAILER (FLATBED)

1. WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD, SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF CRADLES TO BE SHIPPED FROM TABLE II AND POSITION CRADLES ON TRAILER ACCORDINGLY
2. WHEN THE CRADLES IN A STACK ARE TWO UNIT LOADS HIGH (FOUR CRADLES HIGH) THEY MUST BE UNITIZED AS SHOWN ON PAGE 8
3. WHEN THE CRADLES IN A STACK ARE ONE UNIT LOAD PLUS ONE CRADLE HIGH, THEY SHOULD BE UNITIZED AS SHOWN IN DETAIL G, PAGE 9
4. WHEN ONE SIDE OF A STACK OF CRADLES IS HIGHER THAN THE OTHER (SEE CENTER STACK OF THE LOAD ON PAGE 5), THE TOP CRADLE ON THE HIGHER SIDE SHALL BE STRAPPED TO THE CRADLE ON WHICH IT RESTS AS SHOWN IN DETAIL H, PAGE 9
5. SHIPMENTS MAY BE MADE ON "DOUBLES" WHEN STATE LAW PERMITS. A 28 FT FLATBED TRAILER MAY BE LOADED WITH TWO STACKS OF CRADLES (8 UNIT LOADS OR 16 CRADLES). LESSER AMOUNTS MAY ALSO BE SHIPPED USING THE PRINCIPLES OF THIS DOCUMENT


TABLE II

NO. OF CRADLES	LOAD PATTERN *	NO. OF CRADLES	LOAD PATTERN *	NO. OF CRADLES	LOAD PATTERN *
23		15		7	
22		14		6	
21		13		5	
20		12		4	
19		11		3	
18		10		2	
17		9		1	
16		8			

* LOAD PATTERN SHOWS FLOOR PLAN OF TRAILER. NUMBER IN SMALL BLOCKS INDICATES NUMBER OF CRADLES IN LAYER


† THE TOP CRADLE SHALL HAVE FOUR STRAPS SECURING IT TO THE CRADLE ON WHICH IT RESTS USING THE PRINCIPLES SHOWN IN DETAIL H, PAGE 9 AND FIGURE 3 ABOVE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.



TRUCKLOAD DATA


NUMBER OF UNIT LOADS	8 1/2
NUMBER OF CRADLES	17



PIECE NO	DESCRIPTION	SIZE	NO PCS REQD	SEE FIELD NOTE	NAILS NUMBER	NAILS SIZE
12	TIE DOWN STRAP	1 1/4 X .035 X 3 FT	4	-	-	-
11	UPRIGHT	2 X 6 X 60	2	SEE 9	-	-
10	UPRIGHT	2 X 6 X 28	4	SEE 9	-	-
9	CROSS PIECE	2 X 4 X 14	12	10 OR 11	3/JOINT	10d
8	CHAIN & LOAD BINDER	3/8 INCH	6	-	-	-
7	CROSS STRAP	1 1/4 X .035 X 16 FT	2	-	-	-
6	EDGE PROTECTOR	FSN 8135-00-291-0962	32	-	-	-
5	SEAL	FOR 1 1/4 STRAP	12	-	-	-
4	UNITIZING STRAP	1 1/4 X .035 X 10 FT	6	-	-	-
3	SLEEPER	2 X 4 X 20	21	SEE FIELD NOTE		
2	SEPARATOR	2 X 4 X 76	4	SEE FIELD NOTE		
1	BACKUP CLEAT	2 X 6 X 24	16	SEE FIELD NOTE		


LIST OF MATERIAL AND SHIPPING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.



DETAIL 6
SEPARATOR ASSEMBLY
4 REQUIRED

NOTE
UNIT LOAD STRAPS SHOWN



TRUCKLOAD DATA


NUMBER OF UNIT LOADS	5
NUMBER OF CRADLES	10

PIECE NO	DESCRIPTION	SIZE	NO. PCS REQD	NAIL TO	NUMBER	SIZE
6	UPRIGHT	2 X 6 X 78	4	SEE 5	-	-
5	CROSS PIECE	2 X 4 X 14	8	6	3/JOINT	10d
4	CHAIN [illegible]	3/8 HIGH	5	-		-
3	SLEEPER	2 X 4 X 20	24	SEE FIELD NOTE		
2	SEPARATOR	2 X 4 X 76	4	SEE FIELD NOTE		
1	BACKUP CLEAT	2 X 6 X 24	16	SEE FIELD NOTE		

LIST OF MATERIAL [illegible] NO DATA

LTL 10 [illegible] TRAILER (FLATBED)


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.



DETAIL

Source: https://assist.dla.mil -- Downloaded: 2020-10-23 12:45:02
Check the source to verify that this is the current version before use.

UNITIZING PROCEDURE



1. USING A FORKLIFT TRUCK, STACK TWO UNIT LOADS TOGETHER FORMING A UNIT OF CRADLES FOUR (4) HIGH
2. SECURE LOWER UNIT LOAD TO TOP UNIT LOAD WITH TWO 1 1/4 X .025 STEEL STRAPS POSITIONED AS SHOWN ABOVE. THREAD STRAP THROUGH FORK POCKETS OF THE TOP CRADLE OF THE LOWER UNIT LOAD AND THROUGH THE FORK POCKETS OF THE BOTTOM CRADLE OF THE TOP UNIT LOAD. LOCATE EDGE PROTECTORS UNDER STRAPS AS SHOWN. TENSION STRAPS, AND SEAL WITH ONE SEAL DOUBLE NOTCHED OR TWO SEALS DOUBLE CRIMPED. STENCILED CONTAINERS SHALL BE BROKEN DOWN TO UNIT LOADS AFTER UNLOADING THE VESSEL.


WARNING

THE STRAPPING TOGETHER OF UNIT LOADS TO FORM A UNIT OF CRADLES FOUR HIGH IS AUTHORIZED FOR LOADING AND UNLOADING OF TRAILERS. ANY MOVEMENT OF FOUR HIGH CRADLES SHALL BE LIMITED TO THAT NECESSARY TO LOAD OR UNLOAD THE TRAILER.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.


UNITIZING PROCEDURE (CONT.)

NOTE
UNIT LOAD STRAPS
[illegible] FOR CLARITY



DETAIL G
UNITIZING ONE UNIT LOAD PLUS ONE CRADLE

NOTE
UNIT LOAD STRAPS
OMITTED FOR CLARITY



DETAIL H
SEE [illegible] AND TABLE II, [illegible]

[illegible] DEPOSITORY
[illegible] AS

[illegible] INDUSTRY
NAVY - OS
PROJECT [illegible] 10 - N466

Source: https://assist.dla.mil - Downloaded: 2025-10-26T06:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1390-83 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes", in what way?)

4 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO

DATE

DD FORM 1426

PREVIOUS EDITION IS OBSOLETE AND MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DoD-316

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle (Code 803)
Colts Neck, NJ 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.