MIL-STD-30A
1 June 1960
SUPERSEDING
MIL-STD-30
19 February 1959

M I L I T A R Y S T A N D A R D

ASSOCIATED LISTS

LIST OF MATERIAL, DATA LIST, INDEX LIST

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

ARMED FORCES SUPPLY SUPPORT CENTER

WASHINGTON 25, D. C.

Associated Lists

MIL-STD-30A 1 June 1960

1. This standard has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force, effective 1 June 1960.

2. Recommended corrections, additions, or deletions should be addressed to the Standardization Division, Armed Forces Supply Support Center, Washington 25, D. C.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

C O N T E N T S

			Page
Paragraph	1.	SCOPE	1
	2.	REFERENCED DOCUMENTS	1
	3.	DEFINITIONS	1
	3.1	List of Material or Parts List	1
	3.2	Data List	1
	3.3	Index List	1
	4.	GENERAL REQUIREMENTS	2
	4.1	List Preparation Level	2
	4.2	Numbering	2
	4.3	Code Identification	2
	4.4	Additional Information	2
	4.5	List Headings	2
	4.6	Column Headings	2
	4.7	Application (Usage)	2
	4.8	Security Classification	2
	5.	DETAIL REQUIREMENTS	3
	5.1	List of Material or Parts List	3
	5.2	Data List	3
	5.3	Index List	5
	5.4	Number arrangement	6
	5.5	Assembly Level Entries	7

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

FIGURES

			Page
Figure	1	Suggested First Sheet Format.	8
	2	Suggested Format for First or Continuation Sheet for List of Material or Parts List.	9
	3	Suggested Format for First or Continuation Sheet for Data List.	10
	4	Suggested Format for First or Continuation Sheet for Index List.	11
	5	Example of Typical Arrangement of Numbers.	12
	6	Sample Parts List.	13
	7	Sample Data List.	14
	8	Sample Index List.	15

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

1. SCOPE. This standard establishes minimum requirements for the preparation of Lists of Material or Parts Lists, Data Lists, and Index Lists separate from, and used in association with, engineering drawings prepared by or for the Department of Defense. The identifying number of such lists includes the letter codes M, P, L or N. Lists prepared integral with drawings or as sheets of multi-sheet drawings are not covered by this standard.

STANDARDS

MILITARY

MIL-STD-3 Format for Production Drawings.

MIL-STD-31 Numbering and Coding of Engineering Drawings, Associated Lists and Documents.

PUBLICATIONS

MILITARY

DOD Industrial Security Manual for Safeguarding Classified Information.

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. DEFINITIONS

3. DEFINITIONS

3.1 List of Material or Parts List. A "List of Material" (M) or "Parts List" (P) is a tabulation of the items necessary to fabricate or assemble the end item(s) to which the list applies.

3.2 Data List. A "Data List" (L) is a tabulation of engineering drawings, M's or P's, subordinate L's, and referenced documents applicable to the item(s) to which the list applies.

3.3 Index List. An "Index List" (N) is a tabulation of lists applicable to the end item, or to the complete system, to which the list applies.

NOTE: All other reference to prefix codes should be changed accordingly, including sample forms, pages 8 through 15 inclusive.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 List preparation level. Lists may be prepared for any item or combination of items.

4.1.1 List generation. Lists shall be amenable to machine (EAM/EDP) preparation, typewritten or hand lettered entries.

4.2 Numbering. Lists shall be numbered in accordance with MIL-STD-31.

4.3 Code identification number. Lists shall indicate the design activity code identification number in accordance with MIL-STD-31.

4.4 Additional information. Columns or entries for additional information may be included at the option of the Design Activity.

4.5 List heading.

4.5.1 First sheet. The first sheet shall contain the following: design activity's name, code identification number, list identifying number (prefix LM, PL, DL or IL, as applicable, in characters 3/16 inch minimum height), nomenclature, sheet number and total sheets (or other sheet numbering system), date of preparation or issue, and revision designation. Figures 1 through 4 illustrate suggested formats for the first sheet of any of the lists covered by this standard.

4.5.2 Continuation sheets. The continuation sheets may have an identical heading as the first sheet or shall have a heading which contains at least the following: code identification number, list identifying number (prefix LM, PL, DL or IL, as applicable, in characters 3/16 inch minimum height) and sheet number. Figures 2, 3, and 4 illustrate suggested continuation sheet formats for the lists covered by this standard (reference Sample Lists in Figures 6, 7 and 8).

4.6 Column headings. Each column shall be identified with an appropriate heading.

4.7 Application (Usage). When required, application data for the item(s) to which the list applies and of the nature prescribed by MIL-STD-3, excluding that for design activity standard and vendor drawings, shall be shown on the first sheet(s) of the List of Material or Parts List unless this data is maintained on the drawings, provided separately, or provided as otherwise prescribed.

4.8 Security classification. The security classification shall be shown on all list(s) requiring a security classification. The security classification shall be in accordance with the DOD Industrial Security Manual for Safeguarding Classified Information.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

5. DETAIL REQUIREMENTS

5.1 List of Material or Parts List. A "List of Material" or a "Parts List" shall tabulate all parts, assemblies, and bulk materials (not including bulk materials used in intermediate manufacturing processes) applicable to the item(s), or to the drawing to which the list applies.

5.1.1 Format. Figure 2 illustrates a suggested List of Material or Parts List format.

5.1.2 Columnar Tabulation. A "List of Material" or "Parts List" shall provide a column for and a tabulation of the following: quantity required, item nomenclature or description, and identifying number. In addition, when used or when applicable, such lists shall provide a column for and a tabulation of the following: symbols, code identification number (when not common to the code identification number of the List of Material or Parts List), material, specification, unit weight, zone, and item (find) number.

5.1.2.1 In the "QUANTITY REQUIRED" column (or columns), show the number of parts required to make one item, or one of each of the items, to which the list applies. When the list is tabulated for two or more items, a separate column may be provided for each item. For bulk material, in either the "QUANTITY REQUIRED", "NOMENCLATURE or DESCRIPTION", or an additional column, enter the quantity by weight, length, volume, area, or as required (AR). The quantity for bulk material may be indicated as "AR" under the following conditions, provided the item is not normally subject to replacement as a spare part:

a. The amount required is less than one of the smallest applicable units of measure, or

b. The amount required is indeterminate because of variations in manufacturing or tooling.

5.1.2.1.1 When the top-down breakdown method of tabulating two or more assembly levels (see paragraph 5.5) is used, the quantity required may be tabulated in one of the following ways:

a. Enter the quantity per assembly of next higher order in a single column, or

b. Enter the quantity per subject item in one column, and the quantity per assembly of next higher order in another column.

5.1.2.2 In the "SYMBOLS" column (if used) bulk materials, vendor items, revised or new entries, etc., may be identified by a symbol and explained by a suitable footnote.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

5.1.2.3 In the "NOMENCLATURE or DESCRIPTION" column, enter the noun, or noun phrase, applicable to each item, and its Government model number (if assigned).

5.1.2.4 In the "CODE IDENTIFICATION NUMBER" column, enter the design activity's code identification number for each document which does not have a code identification number common to that of the pertinent list.

5.1.2.5 In the "PART or IDENTIFYING NUMBER" column, enter the drawing and dash number (if any) for parts delineated on drawings. Dash numbered items delineated on the same drawing need not repeat the drawing number. Enter MS or AN and dash numbers in this column for parts so identified. When no Government or Industry Association part number exists for an item identified by a type designation, enter the type designation in this column if it conforms to the requirements of MIL-STD-31. Unless called out elsewhere, for bulk materials covered by a specification, enter the type, grade, class, etc., required to define the specific material.

5.1.2.6 In the "SPECIFICATION" column, unless called out on the applicable drawing or in another column, enter the number or symbol of the following:

a. The specification number applicable to the material from which each part delineated on the corresponding drawing is made.

b. Each specification for an item for which the type designation has been entered in the "PART or IDENTIFYING NUMBER" column.

c. Each specification for bulk material for which the type, grade, or class has been entered in the "PART or IDENTIFYING NUMBER" column.

5.1.2.7 In the "MATERIAL" column, unless called out on the applicable drawing, or in another column, enter the name or description of the material to be used in making any parts delineated on the drawing to which the list applies.

5.1.2.8 In the "UNIT WEIGHT" column, when the method of furnishing weight data is not separately prescribed or weight data is not stated on applicable drawings, but nevertheless weight data is required for specified items, enter the actual weight (or calculated weight if the actual weight is not known).

5.1.2.9 In the "ZONE" column, entries may be made of the zoning used for locating items on drawings.

5.1.2.10 In the "ITEM" column, when item (find) numbers are used for part callouts in the field of the related drawing, the item (find) number shall be entered.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

5.2 Data List. A "Data List" shall tabulate all design activity data lists (if any) at the next lower assembly level and vendor(s) data list(s) (if any) at the next lower assembly level, in addition to all the following documents that are not tabulated on such listed subordinate data lists: design activity drawings, LM's or PL's, vendor detail or assembly drawings not otherwise listed on data lists, and referenced documents applicable to the item(s) to which the list applies. The documents tabulated shall include all companies' specifications and standards referenced, either in the field of drawings on on the Lists of Materials or Parts Lists. Approved specifications and standards of Government and Industry Association origin, covering materials or defining parts, and those which pertain to processes, procedures or test requirements, need not be tabulated, unless required by the procuring activity.

5.2.1 Figure 3 illustrates a suggested Data List format.

5.2.2 Columnar tabulation. A "Data List" shall provide a column for and a tabulation of the following: drawing size, code identification number (when not common to the code identification number of the Data List), document identifying number, and document nomenclature. A column for entry of the revision designation shall be provided.

5.2.2.1 Grouping. The drawings and other documents to be listed shall be segregated into the following groups:

a. Contractor Design Activity drawings.

b. Contractor Design Activity specifications and standards.

c. Government Design Activity drawings (if any).

d. Government specifications and standards (when required).

e. Vendor data.

5.2.2.2 Heading and listing. Drawings shall be listed under appropriate group headings (see paragraph 5.2.2.1) in the number arrangement specified by paragraph 5.4. Specifications and standards shall be listed under appropriate group headings (see paragraph 5.2.2.1). When required, the notation "not included in a set of data" should be noted in the group headings for Government specifications and standards, or should be identified by a symbol on the printed format, the symbol being used to flag each entry to which the note applies.

5.3 Index list. An "Index List" shall tabulate either all Data Lists applicable to an end item, or all Index Lists of the subordinate end items for a complete system. An Index List is not necessary if there is only one Data List for the complete end item or if the top Data List, in listing subordinate Data Lists at the next lower level, includes all applicable Data Lists.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

5.3.1 Format. Figure 4 illustrates a suggested format for an Index List.

5.3.2 Columnar tabulation. An "Index List" shall provide a column for and a tabulation of the following: code identification number (when other than the code identification number of the Index List), list number, and list nomenclature.

5.3.3 Alternative listing. As an alternative, an "Index List" may be used to tabulate all DL's and LM's or PL's applicable to an end item. If this alternative is chosen, an "ASSEMBLY LEVEL" column or columns may be provided, and the assembly level of each list may be entered therein, in order to show the relationship between the various lists.

5.4 Number arrangement. Number arrangement of Data List groupings shall begin at the extreme left position and continue, one postion at a time, until the number arrangement is determined. A typical arrangement of numbers in accordance with the following requirements is shown in figure 5.

5.4.1 First position arrangement. The order of precedence in beginning the number arrangement on the extreme left (first) position of the number shall be either of the following:

Alternative 1

a. Letters A through Z.

b. Numerals 0 through 9.

Alternative 2

c. Numerals 0 through 9.

d. Letters A through Z.

5.4.2 Second and succeeding position arrangement. The order of precedence in continuing the number arrangement on second and succeeding positions shall be as follows:

a. Dash (-).

b. Letters A through Z (or numerals 0 through 9 when Alternative 2 is used for the first column).

c. Numerals 0 through 9 (or letters A through Z when Alternative 2 is used for the first column).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

5.4.3 Left column. The Left Column (figure 5) illustrates numbers purposely disarranged to illustrate the progressive steps of arrangement shown in the center and the right columns.

5.4.4 Center column. The Center Column (figure 5) illustrates such numbers as arranged by first position alignment. It is to be noted that this example is the result of initially arranging numbers which have alphabetical characters in the first position, prior to any arrangement of numbers which have numerical characters in their first position (Alternative 1).

5.4.5 Right column. The Right Column (figure 5) illustrates the numbers when so arranged as to conform with requirements of this standard (Alternative 1).

5.5 Assembly level entries. When required by the procuring activity, an assembly level column or columns shall be provided either on a List of Material or Parts List, or on an Index List. The assembly level shall be indicated for each item to show the assembly relationship between the required entries.

5.5.1 Level entries. When assembly level entries are made, either on a List of Material or Parts List, or on an Index List (see paragraph 5.4.3) the level shall pertain to a top-down breakdown order of assembly. The subject assembly shall be level "1", component assemblies thereof, level "2", etc., or if column indentures are to be used to indicate assembly levels, the listing of the subject assembly shall be started in the left column and component assemblies thereof indented one column to the right, etc.

NOTICE. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Copies of this standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

Preparing activity:
Air Force - HQ AMC

Other custodians:
Army - Ordnance Corps
Navy - Bureau of Naval Weapons

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.




FIGURE 1 - SUGGESTED FIRST SHEET FORMAT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.




FIGURE 2 - SUGGESTED FORMAT FOR FIRST OR CONTINUATION SHEET FOR LIST OF MATERIAL OR PARTS LIST

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

PREPARING ACTIVITY (IF DIFFERENT FROM DESIGN ACTIVITY)

DESIGN ACTIVITY

SUGGESTED FINISH SHEET SIZE 8-1/2" X 11" OR 11" X 17"

			DL	
DATE		CODE IDENT	SHEET OF SHEETS	REV

	SPECIFICATION	TYPE·MODEL·SERIES
GOVT		
CONTR		

CONTRACT NO.

ITEM NOMENCLATURE :

DWG SIZE	CODE IDENT	DOCUMENT IDENT NO.	REV	DOCUMENT NOMENCLATURE

FIGURE 3 - SUGGESTED FORMAT FOR FIRST OR CONTINUATION SHEET FOR DATA LIST

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

PREPARING ACTIVITY
(IF DIFFERENT FROM DESIGN ACTIVITY)

DESIGN ACTIVITY

SUGGESTED FINISHI SHEET SIZE
8-1/2" X 11" OR 11" X 17"

			IL	
DATE		CODE IDENT	SHEET OF SHEETS	REV

	SPECIFICATION	TYPE·MODEL·SERIES
GOVT		
CONTR		
CONTRACT NO.		

ITEM NOMENCLATURE :

ASSY LEVEL	CODE IDENT	LIST NO.	LIST NOMENCLATURE	NOTES

FIGURE 4 - SUGGESTED FORMAT FOR FIRST OR CONTINUATION SHEET FOR INDEX LIST

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

DRAWING NUMBERS NOT ARRANGED	FIRST POSITION ONLY ARRANGED	COMPLETELY ARRANGED
9A746	A2460	AN931
16012	AN931	A2460
94-189791	B7A14	BH10
TP-01-20E83	BH10	B7A14
W1194B	DCOA7065L	DCO-1952
914-189790	DCO-1952	DCOA7065L
9	TD-01-20E87	TD01-20E87
B7A14	TP-01-20E83	TP01-20E83
1-23457	W1194B	W1194B
DCO-1952	OK207	OK207
9-1034	16012	1-23457
A2460	1-23457	16012
32P010	32F010	32F010
DCOA7065L	32P010	32P010
BH10	914-189790	9
TD-01-20E87	9A746	9-1034
AN931	94-189791	9A746
OK207	9-1034	914-189790
32F010	9	94-189791

FIGURE 5. Example of typical arrangement of numbers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

G. T. William Corp.
Atlas Avenue
Troy, Maine

	SPECIFICATION	TYPE·MODEL·SERIES
GOVT	MIL-F-97576	P-32Y
CONTR		

DESIGN ACTIVITY
Department of the Navy
Bureau of Naval Weapons
Washington 25, D. C.

DATE Feb. 28 19 60

D. S. Miller
APPROVED

OR LM

10001	PL 80J2841	
CODE IDENT	SHEET 1 OF 1 SHEETS	REV

ITEM NOMENCLATURE:
Flap Assembly, Indicator Position

QTY REQD PER DASH NO. -4	-3	-2	-1	SYMBOL	NOMENCLATURE OR DESCRIPTION	CODE IDENT	PART OR IDENTIFYING NO.	SPECIFICATION	MATERIAL OR NOTES	UNIT WT	ZONE	ITEM NO.
					Assembly					20 lb		1
		4	2		Spool		4149229					2
		2	1		Element Assembly		4149233					3
			1		Shield		4149235-1					4
		24	12		Screw PHL H		MS515-8-8					5
		24	12		Washer		MS343					6
		1	1	V	Jewel Screw Assembly	99999	89432-943					7
		4	4	V	Resistor	43333	11A3Y29					8
		1	1	*	Transformer		4149001-1					9
		2	1		Mounting Base, Transformer		4149087					10
		2	2		Bushing		415682					11
		1	1	V	Clip, Ground	88888	73925					12
		1	1		Gasket		4152156					13
		2	1		Rotor Assembly		4342569-3					14
		2		*	Transformer		4149001-2					15
		2			Shield		4149235-2					16
		AR	AR	B	Grease			MIL-G-2106				17

SAMPLE

SYM	DESCRIPTION	DATE	APPD	SYMBOLS
				V - VENDOR PART * - SPEC CONTROL DWG B - BULK MATERIAL

FIGURE 6 - SAMPLE PARTS LIST

DATE Feb. 2, 1960	W. G. Terry East Lynn, Ky.	07070 CODE IDENT	DL 14500 SHEET 1 OF 1 SHEETS	REV

	SPECIFICATION	TYPE·MODEL·SERIES
GOVT	MIL-S-21111	R-1300
CONTR		

CONTRACT NO. AF33(600)-0000

ITEM NOMENCLATURE :

Switch-Relay Generator

DWG SIZE	CODE IDENT	DOCUMENT IDENT NO.	REV	DOCUMENT NOMENCLATURE
D		14500	A	Switch Relay Generator
A		46128	A	Jumper Assy
B		46130	B	Post, Contact
B		46181	-	Post Assy
D		46183	D	Bushing, Insulation
		CONTRACTOR DESIGN ACTIVITY SPECIFICATIONS AND STANDARDS		
A		1234		Nickel, Copper Alloy Castings
A		5678		Metal Spraying, Process For
A		89106		Bolt
		GOVERNMENT DESIGN ACTIVITY DRAWINGS		
B	07878	59B1765	C	Tank Assy
C	07878	59C1764	B	Bracket
		VENDOR DATA		
B	99999	89432-943	C	Jewel Screw Assy
A	43333	90A3Y292	A	Resistor
A	88888	9143261	A	Clip, Ground

SAMPLE

FIGURE 7 - SAMPLE DATA LIST

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

W. T. Gail Co. Fig Newton Blvd. Bellbrook, Ill.	Dept. of the Navy Bureau of Ships Washington 25, D. C.	80064	IL 2197500	
DATE Feb. 28, 1960		CODE IDENT	SHEET 1 OF 1 SHEETS	REV

	SPECIFICATION	TYPE·MODEL·SERIES
GOVT	MIL-P-97576	P-38J
CONTR		
CONTRACT NO.	66(300)69696	

ITEM NOMENCLATURE :

Projector, Rocket

ASSY LEVEL	CODE IDENT	LIST NO.	LIST NOMENCLATURE	NOTES
1		DL 2197500	Projector, Rocket, P-38J	
2		DL 2197507	Carriage, Projector	
3		DL 2197519	Frame, Carriage	
3	02020	DL 14500	Switch, Relay Generator	
3	88888	DL 60AB1732	Training Gear	
3		DL 2197556	Elevating Gear	
2		DL 2197581	Power Drive	
3		DL 2197623	Power Unit	
4		DL 2197619	Pump "A" End	
4	99999	DL 2074962	Servo Mechanism	
2		DL 2197629	Stop, Train Limit	

SAMPLE

FIGURE 8 - SAMPLE INDEX LIST

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.