MIL-W-52663A(ME)
7 October 1975
SUPERSEDING
MIL-W-52663(ME)
5 September 1969

MILITARY SPECIFICATION

WATER PRETREATMENT DECONTAMINATION SET, CB-AGENTS: PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers requirements for preservation, packing, and marking of a Water Pretreatment Decontamination Set, CB-Agents (SC 4610-97-CL-E11).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

QQ-S-781	- Strapping Steel, and Seals.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-P-40	- Packaging and Packing of Hand Tools.
PPP-T-60	- Tape: Packaging, Waterproof.

Military

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-P-10603	- Pump and Pumping Units, Centrifugal, Power-Driven, for Water, Packaging of.
MIL-T-14398	- Tanks, Fabric, Collapsible: Water, Nylon, Rubber-Coated.

FSC 4610

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

STANDARDS

Federal

FED. STD. No. 356	- Commercial Packaging of Supplies and Equipment.

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-281	- Automobiles, Trucks, Truck-Tractors, Trailers and Trailer Dollies; Preservation and Packaging of.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 **Preproduction pack.** The supplier shall furnish a preproduction pack for examination within the time frame specified (see 6.2) to prove prior to starting production packaging that the applied preservation, packing, and marking comply with the requirements of this specification. Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 **Material.** Material shall be as specified herein. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 **Preservation.** Preservation shall be Level A or commercial, as specified (see 6.2).

3.3.1 **Level A.**

3.3.1.1 **Pipe adapters, pipe bushing, hose clamps, pipe cross, pipe elbow, pipe nipples, gate valves, globe valve, and suction hose strainer.** These items shall be preserved in accordance with MIL-P-116, Method III. Valves and the suction hose strainer shall be preserved individually. Adapters shall be preserved together. The remaining items shall be preserved together. Containers shall conform to PPP-B-636, W6c, Style RSC. Box closure shall be in accordance with Method V of the appendix to the box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

4.2.2.1 Visual examination. Each sample unit shall be ...

3.3.1.2 Gloves. Each pair of gloves shall be preserved in accordance with MIL-P-116, Method IC-1.

3.3.1.3 Hoods, masks, boots, refill kit, and water-testing kit. Each hood, mask, pair of boots, the refill kit, and the water-testing kit shall be preserved in accordance with MIL-P-116, Method III. Containers shall conform to PPP-B-636, W6c Style RSC. Box closure shall be in accordance with Method V of the appendix to the box specification.

3.3.1.4 Electric lantern and incandescent lamps. These items shall be preserved in accordance with MIL-P-116, Method IC-2. Lanterns shall be individually preserved and lamps shall be preserved together. Containers shall conform to PPP-B-636, Type CF, Class Domestic, Variety SW, Grade 125, style optional.

3.3.1.5 Hose and tubing. Each length of hose and tubing shall be coiled to its minimum diameter and the coils secured with cotton tape or twine. End openings in the hose and tubing shall be sealed with tape conforming to PPP-T-60, Type IV.

3.3.1.6 Handtools. The hammer, shovel, measuring tape, screwdriver, pliers, and wrenches shall be preserved and packed in accordance with PPP-P-40, Level A.

3.3.1.7 Centrifugal pump. The centrifugal pump shall be preserved, packed, and marked in accordance with MIL-P-10603, Level A. Technical publications shall be preserved in accordance with MIL-P-116, Method IC-1, and shall be attached to the pump.

3.3.1.8 Fabric tanks. The fabric tanks shall be preserved, packed, and marked in accordance with MIL-T-14398, Level A.

3.3.1.9 Drums of charcoal, shipping and storage drum, boat, paddle, pails, and galvanized pipe. These items shall not require unit packing.

3.3.1.10 Cargo trailer. The components of the trailer chassis shall be preserved and packed in accordance with MIL-STD-281, Level A (mobile), and as follows.

3.3.1.10.1 Tarpaulin. The tarpaulin shall be removed and compactly folded. The folded tarpaulin shall be packed in a close-fitting box conforming to PPP-B-636, V3c, Style RSC. Box closure shall be in accordance with Method V of the appendix to the box specification.

ordering data. Purchasers should select the preferred options and packaging
Source: https://assist.dla.mil -- Downloaded: 20261022T21:28Z
Check the source to verify that this is the current version before use.

3.3.1.10.2 Top bows. When a reduction in cube can be realized, the top bows shall be removed. When the top bows are not removed, they shall be secured by means provided or by wire ties to prevent their loss or ready removal.

3.3.1.11 Consolidated packing. Unit packed and unpacked items, including the drums of charcoal, shipping and storage drum, boat paddle, pails, galvanized pipe, and trailer top bows, if removed, shall be consolidated packed in close-fitting boxes conforming to PPP-B-601, Overseas Type, Style I, Grade B. Strapping of boxes shall not be required when they are to be packed in the trailer body (see 3.4.1). When containers cannot be packed in the trailer body as specified in 3.4.1, strapping shall be required. Strapping shall conform to QQ-S-781, Class 1, Type I or IV, size as applicable; and, unless otherwise specified (see 6.2), shall be Finish B. When specified (see 6.2), Finish A strapping shall be used.

3.3.2 Commercial. The components of each complete set shall be preserved in accordance with FED. STD. No. 356.

3.4 Packing. Packing shall be Level A or commercial, as specified (see 6.2).

3.4.1 Level A. The cargo trailer, preserved and packed as specified in 3.3, shall be prepared for mobile (unboxed) shipment. The pump, packed as specified in 3.3.1.7 and the consolidated containers specified in 3.3.1.11 shall be blocked, braced, and anchored in the trailer body in a manner to prevent damage to the trailer body or to the components by free movement within the body. The consolidated containers shall not extend above the trailer body lattice. The arrangement and location of the containers shall provide for maximum compactness and low center of gravity, and shall in no way interfere with lifting or towing of the trailer. Tiedown shall be with strapping conforming to QQ-S-781, Class 1, Type I or IV, Size .020 inch by 3/4 inch wide; and, unless otherwise specified (see 6.2), shall be Finish B. When specified (see 6.2), Finish A strapping shall be used. The two fabric tanks, packed as specified in 3.3.1.8, and any consolidated containers that cannot be secured in the trailer body shall be shipped separately from but at the same time as the trailer.

3.4.2 Commercial. The components of each complete set, preserved as specified in 3.3, shall be packed in accordance with FED. STD. No. 356.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the currentversion before use.

Graduation lines shall be straight and of uniform width. Graduation lines rebre-

3.5 Marking.

3.5.1 Level A. Marking for Level A shall be in accordance with MIL-STD-129.

3.5.2 Commercial. Commercial marking shall be in accordance with FED. STD. No. 356.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to the prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspections stages. Inspection stages shall be as follows:

(a) The first stage shall include inspection of procedures, methods, materials, containers, and marking prior to placing the unit packed and unpacked items into consolidated containers.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the currentversion before use.

(b) The second stage shall include inspection of closure and marking of consolidated containers, and the arrangement and blocking and bracing of consolidated containers in the trailer body or in shipping containers.
(c) The third stage shall include inspection of the closed, strapped, and marked shipping containers and the containers as secured in the trailer body for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packs prepared for any applicable inspection stage that will comprise a complete pack shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" in Table I. Acceptable Quality Level (AQL) shall be 2.5 percent defective.

Table I. Classification of Defects

No.	Defect	Level A
101.	Material, methods, and containers not as specified. Each incorrect material, method, or container shall constitute one defect. (3.2, 3.3, 3.4)	X
102.	Box closure not in accordance with Method V as specified. (3.3.1.1, 3.3.1.3, 3.3.1.10.1)	X
103.	Ends of hose and tubing not sealed with tape as specified. (3.3.1.5)	X
104.	Handtools not preserved in accordance with the referenced document as specified.(3.3.1.6)	X
105.	Centrifugal pump not preserved, and packed in accordance with the reference document as specified. (3.3.1.7)	X
106.	Fabric tanks not preserved, and packed in accordance with the referenced document as specified. (3.3.1.8)	X

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the currentversion before use.

Table I. Classification of Defects Cont'd

No.	Defect	Level A
107.	Cargo trailer not preserved and packed in accordance with the referenced document as specified. (3.3.1.10)	X
108.	Tarpaulin not removed, not folded, or not packed as specified. (3.3.1.10.1).	X
109.	Top bows not removed or not secured as specified. (3.3.1.10.2)	X
110.	Consolidated packing not as specified. (3.3.1.11)	X
111.	Arrangement of consolidated containers in trailer body not as specified. (3.4.1)	X
112.	Strapping not as specified (3.3.1.11 and 3.4.1).	X
113.	Marking illegible, incomplete, incorrect, or missing. (3.5)	X

5. PREPARATION FOR DELIVERY

(This section not applicable to this specification).

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packing, and marking of a Water Pretreatment Decontamination Set, CB Agents (NSN 4610-00-880-0278).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Whether Level A or commercial preseration and Level A or commercial packing is required (see 3.3 and 3.4).
(d) When Finish A strapping is required (see 3.3.1.11 and 3.4.1).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, pack, and mark the set components in accordance with this specification.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the currentversion before use.

6.4 Disposal of packaging materials. Environmental pollution preventive measures are contained in the material specifications indicated herein (see 2.1), or request disposal instructions from the preparing activity.

Custodian:

Army - ME

Review activity:

Army - SM

Preparing activity:

Army - ME

Project No. 4610-A061

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-W-52663A(ME) Water Pretreatment Decontamination Set, CB-Agents; Packaging of

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 00 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:28Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research and
Development Center
ATTN: AMXFB-DS
Fort Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:28Z
Check the source to verify that this is the current version before use.