INCH-POUND

MS28782E
23 JANUARY 2006
Superseding
MS28782D
12 June 1958

DETAIL SPECIFICATION SHEET

RETAINER, PACKING, BACK-UP, TEFLON

Inactive for new design after 18 July 1997.

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and SAE-AS8791.




FIGURE 1. Retainer

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:59Z
Check the source to verify that this is the current version before use.

Table I. Retainer part numbers and dimensions.

PART NO.	A NOM ID	T		W		Z	
		MAX	MIN	MAX	MIN	MAX	MIN
MS28782-1	.125						
MS28782-2	.156						
MS28782-3	.188						
MS28782-4	.219			.056	.054	.062	.032
MS28782-5	.250						
MS28782-6	.312						
MS28782-7	.375						
MS28782-8	.375						
MS28782-9	.438						
MS28782-10	.500						
MS28782-11	.562			.089	.087	.078	.032
MS28782-12	.625						
MS28782-13	.688						
MS28782-14	.750	.029	.025				
MS28782-15	.750						
MS28782-16	.812						
MS28782-17	.875						
MS28782-18	.938						
MS28782-19	1.000						
MS28782-20	1.062						
MS28782-21	1.125			.122	.120	.093	.047
MS28782-22	1.188						
MS28782-23	1.250						
MS28782-24	1.312						
MS28782-25	1.375						
MS28782-26	1.438						
MS28782-27	1.500						
MS28782-28	1.500						
MS28782-29	1.625						
MS28782-30	1.750						
MS28782-31	1.875						
MS28782-32	2.000						
MS28782-33	2.125						
MS28782-34	2.250						
MS28782-35	2.375					.188	.062
MS28782-36	2.500						
MS28782-37	2.625						
MS28782-38	2.750						
MS28782-39	2.875						
MS28782-40	3.000	.036	.031	.186	.184		
MS28782-41	3.125						
MS28782-42	3.250						
MS28782-43	3.375						
MS28782-44	3.500						
MS28782-45	3.625						
MS28782-46	3.750					.250	.093
MS28782-47	3.875						
MS28782-48	4.000						
MS28782-49	4.125						
MS28782-50	4.250						
MS28782-51	4.375						
MS28782-52	4.500						

PART NO.	A NOM ID	T		W		Z	
		MAX	MIN	MAX	MIN	MAX	MIN
MS28782-53	4.625						
MS28782-54	4.750						
MS28782-55	4.875						
MS28782-56	5.000						
MS28782-57	5.125						
MS28782-58	5.250						
MS28782-59	5.375						
MS28782-60	5.500						
MS28782-61	5.625						
MS28782-62	5.750						
MS28782-63	5.875						
MS28782-64	6.000						
MS28782-65	6.250						
MS28782-66	6.500						
MS28782-67	6.750						
MS28782-68	7.000						
MS28782-69	7.250						
MS28782-70	7.500	.052	.046	.239	.237	.312	.188
MS28782-71	7.750						
MS28782-72	8.000						
MS28782-73	8.500						
MS28782-74	9.000						
MS28782-75	9.500						
MS28782-76	10.000						
MS28782-77	10.500						
MS28782-78	11.000						
MS28782-79	11.500						
MS28782-80	12.000						
MS28782-81	12.500						
MS28782-82	13.000						
MS28782-83	13.500						
MS28782-84	14.000						
MS28782-85	14.500						
MS28782-86	15.000						
MS28782-87	15.500						
MS28782-88	4.500						

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:59Z
Check the source to verify that this is the current version before use.

Table II. Corresponding Retainer and O-Ring Part Number.

RETAINER	O-RING
MS28782-1	MS28775-006
MS28782-2	MS28775-007
MS28782-3	MS28775-008
MS28782-4	MS28775-009
MS28782-5	MS28775-010
MS28782-6	MS28775-011
MS28782-7	MS28775-012
MS28782-8	MS28775-110
MS28782-9	MS28775-111
MS28782-10	MS28775-112
MS28782-11	MS28775-113
MS28782-12	MS28775-114
MS28782-13	MS28775-115
MS28782-14	MS28775-116
MS28782-15	MS28775-210
MS28782-16	MS28775-211
MS28782-17	MS28775-212
MS28782-18	MS28775-213
MS28782-19	MS28775-214
MS28782-20	MS28775-215
MS28782-21	MS28775-216
MS28782-22	MS28775-217
MS28782-23	MS28775-218
MS28782-24	MS28775-219
MS28782-25	MS28775-220
MS28782-26	MS28775-221
MS28782-27	MS28775-222
MS28782-28	MS28775-325
MS28782-29	MS28775-326
MS28782-30	MS28775-327
MS28782-31	MS28775-328
MS28782-32	MS28775-329
MS28782-33	MS28775-330
MS28782-34	MS28775-331
MS28782-35	MS28775-332
MS28782-36	MS28775-333
MS28782-37	MS28775-334
MS28782-38	MS28775-335
MS28782-39	MS28775-336
MS28782-40	MS28775-337
MS28782-41	MS28775-338
MS28782-42	MS28775-339
MS28782-43	MS28775-340
MS28782-44	MS28775-341

RETAINER	O-RING
MS28782-45	MS28775-342
MS28782-46	MS28775-343
MS28782-47	MS28775-344
MS28782-48	MS28775-345
MS28782-49	MS28775-346
MS28782-50	MS28775-347
MS28782-51	MS28775-348
MS28782-52	MS28775-349
MS28782-53	MS28775-426
MS28782-54	MS28775-427
MS28782-55	MS28775-428
MS28782-56	MS28775-429
MS28782-57	MS28775-430
MS28782-58	MS28775-431
MS28782-59	MS28775-432
MS28782-60	MS28775-433
MS28782-61	MS28775-434
MS28782-62	MS28775-435
MS28782-63	MS28775-436
MS28782-64	MS28775-437
MS28782-65	MS28775-438
MS28782-66	MS28775-439
MS28782-67	MS28775-440
MS28782-68	MS28775-441
MS28782-69	MS28775-442
MS28782-70	MS28775-443
MS28782-71	MS28775-444
MS28782-72	MS28775-445
MS28782-73	MS28775-446
MS28782-74	MS28775-447
MS28782-75	MS28775-448
MS28782-76	MS28775-449
MS28782-77	MS28775-450
MS28782-78	MS28775-451
MS28782-79	MS28775-452
MS28782-80	MS28775-453
MS28782-81	MS28775-454
MS28782-82	MS28775-455
MS28782-83	MS28775-456
MS28782-84	MS28775-457
MS28782-85	MS28775-458
MS28782-86	MS28775-459
MS28782-87	MS28775-460
MS28782-88	MS28775-425

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:59Z
Check the source to verify that this is the current version before use.

NOTES:

1. Material: SAE-AS8791.
2. Surfaces must be smooth and free from irregularities.
3. Dimensions in inches.
4. Z gap dimensions to be met with retainer over a mandrel to nominal I.D. +.000, -.002.
5. The retainers and corresponding SAE-AS28775 o-ring part numbers are shown in Table II.
6. Coils to be flat and to remain closed within .250 inch total in the free condition.
7. This standard takes precedence over documents referenced herein.
8. Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:
Army - AV
Navy - AS
Air Force - 99

Preparing activity:
DLA - IS

(Project 5330-2005-005)

Reviewer activities:
Army - AR, CR4, MI
Navy – MC, SA

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:59Z
Check the source to verify that this is the current version before use.