FED SUP CLASS
5325





TABLE I. DASH NUMBERS AND DIMENSIONS.

			GROOVE WIDTH G									
			.062		.094		.125		.188		.250	
Ø B HOLE	Ø C GROOVE	Ø A OUTSIDE	DASH NO	F	DASH NO	F	DASH NO	F	DASH NO	F	DASH NO	F
.125	.188	.312	140	.188								
.125	.250	.344	1	.188	142	.218						
.125	.375	.500			143	.312						
.125	.562	.750	2	.188			31	.250	60	.312	89	.375
.125	1.000	1.250	3	.250			32	.312	61	.375	90	.438
.188	.312	.438	4	.188	144	.250	33	.250	62	.312	91	.375
.188	.562	.750	134	.188	145	.468	137	.250	138	.312	139	.375
.188	.625	.875	5	.188			34	.250	63	.312	92	.375
.250	.438	.562			146	.219						
250	.438	.625	6	.188			35	.250	64	.312	93	.375
.250	.750	1.000	7	.250			36	.312	65	.375	94	.438
.250	1.000	1.250	8	.250			37	.312	66	.375	95	.438
.312	.562	.812	9	.312			38	.375	67	.438	96	.500
.312	.750	1.000	10	.312			39	.375	68	.438	97	.500
.312	.812	1.062	118	.312			122	.375	136	.438	130	.500
.375	.500	.641			147	.250						
375	.500	656	141	.250								
.375	.625	.875	11	.312			40	.375	69	.438	98	.500
.375	1.000	1.250	12	.250	148	.281	41	.312	70	.375	99	.438
438	.688	.938	13	.312			42	.375	71	.438	100	.500
.500	.750	1.000	149	.250	150	.281						
.500	.812	1.062	14	.312			43	.375	72	.438	101	.500
.500	1.250	1.500	15	.250			44	.312	73	.375	102	.438
.562	.812	1.062	16	.312			45	.375	74	.438	103	.500
.625	.875	1.125	17	.312	151	.344	46	.375	75	.438	104	.500
.625	.969	1.250			152	.438						
.625	1.250	1.500	18	.250			47	.312	76	.375	105	.438
.688	1.000	1.312	19	.375	153	.406	48	.438	77	.500	106	.562
.750	1.062	1.375	20	.375	154	.312	49	.438	78	.500	107	.562
.750	1.250	1.625	135	.250			123	.312	127	.375	131	.438
.750	1.438	1.812	21	.375			50	.438	79	.500	108	.562
.750	1.625	2.000	120	.375			124	.438	128	.500	132	.562
.875	1.125	1.500			155	.344						
.875	1.250	1.625	22	.438			51	.500	80	.562	109	.625
.875	1.625	2.000	121	.438			125	.500	129	.562	133	.625
1.000	1.375	1.750	23	.438	156	.375	52	.500	81	.562	110	.625
1.000	1.875	2.250	24	.438			53	.500	82	.562	111	.625
1 250	2.375	2.750	25	.438			54	500	83	.562	112	.625
1.250	2.500	2.875	26	.438			55	.500	84	.562	113	.625
1.500	1.750	2.125	27	.438			56	500	85	.562	114	.625
1.500	2.750	3.250	28	.438			57	.500	86	.562	115	.625
1.750	3.250	3.750	29	.500			58	.562	87	.625	116	.688
2.000	3.500	4 000	30	.500			59	.562	88	.625	117	.688

Ⓙ DENOTES CHANGES

INCH - POUND

APPROVED 12 MAR 56
REVISED Ⓗ 2 OCT 85 Ⓙ 17 FEB 89

P A ARMY - AR Other Cust NAVY - OS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT	MILITARY STANDARD MS35489
PROCUREMENT SPECIFICATION MIL-G-3036	SUPERSEDES MS35490 AND AN931		PAGE 1 OF 3

USER ACTIVITIES
NAVY-AS,EC,MC,SA,YD

REVIEWER ACTIVITIES
ARMY-EA,ER,GL,MI
AIR FORCE - 82
NSA - NS
DLA - IS

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable

AMSC N/A

DD FORM 1 MAY 73 672-1

FED SUP CLASS
5325

REQUIREMENTS:

1. MATERIAL: RUBBER, SYNTHETIC, COMPOSITION A, IN ACCORDANCE WITH PROCUREMENT DOCUMENT, RUBBER, SILICONE, COMPOSITION B, IN ACCORDANCE WITH PROCUREMENT DOCUMENT.

2 COLOR: BLACK (COMPOSITION A). RED OR ORANGE (COMPOSITION B).

3. PART NUMBER: THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I, PLUS A MATERIAL CODE LETTER "X" FOR SILICONE RUBBER, NO CODE LETTER FOR SYNTHETIC RUBBER.

EXAMPLE : MS35489-14X

MATERIAL CODE
"X" - SILICONE RUBBER
NO CODE - SYNTHETIC RUBBER

DASH NUMBER

BASIC MS NUMBER

MS35489-14X INDICATES - GROMMET, SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT;
GROOVE WIDTH .062; HOLE DIAMETER .500; GROOVE DIAMETER .812;
OUTSIDE DIAMETER 1.062; THICKNESS .312.

4. TOLERANCE TOLERANCES SHALL BE ±.031 INCH FOR THICKNESS (F) AND OUTSIDE DIAMETER (ØA); ±.016 INCH FOR ALL OTHER DIMENSIONS.

NOTES

1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

2 SUPERSESSION· REPLACEMENT PART NUMBER RELATIONSHIPS SHALL BE IN ACCORDANCE WITH TABLE II. CANCELLED MS35490 GROMMETS MAY BE USED TO REPLACE MS35490 GROMMETS UNTIL EXISTING STOCKS ARE DEPLETED. DO NOT USE MS35490 GROMMETS TO REPLACE MS35489 OR AN931 GROMMETS. AN931 GROMMETS AND SUPERSEDING MS 35489 GROMMETS ARE UNIVERSALLY, FUNCTIONALLY AND DIMENSIONALLY INTERCHANGEABLE.

3. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.

4. REFERENCED GOVERNMENT (OR NONGOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

Ⓙ 5. GROMMETS PREVIOUSLY PROCURED WITH A SPLIT (SUFFIX "S") ARE NO LONGER PROCURED OR STOCKED BY SERVICES. FOR REPLACEMENT USE SOLID GROMMETS, AND SPLIT AT ASSEMBLY.

USER ACTIVITIES
NAVY - AS, EC, MC, SA, YD

REVIEWER ACTIVITIES
ARMY - EA, ER, GL, MI
AIR FORCE - 82
NSA - NS
DLA - IS

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable

APPROVED 12 MAR 56 REVISED Ⓙ FOR CHANGES SEE PAGES 1 AND 2

P A ARMY - AR Other Cust NAVY - OS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT	MILITARY STANDARD MS35489
PROCUREMENT SPECIFICATION MIL-G-3036	SUPERSEDES MS 35490 AND AN931		PAGE 2 OF 3

AMSC N/A

DD FORM 1 MAY 73 672-1 (CONTINUATION) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE 5325-0286

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable

REVIEWER ACTIVITIES
ARMY - EA, ER, GL, MI
AIR FORCE - 82
NSA - NS
DLA - IS

USER ACTIVITIES
NAVY - AS, EC, MC, SA, YD

FED SUP CLASS
5325

TABLE II. REPLACEMENT PART NUMBERS.

PART NUMBER		
CANCELLED AN931	CANCELLED MS35490 [1]	SUPERSEDED BY MS35489
	1	1
2-9	2	2
2-16	3	3
3-5	4	4
3-9	5	134
3-10		5
4-7	6	6
4-12	7	7
4-16	8	8
5-9	9	9
5-12	10	10
5-13		118
6-10	11	11
6-16	12	12
7-11	13	13
8-13	14	14
8-20	15	15
9-13	16	16
10-14	17	17
10-20	18	18
11-16	19	19
12-17	20	20
12-20		135
12-23	21	21
12-26		120
14-20	22	22
14-26		121
16-22	23	23
16-30		24
20-38		25
20-40		26
24-28	24	27
24-44		28
28-52		29
32-56		30
A2-9	25	31
A2-16	26	32
A3-5	27	33
A3-9	28	137
A3-10		34
A4-7	29	35
A4-12	30	36
A4-16	31	37
A5-9	32	38
A5-12	33	39
A5-13		122
A6-10	34	40
A6-16	35	41
A7-11	36	42
A8-13	37	43
A8-20	38	44
A9-13	39	45
A10-14	40	46
A10-20	41	47
A11-16	42	48
A12-17	43	49
A12-20		123
A12-23	44	50
A12-26		124
A14-20	45	51
A14-26		125
A16-22	46	52
A16-30		53
A20-38		54
A20-40		55
A24-28	47	56
A24-44		57
A28-52		58
A32-56		59
B2-9	48	60
B2-16	49	61
B3-5	50	62
B3-9	51	138
B3-10		63
B4-7	52	64
B4-12	53	65
B4-16	54	66
B5-9	55	67
B5-12	56	68
B5-13		136
B6-10	57	69
B6-16	58	70
B7-11	59	71
B8-13	60	72
B8-20	61	73
B9-13	62	74
B10-14	63	75
B10-20	64	76
B11-16	65	77
B12-17	66	78
B12-20		127
B12-23	67	79
B12-26		128
B14-20	68	80
B14-26		129
B16-22	69	81
B16-30		82
B20-38		83
B20-40		84
B24-28	70	85
B24-44		86
B28-52		87
B32-56		88
C2-9	71	89
C2-16	72	90
C3-5	73	91
C3-9	74	139
C3-10		92
C4-7	75	93
C4-12	76	94
C4-16	77	95
C5-9	78	96
C5-12	79	97
C5-13		130
C6-10	80	98
C6-16	81	99
C7-11	82	100
C8-13	83	101
C8-20	84	102
C9-13	85	103
C10-14	86	104
C10-20	87	105
C11-16	88	106
C12-17	89	107
C12-20		131
C12-23	90	108
C12-26		132
C14-20	91	109
C14-26		133
C16-22	92	110
C16-30		111
C20-38		112
C20-40		113
C24-28	93	114
C24-44		115
C28-52		116
C32-56		117

[1] MS35489 SOLID GROMMETS SHOULD BE SPLIT AT ASSEMBLY WHEN NECESSARY FOR REPLACEMENT OF MS35490 SPLIT GROMMETS.

APPROVED 12 MAR 56 REVISED Ⓙ FOR CHANGES SEE PAGES 1 AND 2

P A ARMY - AR Other Cust NAVY - OS AIR FORCE - 99	INTERNATIONAL INTEREST	TITLE GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT	MILITARY STANDARD MS35489
PROCUREMENT SPECIFICATION MIL-G-3036	SUPERSEDES MS 35490 AND AN 931		PAGE 3 OF 3

AMSC N/A