INCH-POUND


MS51069F
w/ AMENDMENT 1
31 March 2020
SUPERSEDING
MS51069F
20 June 2016

# DETAIL SPECIFICATION SHEET

## BELTS, V: ENGINE ACCESSORY DRIVE (0.875 INCH WIDTH)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-11040.



(0.875) inch accessory drive belts are not recommended for new design

| Dash no. | Effective length | | Dash no. | Effective length | | Dash no. | Effective length | | Dash no. | Effective length | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Inches | mm | | Inches | mm | | Inches | mm | | Inches | mm |
| -28 | 28 | 711.2 | -39 | 39 | 990.6 | -50 | 50 | 1270.0 | -64 | 64 | 1625.6 |
| -29 | 29 | 736.6 | -40 | 40 | 1016.0 | -51 | 51 | 1295.4 | -66 | 66 | 1676.4 |
| -30 | 30 | 762.0 | -41 | 41 | 1041.4 | -52 | 52 | 1320.8 | -68 | 68 | 1727.2 |
| -31 | 31 | 787.4 | -42 | 42 | 1066.8 | -53 | 53 | 1346.2 | -70 | 70 | 1778.0 |
| -32 | 32 | 812.8 | -43 | 43 | 1092.2 | -54 | 54 | 1371.6 | -72 | 72 | 1828.8 |
| -33 | 33 | 838.2 | -44 | 44 | 1117.6 | -55 | 55 | 1397.0 | -74 | 74 | 1879.6 |
| -34 | 34 | 863.6 | -45 | 45 | 1143.0 | -56 | 56 | 1422.4 | -76 | 76 | 1930.4 |
| -35 | 35 | 889.0 | -46 | 46 | 1168.4 | -57 | 57 | 1447.8 | -78 | 78 | 1981.2 |
| -36 | 36 | 914.4 | -47 | 47 | 1193.8 | -58 | 58 | 1473.2 | -80 | 80 | 2032.0 |
| -37 | 37 | 939.8 | -48 | 48 | 1219.2 | -59 | 59 | 1498.6 | -82 | 82 | 2082.8 |
| -38 | 38 | 965.2 | -49 | 49 | 1244.6 | -60 | 60 | 1524.0 | -84 | 84 | 2133.6 |
| | | | | | | -62 | 62 | 1574.8 | -86 | 86 | 2184.4 |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.


FIGURE 1. V, belt: engine accessory drive.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:56Z
Check the source to verify that this is the current version before use.

Requirements


Part or Identifying Number (PIN):





PIN Examples:

Single belt, PIN’s


Option of plain, notched or cogged, grade A




Single belt, plain based, grade B




Single belt, notched or cogged base “C”, grade B





Matched set of belts, PIN configurations:




Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:56Z
Check the source to verify that this is the current version before use.

Option of plain, notched or cogged, grade A




Matched set of belt, notched or cogged base “C”, grade B





Oil-resistance: As specified in MIL-DTL-11040 when oil-resistance is specified, the PIN shall include the letter “R”.

Single belt, Option of plain, notched or cogged, grade A




Single belt, plain base “P”, grade B






Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:56Z
Check the source to verify that this is the current version before use.

Belt length: As specified and are in terms of effective length as measured in accordance with the acquisition specification. These lengths cannot be compared to inside or outside circumference measurements.

Configuration: Plain and notched (cogged) base belts are completely interchangeable on most drives when a plain or notched (cogged) base belt is specifically required. The user shall forward to the procuring activity information to substantiate the particular base configuration drive configuration, pulley sizes, rpm of driver pulley, horsepower requirements of each driven pulley, ambient temperature in which belt must operate, item belt is used on, and other pertinent information.

Temperature: MS51069 belts (MIL-DTL-11040) are a -65°F use (-54°C) belts if -65°F is not a requirement of the end item, do not use this specification, conform to A-A-52155 belts.

Dimensions: See figure 1.

Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Changes from previous issue. Marginal notations are not used in this amendment to identify changes with respect to the previous issue due to the extent of the changes.

Referenced documents. In addition to MIL-DTL-11040, this document references the following:

A-A-52155

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - YD
Air Force - 71
DLA - CC

Preparing activity:
DLA - CC

(Project 3030-2020-004)

Review activities:
Army - AR
Navy - AS, MC, SH

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:56Z
Check the source to verify that this is the current version before use.