WW-N-351C
INTERIM AMENDMENT-1(YD)
February 8, 1977

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

NIPPLES, PIPE, THREADED

This interim amendment was developed by the Naval Facilities Engineering Command, Naval Construction Battalion Center, Port Hueneme, CA, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal Specification WW-N-351C, dated February 13, 1976.

PAGE 5

Paragraph 3.5.1, delete last sentence.

PAGE 7

Paragraph 4.7, delete paragraph and substitute the following:

"4.7 Tests. Pipe from each lot used in the fabrication of pipe nipples shall be tested in accordance with the applicable ASTM documents listing in Section 2 of this specification. A certificate of compliance from an independent laboratory, approved by the contracting officer, will be accepted as evidence that the material has passed the required tests."

Military custodians:

Army - ME
Navy - YD
Air Force - 99

User activities:

Army - WC
Navy - MC, CG

Civil Agency Coordinating Activities:

GSA - FSS
DOT - FIS
HEW - FEC
INTERIOR - BPA
NASA - JFK

Preparing activity:

Navy - YD

Project No. 4730-0663

☆U.S. GOVERNMENT PRINTING OFFICE: 1981 — 703-023/2800

FSC 4730

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:22Z
Check the source to verify that this is the current version before use.