MILITARY STANDARD

MIL-STD-1323-298 C
(NAVY)

23 SEPTEMBER 1984

SUPERSEDING
MIL-STD-1323-298A
(NAVY)
2 NOVEMBER 1979

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
CARTRIDGE, 5.125 INCH, MK 182 (SUPER RBOC)
CARTRIDGE, 5.125 INCH, PRACTICE, MK 193


UNIT LOAD DATA

	MK 182	MK 193		MK 193	MK 182 MOD 2
		BODY ASS'Y	PROP ASS'Y		
DODIC/NALC NO.	EW76	GW95	GW96	EW77	7W69
NUMBER OF ITEMS PER CONTAINER	1	1	15	1	1
NUMBER OF CONTAINERS PER ADAPTER UNIT	12	12	12	12	12
NUMBER OF ADAPTER UNITS PER UNIT LOAD	2	2	2	2	2
NUMBER OF ITEMS PER UNIT LOAD	24	24	360	24	24
GROSS WEIGHT OF ONE CONTAINER	60 LBS.	58 LBS.	50 LBS.	60 LBS.	54 LBS.
GROSS WEIGHT OF ONE ADAPTER UNIT	782 LBS.	758 LBS.	662 LBS.	782 LBS.	710 LBS.
WEIGHT OF ADAPTERS 2 @ 58 LBS	116 LBS.	116 LBS.	116 LBS.	116 LBS.	116 LBS.
WEIGHT OF STEEL STRAPPING	10 LBS.	10 LBS.	10 LBS.	10 LBS.	10 LBS.
WEIGHT OF PALLET	94 LBS.	94 LBS.	94 LBS.	94 LBS.	94 LBS.
GROSS WEIGHT OF UNIT LOAD	1660 LBS. △	1612 LBS. △	1420 LBS. △	1660 LBS. △	1516 LBS. △
CUBE	42.1 CU. FT.	42.1 CU. FT.	42.1 CU. FT.	42.1 CU. FT.	42.1 CU. FT.
HAZARD CLASSIFICATION					
DOT	CLASS C	INERT	CLASS C	CLASS C	CLASS C
CG	CLASS I	INERT	CLASS I	CLASS I	CLASS I


△ DO NOT USE FOR SHIPPING PURPOSES

DO NOT STACK MORE THAN

5 UNIT LOADS HIGH IN STORAGE



CONTAINER DRAWING
10001-3193400



REV. LTR	REVISION DESCRIPTION
C	ADDED MK182 - 2 SUPER RBOC
B	ADDED MK183 EW77
A	DELETED MK186 ADDED MK193 GW95, GW96

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

SIGNATURE SEASYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) THREAD STRAPPING, ITEM 7, BETWEEN THE DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(b) THREAD STRAPPING, ITEM 8, THROUGH THE SQUARE OPENINGS IN THE PALLET DECK AS SHOWN IN DETAIL A.

(c) POSITION STRAPPING, ITEM 5, USED TO UNITIZE MODULE, ON PALLET ABOVE STRAPPING, ITEM 7, AS SHOWN IN DETAIL B.

(d) THREAD STRAPPING, ITEM 6, THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES, ITEMS 2 AND 3, AND POSITION THE FRAMES ON THE PALLET AS SHOWN IN DETAIL B.

(e) POSITION TWO CONTAINERS IN THE CORNERS OF THE FRAMES WITH THEIR COVER ENDS AGAINST THE FLANGE OF THE FRONT FRAME, ITEM 2, AND THEIR BOTTOM ENDS ON THE SPACER BLOCKS OF THE REAR FRAME, ITEM 3, AS SHOWN IN DETAILS B AND C.

(f) POSITION A THIRD CONTAINER BETWEEN THE TWO CONTAINERS WITH THE COVER END AGAINST THE FLANGE OF THE REAR FRAME.

(g) POSITION THE REMAINING THREE ROWS OF CONTAINERS, ALTERNATING THE DIRECTION OF THE CONTAINERS BETWEEN ROWS, AS SHOWN IN DETAIL B.

(h) POSITION THE TOP FRAME, ITEM 4, OVER THE FRAMES AND CONTAINERS WITH THE TWO SPACER BLOCK END OVER THE FRONT FRAME.

(i) POSITION STRAPPING, ITEM 5, IN THE CORNER NOTCHES AND OVER THE TOP FRAME. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

(j) THREAD STRAPPING, ITEM 6, THROUGH THE OUTBOARD STRAP LOOPS OF THE FRONT AND REAR FRAMES. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.


(k) REPEAT STEPS (c) THROUGH (j) FOR THE SECOND ADAPTER UNIT.

(l) THREAD STRAPPING, ITEM 8, UP THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES AND OVER THE TOP FRAMES. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

(m) POSITION STRAPPING, ITEM 7, TO SECURE LOAD TO PALLET, OVER THE ADAPTER UNIT STRAPPING, ITEM 5. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

MARKING:

THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY).



NOTE

END FRAMES MAY NEED SUPPORT DURING LOADING (SEE STEPS e, f and g) TO PREVENT TOPPLING.

DEPALLETIZING PROCEDURE

(a) CUT AND REMOVE THE PALLETIZING STRAPPING, ITEM 7 AND 8.

CAUTION

DO NOT CUT ADAPTER UNIT STRAPPING, ITEMS 5 AND 6, IF THE ADAPTER UNITS ARE TO BE HANDLED/TRANSFERRED BEFORE REMOVING THE CONTAINERS.

(b) CUT AND REMOVE THE ADAPTER UNIT STRAPPING, ITEMS 5 AND 6.

(c) REMOVE TOP FRAME.

(d) REMOVE CONTAINERS.


(e) REMOVE FRONT AND REAR FRAMES.

NOTES: 1. .031 COLD ROLLED, HEAT TREATED, MAY BE SUBSTITUTED.
2. DO NOT USE TYPE I STRAPPING WITH POWER TOOLS.


REQ.	ITEM	DESCRIPTION	MAT'L.	MAT'L. SPEC.	DIMENSIONS
10	9	SEAL	STEEL	QQ-S-781, TY D, CL H, FIN A OR B	3/4
2	8	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 13 FT
2	7	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 15 FT
4	6	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 14 FT
2	5	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 15 FT
2	4	FRAME, TOP (ADAPTER MK 144)	STEEL	53711 - 5166444	53 3/8 X 21 1/8 X 2
2	3	FRAME, REAR (ADAPTER MK 144)	STEEL	53711 - 5166446	20 5/8 X 6 1/2 X 27
2	2	FRAME, FRONT (ADAPTER MK 144)	STEEL	53711 - 5166445	20 5/8 X 6 1/2 X 27
1	1	PALLET, MK 3 MOD 0	STEEL	10001 - 5642000	40 X 48 X 4 3/4

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.



DETAIL A



DETAIL B

ADAPTER UNIT ASSEMBLY



DETAIL C

POSITIONING OF END FRAMES

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.