METRIC

MIL-V-89300
AMENDMENT 1
30 November 1992

MILITARY SPECIFICATION

VIDEO DISC FOR MAPPING, CHARTING AND GEODESY (MC&G)

This amendment forms a part of MIL-V-89300, dated 22 February 1991, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 5

* Add as new line 3.1.5.1f. (3a):

(3a) Copyright notice (See 3.4)

PAGE 16

* Add as new section 3.4:

3.4 Copyright note. DMA products may be copyrighted in the name of the U.S. Government in foreign countries that are signatories to the Universal Copyright Convention. To claim this protection, each video disc product shall be labelled with the following copyright notice, as shown on the applicable style sheets of Appendix B:

© COPYRIGHT (YEAR) BY THE UNITED STATES GOVERNMENT - 8 pt. Caps.
NO COPYRIGHT CLAIMED UNDER TITLE 17 U.S.C. - 6 pt. Caps.

The attached insertable replacement pages listed below are replacements for stipulated pages. When new pages have been entered in the document, insert the amendment as the cover sheet to the specification.

Replacement page	Page replaced
35	Reprinted without change
36	36
37	37
38	Reprinted without change

AMSC N/A **AREA MCGT**

DISTRIBUTION STATEMENT A. Approved for public release; distribution unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.

Replacement page	Page replaced
43	43
44	44
45	45
46	Reprinted without change

PAGE 82

* Add as a new index line between Coordinates and Coverage Ggraphics:

Copyright Note..... 3.4 16

NOTE: The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
DMA - MP

Review activities:
Army - PO
Air Force - 09
Navy - NO

Preparing activity:
DMA - MP

(project MCGT-0102)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.

Base maps provided as source material in video disc source packages will vary, depending upon suitability of sources. If 1146 Series sheets are used, the following standards shall be followed:

BASE MAP :

Land Area Background: White.
Open Water Area: Light Gray shall be equivalent to DoD-MC&G Standard Printing Color #58600 at a 12% Screen. All Map Symbols, Type, and Line Work: Color shall be equivalent to a Gray DoD-MC&G #58400 at a 49% Screen; all map elements shall be legible on the video monitor screen; drng pat. shown;
Map Projection: Equi-Rectangular; interntl boundaries delin.; cap.& maj. cities shown;
Map Scale: Equivalent to section of DMA 1146 Map Series at 1:7,000,000 displayed on video screen.

COVERAGE AREA: Yellow Color shall be readily visible on final image frame; DoD-MC&G Standard Printing Color #57875 equivalent with a semi-transparent appearance allowing line work, type, and map symbols to remain visible underneath.




FIGURE 3. Coverage Graphic Showing Large Scale Maps of Cities and Ports (Appears on Video Disc in Color).

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.

Any changes to note will be identified in the source package instruction booklet for a specified video disc.

VIDEO DISC JACKET STYLE SHEET

(FRONT OF SINGLE-SIDED DISC)




FIGURE 2. Front of Single-Sided Disk.

Source: https://assist.dla.mil Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.

Any changes to note will be identified in the source package instruction booklet for a specified video disc.

VIDEO DISC JACKET STYLE SHEET

(FRONT OF DOUBLE-SIDED DISC)




FIGURE 3. Front of Double-Sided Disc.

Source: https://assist.dla.mil - Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.

VIDEO DISC JACKET
STYLE SHEET
(BACK)




FIGURE 6. Back of Single or Double-Sided Disc.

NOTES:

1. See 30.1.a for explanation of fonts.

Source: https://assist.dla.mil Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.
Reprinted without change

VIDEO DISC
DATABASE DISKETTE
LABEL
STYLE SHEET (FOR SINGLE-SIDED DISCS)




Figure 11. Diskette Labels for Single-Sided Disc.

NOTES:
1. See 30.1.a for explanation of fonts.
2. Size of label is enlarged to show clarity.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.

VIDEO DISC
DATABASE DISKETTE
LABEL

STYLE SHEET (FOR DOUBLE-SIDED DISC)




Figure 12. Diskette Labels for Double-Sided Disc.

NOTES:

1. See 30.1.a for explanation of fonts.
2. Size of label is enlarged to show clarity.

Source: https://assist.dla.mil -- Downloaded: 202610-23T12:49Z
Check MIL-V-89300 for the latest revision before use.

VIDEO DISC
COMPUTER TAPE
LABELS
STYLE SHEET




Figure 13. Computer Tape Label.

NOTES:
1. See 30.1.a for explanation of fonts.
2. Size of label is enlarged to show clarity.

Source: https://assist.dla.mil -- Downloaded: 20260-23T12:49Z
Check the source to verify that this is the current version before use.

APPENDIX C

VIDEO DISC MAP INDEXING LIBRARY FUNCTIONS

10. SCOPE

10.1 Scope. These procedures provide application programs with easy-to-use, rapid, and precise indexing functions for access to video disc-stored map products. The library functions are both hardware and application independent. This appendix is a mandatory part of the specification. The information contained herein is intended for compliance.

20. APPLICABLE DOCUMENTS. This section is not applicable to this Appendix.

30. INDEXING LIBRARY FUNCTIONS

a. For optimum performance in carrying out selected library functions an 8087 or 80287 math coprocessor is recommended for IBM PC-based systems.

b. The type definition "ushort" defines a data type capable of representing values in the range of 0 to 54,000. The type definition "long" defines a data type capable of representing values in the range of 0 to 2^{31} -1.

(1) **NAME**

M__AOCGraphic-Find Area of Coverage Graphic

(a) SYNOPSIS

```
result = M__AOCGraphic(lat, lng, frame)

int          result;        0 = No graphic
                            1 = Graphic and point is

                            on graphic
                            2 = Graphic and point is not

                            on graphic

long         lat;           Desired latitude
long         lng;           Desired longitude
ushort       *frame;        Frame number of AOC graphic
```

(b) DESCRIPTION

This function determines whether there is an Area of Coverage (AOC) graphic whose smallest scale is larger than the current map scale. If there is an AOC graphic, then the graphic is selected. If the desired point appears on the graphic, then the frame returned is the frame for the smallest field of view on which the point appears. If the point is not on the graphic, then the largest field of view for the graphic is selected.

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:49Z
Check the source to verify that this is the current version before use.