INCH-POUND
MIL-C-47175A (MI)
AMENDMENT 2
02 September 1999

MILITARY SPECIFICATION

COMPOUND, POLYURETHANE, FOR CONFORMAL COATING OF ELECTRONIC CIRCUITRY

This amendment forms a part of MIL-C-47175A, dated 10 November 1980, and is approved for use by the Aviation and Missile Command (AMCOM), Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense. MIL-C-47175A remains inactive for new design, and is no longer used, except for replacement purposes, per Notice 2, dated 18 April 1996.

Page 2, paragraph 2.1: Under Issues of documents:

Delete: "QQ-S-571 Solder, Tin Alloy, Lead-Tin Alloy and Lead Alloy"

Delete: "MIL-F-14256 Flux, Soldering, Liquid (Rosin Base)"

Delete: "MIL-P-18177 Plastic Sheet, Laminated, Thermosetting,, Glass Fiber Base, Epoxy Resin"

Delete: "MIL-STD-105 Sampling Procedures and Tables for Inspection by Attributes"

Page 2, after specifications Military:

Add: "MIL-I-24768/2 Insulation, Plastic, Laminated, Thermosetting, Glass-Cloth, Epoxy-Resin (GEE)"

Add: "MIL-I-24768/3 Insulation, Plastic, Laminated, Thermosetting, Glass-Cloth, Epoxy-Resin (GEB)"

AMSC N/A FSC 9330
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:56Z
Check the source to verify that this is the current version before use.

Page 3, after specifications American Society for Testing and Materials:

Delete: "(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia 19103)"

Replace with: "(Applications for copies should be addressed to the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959)"

Page 3, after the ASTM address, and before the last paragraph of 2.2:

Add: "American National Standards Institute

ANSI J-STD-004	Requirements for Soldering Fluxes
ANSI J-STD-005	Requirements for Soldering Pastes
ANSI J-STD-006	Requirements for Electronic Grade Solder Alloys and Fluxed and Non-Fluxed Solid Solders for Electronic Soldering Applications
ANSI/ASQC Z1.4-1993	Sampling Procedures and Tables for Inspection by Attributes.

(Applications for copies should be addressed to the Institute for interconnecting and Packaging Electronic Circuits (IPC), 7380 N. Lincoln Avenue, Lincolnwood, IL 60646.)"

Page 6, Paragraph 4.3.2, end of 1st sentence:

Delete: "MIL-STD-105"

Replace with: "ANSI/ASQC Z1.4-1993"

Page 7, Paragraph 4.5.3, subparagraph a.:

Delete: "MIL-P-18177"

Replace with: "MIL-I-24768/2 or MIL-I-24768/3"

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:56Z
Check the source to verify that this is the current version before use.

Page 7, Paragraph 4.5.3, subparagraph b.:

Delete: "MIL-F-14256"

Replace with: "ANSI J-STD-004, ANSI J-STD-005, or ANSI J-STD-006"

Page 7, Paragraph 4.5.3, subparagraph b.:

Delete: "QQ-S-571"

Replace with: "ANSI J-STD-004, ANSI J-STD-005, or ANSI J-STD-006"

Custodian
Army – MI

Review Activities:
DLA – GS

Preparing Activity
Army – MI

Project Number:
9330-0097

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:56Z
Check the source to verify that this is the current version before use.