MIL-I-47203(MI)
12 July 1974
SUPERSEDING
MIS-18134
24 October 1967

MILITARY SPECIFICATION

INSULATION SLEEVING, ELECTRICAL, BRAIDED

This specification is approved for use by all departments and agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for a braided nylon electrical insulation material.

2. APPLICABLE DOCUMENTS

2.1 Government documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of the specification to the extent specified herein.

SPECIFICATIONS

Military

MIL-C-572	Cords, Yarns and Monofilaments - Organic Synthetic Fiber
MIL-P-14232	Parts, Equipment, and Tools for Army Material, Packaging and Packing of.

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-130	Identification Marking of U.S. Government Property

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:59Z
Check the source to verify that this is the current version before use.

obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids shall apply.

Uniform Classification Committee

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, 202 Union Station, 516 West Jackson Boulevard, Chicago, Illinois, 60605.)

National Motor Freight Traffic Associations, Inc.

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Association, Inc., 1616 P Street N.W., Washington, D.C. 20036.)

Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.

3. REQUIREMENTS

3.1 Preproduction sample. Unless otherwise specified (see 6.2), the preproduction sample shall meet all requirements of this specification.

3.2 Design and construction.

3.2.1 Material. The sleeving shall be braided from two-ply yarn conforming with the requirements of MIL-C-572, Type P, Form Y.

3.2.2 Color. The color of the sleeving shall be black.

3.2.3 The two-ply yarn shall be 840 denier.

3.2.4 Picks. The number of picks per inch shall be as specified by the slash number.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:59Z
Check the source to verify that this is the current version before use.

3.3 Identification and marking. The sleeving material shall be identified as MIL-I-47203 and marked in accordance with MIL-STD-130.

3.4 Workmanship. Workmanship shall be such as to enable the cable to meet all applicable requirements of this specification, when inspected in accordance with Section 4.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Classification of tests. Inspection and testing of the gasket material shall be classified as follows:

a. Preproduction inspection tests.

b. Quality conformance tests.

4.1.1 Preproduction inspection tests. Preproduction inspection tests shall be performed only on the preproduction sample and shall consist of all the examinations and tests specified herein.

4.2.2 Quality conformance tests. Quality conformance tests for acceptance of the gasket material shall be as specified below.

4.2.2.1 Sampling. Sampling shall be in accordance with MIL-STD-105.

4.3 Test methods.

4.3.1 Test procedures.

4.3.1.1 Picks per inch. The number of picks per inch shall be counted.

5. PREPARATION FOR DELIVERY

5.1 Preservation, Packaging, Packing and Marking. Unless otherwise specified in contract or purchase order preservation, packaging, packing and marking requirements for specified levels of protection shall be in accordance with MIL-P-14232, Uniform Freight Classification Rules, and National Motor Freight Rules.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:59Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. This material is intended for use as sleeving for electrical wire and cable.

6.2 Ordering data. Procurement documents should specify the following:

a. Title, number, and date of this specification.

b. Whether a preproduction sample is required and, if so, pertinent details.

6.3 Definitions. The different sizes of sleeving shall be coded by the following slash numbers.

Nominal Diameter Inches	Ends	Carrier	Picks per Inch	
1/8	1	24	30	MIL-I-47203-1
3/16	1	32	20	MIL-I-47203-2
1/4	1	44	24	MIL-I-47203-3
5/16	1	44	21	MIL-I-47203-4
3/8	1	48	20	MIL-I-47203-5
1/2	1	64	18	MIL-I-47203-6
5/8	2	64	14	MIL-I-47203-7
3/4	2	64	12	MIL-I-47203-8
7/8	3	64	11	MIL-I-47203-9
1	3	72	10	MIL-I-47203-10
1 1/8	3	72	9	MIL-I-47203-11
1 1/4	3	72	9	MIL-I-47203-12
1 3/8	4	72	8	MIL-I-47203-13
1 1/2	4	72	8	MIL-I-47203-14
1 3/4	4	72	7	MIL-I-47203-15
2	5	72	6	MIL-I-47203-16
2 1/2	6	72	4	MIL-I-47203-17

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:59Z
Check the source to verify that this is the current version before use.

6.4 Supersession data. This specification includes the requirements of Missile Interim Specification MIS-18134, dated, 24 October 1967.

Custodian:
ARMY-MI

Preparing Activity:
ARMY - MI
Project No. 5970-A472

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:59Z
Check the source to verify that this is the current version before use.