INCH-POUND

A-A-52120
December 31, 1992

COMMERCIAL ITEM DESCRIPTION

SPECTACLES SET, BALLISTICS PROTECTIVE

The General Services Administration has authorized the use of this commercial item description.

Abstract. This commercial item description covers an impact resistant, eye protection system consisting of a case containing one black plastic frame with two detachable polycarbonate one-piece lenses (one clear and one gray), each with a soft detachable nasal piece and two sets of detachable temples (one cable style and one spatula style). The spectacles come in two sizes and are for wear by military personnel to protect their eyes from light, glare, and airborne projectiles.

1. CLASSIFICATION

1.1 Classification. The spectacles shall be of the following sizes as specified (see 5.1). The size designation applies only to the temples/brow bars and the lenses. All other parts of the system are identical in dimensions.

Size - Small
Size - Large

2. SALIENT CHARACTERISTICS

2.1 Description. The impact protective spectacles shall provide ballistic protection (see 2.2) and light attenuation (gray lens only see 2.3). Since comparability with existing individual equipment is essential to the effectiveness of the spectacles, the configuration must be identical or equal to the UVEX Safety Incorporate Spec Vo Eye Armor System, small and large

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: Commander, US Army Natick Research, Development and Engineering Center, ATTN: SATNC-IRS, Natick, MA 01760-5019 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8465

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:06Z
Check the source to verify that this is the current version before use.

sizes. The lenses shall be one piece including integral side shields for lateral protection. The brow bar shall provide secure retention of the lens via a three point snap in mounting system. It shall provide cushioning through an integral flexible web on the surface of the brow facing the wearer. Cable temples shall be provided with elastomeric covering for wearer comfort. The configuration of the carrying case is also critical for mission success and must be identical or equal to the UVEX Safety incorporate Specs Vo Eye Armor Case. The spectacles provide adjustment using pliable nasal pieces with metal insert to hold adjustment, telescoping adjustment of 15 mm temples pieces, and a ratchet hinge at the temple/brow bar connection for angular adjustment of the lens.

2.1.1 Color. The frame shall be black, nasal shall be clear or black and the lens shall be clear or gray. The entire gray lens must be neutral gray in color.

2.1.2 Material. The clear and gray lens shall be fabricated entirely from polycarbonate. The frame and the carrying case shall be fabricated from super tough nylon.

2.2 Ballistic Protection. The ballistic resistance of the spectacles with each lens shall be such that they will pass a Vo test using a 0.15 caliber, 5.8 Grain, T37 Fragment Simulating Projectile (FSP) at a velocity of 640 to 660 feet per second when tested in accordance with the requirements of MIL-STD-662, Ballistic Test Acceptance Method for Personal Armor Material. The spectacles shall be mounted on a male headform in the as-worn position. The 0.002 inch thick aluminum foil witness sheet shall be mounted 2 inches behind the area of impact. The sample shall be hit once at normal incidence at a point centered vertically and at a horizontal distance of 32 mm from the centerline. The sample shall be considered a failure if the witness sheet is punctured or if the sample is cracked.

2.3 Photopic transmittance. The gray lens shall limit the photopic transmittance to 15 $\pm$ 3 percent.

2.4 Mechanical and optical performance. The lenses shall meet the mechanical and optical performance requirements contained in ANSI Z87.1-1989, Practice for Occupational and Educational Eye and Face Protection, and ANSI Z80.3-1986, Requirements for Non-Prescription Sunglasses and Fashion Eyewear.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may otherwise be provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:06Z
Check the source to verify that this is the current version before use.

3.2 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this CID are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recoverable materials in accordance with Public Law 94-580 to the maximum extent practicable.

4. PACKAGING

4.1 Overseas.

4.1.1 Packaging. Spectacles (with lens installed) shall be packaged in a plastic bag and heat sealed. Second pair of lens shall be packaged in a plastic bag and heat sealed. Spectacles, lens, temples, spatula, hook, care and use instructions shall be placed in case. The case shall be packaged in a paperboard box with dimensions of approximately 7-1/2 by 3-1/2 by 3-1/2 inches.

4.1.2 Packaging for replacement lens. Each lens shall be packaged in a plastic bag and heat sealed. Lens shall be packaged in a paperboard box with dimensions of approximately 6-1/4 by 3 by 2 inches.

4.1.3 Packing. Fifty spectacles sets or 100 lenses shall be packed in a fiberboard conforming to style RSC, grade 275 of PPP-B-636. The box shall be closed in accordance with appendix of PPP-B-636.

4.1.4 Palletization. Boxes shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Each prepared load shall be bonded with straps in accordance with bonding means C and D, or film bonding means F or G. Pallet pattern shall be in accordance with the appendix of MIL-STD-147.

4.1.5 Marking. Marking shall be in accordance with MIL-STD-129.

4.2 Domestic. Packaging, packing, palletization and marking shall be in accordance with ASTM D 3951.

5. NOTES


5.1 Ordering Data.

a. Title, number, and date of this document.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:06Z
Check the source to verify that this is the current version before use.

b. Spectacle size required (see 1.1).
c. When lenses are procured separately, specify size and color (see 4.1.2).
d. Selection of applicable packaging required (see 4.1).

5.2 Part identification number (PIN). The PIN's to be used for the impact protective spectacles required by this CID are created as follows:



5.3 Sources of documents.

5.3.1 Sources of nongovernment association documents.

ASTM D 3591 - Standard Practice for Commercial Packaging

The document is available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

ANSI Z87.1-1989 - Practice for Occupational and Educational Eye and Face Protection

ANSI Z80.3-1986 - Requirements for Non-Prescription Sunglasses and Fashion Eyewear.

Both documents are available from:

American National Standards Institute (ANSI)
1430 Broadway
New York, NY 10018

5.3.2 Sources of government documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:06Z
Check the source to verify that this is the current version before use.

5.4 Government unique requirements. Whenever "(Government unique requirements)" is included in the title of a paragraph under "salient characteristics" it is meant that the requirement is something that is not normally offered to the commercial marketplace by the manufacturer.

5.5 Possible sources of supply.

American Optical Corporation
Southbridge, MA 01550

GPT Glendale Protective Technologies, Inc.
Woodbury, L.I., NY 11797

UVEX Safety, Inc.
10 Thurber Boulevard
Smithfield, RI 02917

MILITARY INTERESTS:

Custodians

Army - GL
Navy - NU
Air Force - 11

Review activities

Army - MD
Navy - AS
Air Force - 82, 99
DLA - CT

User activity

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 8465-0099

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	A-A-52120	1992 December 31

3. DOCUMENT TITLE
SPECTACLES SET, BALLISTIC PROTECTIVE

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)	
U.S. Army Natick RD&E Center	(1) Commercial 508-651-4532	(2) AUTOVON/DSN 256-4532
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: SATNC-IRS Natick, MA 01760-5019	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 NATICK OP2, JUL 91 *Previous editions are obsolete.* 198/29

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:06Z
Check the source to verify that this is the current version before use.