INCH-POUND

A-A-52130
August 27, 1993

COMMERCIAL ITEM DESCRIPTION

SLOTTING TOOL, COMMUTATOR, HAND; AND

SLOTTER AND SCRAPER, COMMUTATOR, HAND

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-S-17709.

1. CLASSIFICATION

1.1 Scope. This commercial item description covers hand tools for use in slotting and scraping slots in commutators of electric motors and generators.

1.2 Classification. The slotting tools shall be in the following types as specified (see 5.2):

Type D - Slotting tool
Type E - Slotter and scraper tool

1.3 CID based part identification number (PIN). A document based PIN to identify type letters is included in section 5. This identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.

2. SALIENT CHARACTERISTICS

2.1 Design. The slotting tool and the slotter and scraper tool shall be the manufacturer's standard product design, except for any changes necessary to comply with this description.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5017, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 5110

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

2.2 Construction.

2.2.1 Type D. Slotting tools shall conform to figure 1 with an overall length of 10 inches ± 1 inch. The working end shall be a curved, 3 edge, single end draw cut type file made of a high grade steel, and hardened to a minimum of Rockwell C 60.




Figure 1. Slotting tool

2.2.2 Type E. Slotter and scraper tools shall conform to figure 2 with a minimum overall length of 6-1/4 inches. The slotter and scraper tools shall have an adjustable head permitting rotation of the removable cutting bit, contained therein, to any angle. The cutting bit, hardened within the range of Rockwell C 60 to C 63, shall be sharpened for "U" cutting on one end, and for "V" cutting on the other.




Figure 2. Slotter and scraper

2.3 Hardness. The slotting tool and the slotter and scraper tool shall be heat treated to attain the hardnesses specified, when tested per ASTM E 18.

2.4 Handles. The type D slotting tool and the type E slotter and scraper tool handles shall be made of wood, metal, or plastic and shaped to provide a good hand grip. Plastic handles, when furnished, shall be unbreakable under ordinary service conditions.

2.5 Marking for identification. The tools shall be permanently and legibly marked with the manufacturer's name or readily identifiable trademark in accordance with the manufacturer's standard commercial practice.

2.6 Finish. The tools shall be finished in accordance with the manufacturer's standard commercial practice.

2.7 Workmanship. The tools shall be free of rust, burrs, sharp edges (except cutting edges), bent or fractured components. Wood handles, when applicable, shall be free of splinters or knots.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerance specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

4. PACKAGING

4.1 Packaging, packing, and marking. The slotting tools and the slotter and scraper tools shall be packaged, packed, and marked in accordance with the domestic or overseas requirements of ASTM D 3951, as applicable (see 5.2).

5. NOTES

5.1 Intended use. Type D slotting tools are intended for light or intermittent undercutting of the mica insulation between commutator bars. Type E slotter and scraper tools are intended for cleaning commutator slots and for slightly beveling the copper edges.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Type of slotting tool required (see 1.2).
c. Type of packaging, packing, and marking requirements required (see 4.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

5.3 Sources of documents.

5.3.1 Sources of nongovernment association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging
ASTM E 18 - Rockwell Hardness and Rockwell Superficial Hardness of Metallic Materials

are available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

5.3.2 Sources of governmental documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.4 National Stock Numbers. National Stock Numbers applicable to this description are as follows:

5110-00-289-0531 - Type D
5110-00-245-9542 - Type E

5.5 Part identification number (PIN). The PIN's to be used for items required by this CID are created as follows:

A 52130 - D (Example of PIN: A52130-D)

- D — Type
- 52130 — CID number
- A — Designates a CID

MILITARY INTERESTS:

Custodian

Army - GL

Review Activity

Army - SM

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 5110-0331

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	A-A-52130	1993 August 27

3. DOCUMENT TITLE
SLOTTING TOOL, COMMUTATOR, HAND; AND SLOTTER AND SCRAPER, COMMUTATOR, HAND

4. NATURE OF CHANGE (*Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.*)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON/DSN
U.S. Army Natick RD&E Center	508-651-4531	256-4531
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: SATNC-UXT Natick, MA 01760-5017	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:07Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.