A-A-53840/1
10 May 1990

COMMERCIAL ITEM DESCRIPTION SHEET

HOOK, ADSON

The General Services Administration has authorized the use of this Commercial Item Description Sheet.

The complete requirements for procuring hooks shall consist of this document and the issue in effect of Commercial Item Description A-A-53840.

Salient characteristics:

Style, design and dimensions. This specification covers the following types of neurosurgical hooks:

Type 1- Blunt Point Brain Dissecting
Type 2- Sharp Point Dura
Type 3- Blunt Point Dura

The hooks shall be in accordance with Figure 1,2 or 3.

Notes:

a. Intended use: Neurosurgical hooks of the Adson design covered in this Commerical Item Description Sheet are intended for aiding in neurosurgical procedures on the brain.

b. Copies of Commercial Item Description A-A-53840 may be obtained by writing Standardization Documents Order Desk Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

c. National Stock Number and Item Identification

NSN	Item Indentification
6515-00-342-1400	HOOK, BRAIN DISSECTING, Blunt, Adson, Type 1
6515-00-342-2300	HOOK, DURA, Sharp, Adson, 8 inch, Type 2
6515-01-117-7158	HOOK, DURA, Blunt, Adson, 8 inch, Type 3

AMSC N/A FSC 6515
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:25Z
Check the source to verify that this is the current version before use.

A-A- 53840/1

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:


DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6515-4658


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:25Z
Check the source to verify that this is the current version before use.



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		
TOLERANCES ON		
FRACTIONS	DECIMALS	ANGLES
±	± .5 MM	±

FIGURE 1 HOOK, BRAIN DISSECTING, BLUNT, ADSON

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:25Z
Check the source to verify that this is the current version before use.



ALTERNATE HANDLE SECTIONS

GENERAL NOTES:


TOLERANCES INDICATED DELINEATE ACCEPTABLE EXTREME DIMENSIONS, AND ARE NOT INTENDED TO PERMIT VARIATIONS WITHIN A SINGLE INSTRUMENT WHICH WILL SACRIFICE UNIFORMITY, SYMMETRY AND FIRST QUALITY WORKMANSHIP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		
TOLERANCES ON		
FRACTIONS	DECIMALS	ANGLES
±	±.5MM	±

A-A-53481O/1

FIGURE 2. HOOK, DURA, ADSON, SHARP POINT

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:25Z
Check the source to verify that this is the current version before use.



ALTERNATE HANDLE SECTIONS

GENERAL NOTES:

TOLERANCES INDICATED DELINEATE ACCEPTABLE EXTREME DIMENSIONS, AND ARE NOT INTENDED TO PERMIT VARIATIONS WITHIN A SINGLE INSTRUMENT WHICH WILL SACRIFICE UNIFORMITY, SYMMETRY AND FIRST QUALITY WORKMANSHIP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		
TOLERANCES ON		
FRACTIONS	DECIMALS	ANGLES
±	±.5MM	±

FIGURE 3 HOOK, DURA, ADSON, BLUNT POINT

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:25Z
Check the source to verify that this is the current version before use.