INCH-POUND

A-A-52196
January 31, 1995

COMMERCIAL ITEM DESCRIPTION

RACK, MOBILE (FOR ROLL-THRU REFRIGERATORS AND ROLL-THRU FOOD WARMERS)

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-R-43399 for all federal agencies.

1. SCOPE

1.1 Scope. **This commercial item description covers one type of mobile metal rack used to hold various types of sheet pans and steam table pans (see 5.1).**

2. SALIENT CHARACTERISTICS

2.1 Design and construction. **All components of the mobile rack, except the casters and hardware, shall be fabricated of aluminum alloy. The rack shall be constructed to accommodate 15 pan openings, each with a pair of pan slides or runners. The lower 4 pair of pan slides shall be spaced 4-1/2 inches apart, and the remaining 11 pair of pan slides shall be spaced 3 inches apart. The pan slides may be adjustable. The rack shall be as shown in Figure 1.**

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: Commander, U.S. Army Natick Research, Development and Engineering Center, ATTN: SATNC-WEF, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 7320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

2.2 Rack dimensions. The maximum overall height of the rack, including casters, shall be 64-1/2 inches. The maximum width of the rack shall be 24-1/4 inches, and the maximum depth of the rack shall be 26-1/2 inches. These dimensions shall exclude the perimeter bumper thickness.

2.3 Hardware. All hardware shall be metal and of the corrosion-resistant type.

2.4 Casters. The rack shall be equipped with four heavy-duty, minimum 5-inch diameter, swivel type casters, rubber or plastic tires, with a minimum tread width of 1-1/4 inches. Two of the casters diagonally opposite each other, shall be equipped with a foot brake.

2.5 Bumpers. The base of the mobile rack (frame) shall be provided with a metal reinforced wraparound rubber or plastic perimeter bumper, having a nominal thickness of 1 inch. The bumper may be segmented or continuous.

2.6 Stability. The mobile rack shall be rigid and non flexible when fully loaded for use. Stabilizing rods or brackets may be provided as per the manufacturer's standard assembly method.

2.7 Standard compliance. The mobile rack assembly shall comply with the requirements of NSF International Standard No. 2.

2.8 Data nameplate. The mobile rack assembly shall be furnished with a data nameplate of the permanent stick-on type, or a metal name plate riveted or soldered in place with the following information:

National Stock Number
Procurement Contract Number
CID No. and Item Name
Manufacturer's Name, Address, and Telephone Number
Supplier's Name, Address, and Telephone Number (list only if different from Manufacturer)
Manufacturer's Model Number

The data nameplate shall be placed on one of the mobile rack frame members so that it is readily visible to the user.

2.9 Workmanship. The finished mobile rack shall be the complete standard product as normally provided to the commercial marketplace.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

3. REGULATORY REQUIREMENTS

3.1 Contractor recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace, or is the same product that has successfully been delivered to the Government on a previous contract or purchase order. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of ASTM E380, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

4.3 NSF International standard compliance. Prior to approval of the first shipment, the contractor shall submit satisfactory evidence to the contracting officer or his authorized representative that the mobile racks conform to the applicable requirements of NSF International Standard No. 2. Acceptable evidence of meeting the requirements of NSF International Standard No. 2 shall be a listing in the current edition of the NSF International "Listing of Food Service Equipment" and display of the NSF International mark on the finished rack, or a certified test report from a recognized independent testing laboratory acceptable to the medical department of the service for which the rack is being procured, indicating that the rack has been tested and conforms to the applicable NSF International requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging and packing and marking. Packaging, packing and marking shall be in accordance with the requirements of ASTM D 3951, unless otherwise specified in the contract or purchase order.

6. NOTES

6.1 Intended use. The mobile rack is intended for use in storing foods on steam table pans or sheet pans in refrigerators or warmer cabinets.

NOTE: The mobile rack shall accommodate any of the pans in the sizes (in inches), as listed below:

a. Fifteen sheet pans - 18 wide X 26 long X 1 deep.

b. Thirty steam table pans - 12 wide X 20 long X 2-1/2 deep.

c. Eight steam table pans - 12 wide X 20 long X 4 deep.
and
Eleven sheet pans - 18 wide X 26 long X 1 deep.

d. Eight steam table pans - 12 wide X 20 long X 4 deep.
and
Twenty-two steam table pans - 12 wide X 20 long X 2-1/2 deep.

6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number and date of this document.

6.3 Sources for documents.

6.3.1 Sources for non-Government association documents.

ASTM

D 3951 - Standard Practice for Commercial Packaging
E 380 - Use of the International System of Units (SI) (The Modernized Metric System)

ASTM documents are available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

NSF International Standard No. 2 - Food Service Equipment, is available from:

NSF International
3475 Plymouth Road
Ann Arbor, MI 48105

6.4 Sources of supply. Manufacturers whose products are known to meet the CID requirements are as listed below. However, competition is not limited to these companies:

Crescent Metal Products
12711 Taft Avenue
Cleveland, OH 44108-1683

Keyser Stainless Corp.
Waxler Road
P.O. Box 445
Keyser, WV 26726

Servolift/Eastern
266 Hancock Street
Dorchester, MA 02122

Amco Corporation
901 N. Kilpatrick Avenue
Chicago, IL 60651

Vollrath Company, Inc.
Food Service Division
1236 N. 18th Street
Sheboygan, WI 53082-0611

Kolpak, Div. of the Shannon Group, Inc.
715 St. Croix Street
P.O. Box 137
River Falls, WI 54022

Franklin Products Corp.
320 Dividend Drive
Peachtree City, 30269

Traulson
114-02 15th Avenue
College Point, NY 11356

Metal Masters
655 Glenwood Avenue
Smyrna, DE 19977

MILITARY INTERESTS:

Custodians

Army - GL
Navy - YD-1
Air Force - 99

Review Activities

Army - MD, QM-1
Navy - MC, SA
Air Force - 35, 84
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 7320-0868

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.




FIGURE 1. RACK, MOBILE

(FOR ROLL-THRU REFRIGERATORS AND ROLL-THRU FOOD WARMERS)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.

   The submitter of this form must complete blocks 4, 5, 6, and 7.

3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	A-A-52196	95-01-31

3. DOCUMENT TITLE: Rack, Mobile (For Roll-Thru Refrigerators and Roll-Thru Food Warmers)

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)	
U.S. Army Natick RD&E Center	(1) Commercial 508-651-5175	(2) AUTOVON/DSN 256-5175
ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: SATNC-WEF Natick, MA 01760-5018	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.