INCH-POUND

OO-S-256/11B
May 25, 1993
SUPERSEDING
OO-S-256/11A
November 16, 1978

FEDERAL SPECIFICATION SHEET

SEWING MACHINES, INDUSTRIAL;

BLIND STITCH, MACHINES

This specification sheet is approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal Agencies.

The complete requirements for procuring the sewing machines described herein shall consist of this document and the latest issue in effect of Specification OO-S-256/GEN.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the specific requirements for an industrial type blind stitch sewing machine.

1.2 Classification. The sewing machines shall be of the following stitch types and classes, as specified (see 6.2).

Stitch type 306 (blind, lock stitch)

Class 1 - Low speed (straight and overcasting stitching)

Stitch type 103 (blind, chain stitch)

Class 1 - High speed

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5017 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 3530

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:59Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

This section does not apply to this specification.

3. REQUIREMENTS

3.1 Class 1, stitch type 306. The machine shall be provided with a knee lifter. The machine shall operate up to at least 1,500 stitches per minute with 6 to 10 stitches per inch. The machine shall have a style "J" feed mechanism. The machine bed shall be a cylinder type with a removable work support plate. The machine shall be nonsubmerged and the machine shall be nonautomatically lubricated.

3.2 Class 1, stitch type 103. The machine shall be provided with a knee lifter. The machine shall operate up to at least 2,400 stitches per minute with 5 to 8 stitches per inch. The machine shall have a style "J" feed mechanism. The machine bed shall be a cylinder type with a removable work support plate. The machine shall be nonsubmerged and the machine shall be nonautomatically lubricated.

4. QUALITY ASSURANCE PROVISIONS

This section does not apply to this specification.

5. PREPARATION FOR DELIVERY

This section does not apply to this specification.

6. NOTES

6.1 Intended use. Stitch type 306 machines shall be capable of producing straight and overcasting stitches under collars, and bottom of coats. Stitch type 103 machines shall be suitable for blindstitching collars, lapels, facing of coats and overcoats, and bottom of trousers.

6.2 Ordering data. In addition to the ordering data of 6.2 of the general specification, the purchaser should include the following information:

a. Title, number and date of this specification sheet.
b. Stitch type and class of machine required (see 1.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:59Z
Check the source to verify that this is the current version before use.

Custodians

Army - GL
Air Force - 99

Review Activities

Air Force - 84
DLA - GS

User Activities

Navy - SA, MC

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA-FSS
VA-OSS

PREPARING ACTIVITY:

Army - GL

(Project 3530-0096)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:59Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	00-S-256/11B	1993 May 25

3. DOCUMENT TITLE

SEWING MACHINES, INDUSTRIAL; BLIND STITCH, MACHINES

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)
	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON/DSN
U.S. Army Natick RD&E Center	508-651-4531	256-4531
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: SATNC-UXT Natick, MA 01760-5017	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:59Z
Check the source to verify that this is the current version before use.