OO-V-185F
INTERIM AMENDMENT-2 (Army-GL)
March 1, 1988
SUPERSEDING
INTERIM AMENDMENT-1 (Army-GL)
June 5, 1986

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

VEGETABLE PEELING MACHINE, ELECTRIC

This interim amendment was developed by the U.S. Army Natick Research, Development and Engineering Center (GL), Natick, MA 01760-5014, based upon currently available technical information. The General Services Administration has authorized this interim amendment as part of OO-V-185F (Army-GL), dated June 14, 1983.

PAGE 3

2.1, under "Military Standards": Delete "MIL-STD-1188" and its title.

* 2.1, under "Military Standards": add the following:

"MIL-STD-167/1 - Mechanical Vibration of Shipboard Equipment (Type I - Environmental and Type II - Internally Excited).

MIL-STD-1472 - Human Engineering Design Criteria for Military Systems, Equipment and Facilities."

2.2, under "American Society for Testing and Materials (ASTM)": Add "D-3951 - Standard Practice for Commercial Packaging".

PAGE 6

3.4.1.b, line 1, after "carbide": Add "or silica quartz".

3.4.1, lines 12 and 14, after "carbide": Add ", silica quartz".

3.4.2, line 4, after "carbide": Add ", silica quartz".

3.4.2.b, after "carbide": Add "or silica quartz".

AMSC N/A FSC 7320

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:58Z
Check the source to verify that this is the current version before use.

PAGE 9

* 3.4.13, after last sentence: Add "When specified for shipboard use, requirements and test limits of class A4 for surface ships and class A5 for submarines of MIL-STD-461 apply. Shipboard equipment shall meet the emission and susceptibility requirements for CE01, CE03 and RE02."

* Add the following new paragraphs:

"3.4.15 Human factors criteria. Human factors engineering criteria, principles, and practices, as defined in MIL-STD-1472, shall be incorporated into the design of the vegetable peeling machine. Maintenance and operation tasks shall permit safe and efficient performance by the 5th percentile female to the 95th percentile male as defined in MIL-STD-1472. Particular attention shall be given to the machine such that the hands of the 5th percentile female shall not inadvertently come in contact with any moving mechanisms. Controls and switches shall be selected and integrated into the design of the machine so as to meet the applicable requirements of MIL-STD-1472. Sufficient clearance or free area required around an item shall permit an individual with applicable 5th to 95th percentile body dimensions and physical capabilities to safely operate, maintain, remove, or replace that item. When establishing accessibility requirements, both physical and visual access must be provided along with access for the use of any tools, test equipment, or replacement parts needed. When inspecting for defects and performing tests, the equipment shall adhere to the human factors engineering considerations listed herein.

* "3.4.16 Inclined operation. When specified for shipboard use, the vegetable peeling machine shall operate satisfactorily when inclined at an angle of 15 degrees each side of the vertical in each of two vertical planes at right angles to each other, with no spillage of fluid or product when tested as specified in 4.4.6.

* 3.4.17 Environmental suitability. When specified for shipboard use (see 6.2), the vegetable peeling machine shall be capable of withstanding ship's vibration and motion. Controls, switches, moving parts and electrical circuits shall operate under shipboard conditions without malfunction, binding, excessive looseness, or damage when tested as specified in 4.4.7."

PAGE 11

Add the following:

"4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this document shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirement in the document shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:58Z
Check the source to verify that this is the current version before use.

PAGE 11 (cont'd)

contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

PAGE 13

* 4.2.6, line 3, after "Method": Add "CE01,".

PAGE 15

* Add the following paragraphs:

* "4.4.6 Inclined operational test. Position the vegetable peeling machine with the base set at an angle of 15 degrees, then operate the machine for 30 seconds at each side of the vertical in each of two vertical planes at right angles to each other. At each of these positions observe for conformance with specified requirements (see 3.4.16). For the test, the vegetable peeling machine shall be loaded with potatoes until 3/4-full.

* 4.4.7 Shipboard environmental test. The vegetable peeling machine under normal operating conditions, shall be tested in accordance with MIL-STD-167/1, type I equipment. The vegetable peeling machine shall be secured to the test machine in the same manner that it will be secured on shipboard. Failure of the vegetable peeling machine to perform its function during and after testing, or meeting requirements of 3.4.17 shall constitute failure of this test. For the test the machine shall be loaded with potatoes until 3/4-full."

PAGE 16

5.1.2, line 2: Delete MIL-STD-1188" and substitute "ASTM D 3951".

PAGE 17

5.2.3, line 2: Delete "MIL-STD-1188" and substitute "ASTM D 3951".

PAGE 18

5.3.1 and 5.3.2, line 3: Delete "MIL-STD-1188" and substitute "ASTM D 3951".

* 6.2: Add the following:

* "(m) When the vegetable peeling machine is for shipboard use (see 3.4.16 and 3.4.17)."

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:58Z
Check the source to verify that this is the currentversion before use.

Add the following new paragraph:

* "6.3.1 Technical manuals. The requirement for technical manuals should be considered when this document is cited in a contract. If technical manuals are required, a contract exhibit must be prepared to fully describe statement of work criteria and delivery instructions, and cite the applicable technical manual requirements. The technical manuals must be acquired by separate Contract Line Item Number (CLIN) in the contract."

"The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment."

MILITARY INTERESTS:

Custodians

Army - GL
Navy - YD
Air Force - 99

Review Activities

Army - CE, MD
Navy - MC, SH
Air Force - 84
DLA - GS

User Activity

Navy - SA

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS
HHS - HSM
VA - OSS

PREPARING ACTIVITY:

Army - GL

Project No. 7320-A838

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:58Z
Check the source to verify that this is the current version before use.