INCH-POUND

MIL-G-63445 (AR)
AMENDMENT 4
16 FEBRUARY 1990
SUPERSEDING
AMENDMENT 3
28 DECEMBER 1984

MILITARY SPECIFICATION

GRENADE, GENERAL PURPOSE, PRACTICE, M75

This Amendment forms a part of Military Specification MIL-G-63445 (AR), dated 2 August 1982, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1.1, Under "SPECIFICATIONS" add:

"MIL-D-70430 Decelerator, Ram Air Parts and Container Assembly"

PAGE 2

2.1.2, Add:

"INSPECTION EQUIPMENT DRAWINGS

9362755 Detonator, Electric, PA526 (XM70)
9345168 Fuze, General Purpose Grenade, M231 (Practice)"

* 3.2, Delete in its entirety and substitute:

"3.2 Components and assemblies. The components and assemblies shall comply with all the requirements specified on drawings 9334151, 9386964 and associated drawings and with all requirements specified in applicable specifications and standards."

3.3, Add "and MIL-D-70430."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

PAGE 4

* 4.3.1, Add the following:

"Cone, Plastic	9386963	10
Submunition Body, Dummy (Powdered Metal)	9386964	15
Submunition Body Assembly, Dummy (No. 4 S/M)	9386965	10
Tolerance Pad Assembly	9390414	10"
Submunition Body, Dummy (Powdered Metal No. 5-9 S/M)	12598684	15

PAGE 5

* TABLE I: Add the following:

"Cone, Plastic (Dwg. 9386963) Examination for defects	10	3.2	4.4.2.4
Submunition Body, Dummy (Powdered Metal) (Dwg. 9386964) Examination for defects	15	3.2	4.4.2.5
Submunition Body Assembly, Dummy (No. 4 S/M) (Dwg. 9386965) Examination for defects	10	3.2	4.4.2.6
Tolerance Pad Assembly (Dwg. 9390414) Examination for defects	10	3.2	4.4.2.8
Submunition Body, Dummy (Powdered Metal No. 5-9 S/M) (Dwg. 12598684) Examination for defects	15	3.2	4.4.2.9"

PAGE 9

4.4.2.3, Critical 1: Delete "Arming" and substitute "shear";

Add "(before and after staking)".

Major 102: Delete "0.65%" and substitute "0.40%"

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

Add Majors 103 and 104:

"103	Safety collar missing or loose or improperly positioned	0.40%	3.2	Visual
104	Fuze surface adjacent to staking area above top of body assembly	0.40%	3.2	Visual"

* Add the following paragraphs:

4.4.2.4 included as (9a).
4.4.2.5 included as (9b).
4.4.2.6 included as (9c).
4.4.2.7 included as (9d).
4.4.2.8 included as (9e).
4.4.2.9 included as (9f).

PAGE 10

* Add "4.5.4 Density. The density shall be determined using the comparative weight method (weight in air - weight in distilled water). Compensating factors for air and water temperature shall be used in computing the density."

PAGE 11

6.3, Delete "US Army Armament Research and Development Command, ATTN: DRDAR-QAF-I" and substitute "Armament Research, Development and Engineering Center, US Army Armament, Munitions and Chemical Command, ATTN: AMSMC-QAF-I(D)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.4	Cone, Plastic	of 1	9386963
			NEXT HIGHER ASSEMBLY: 9386965

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major	None defined.				
Minor					
201	Outside diameter		0.65%	3.2	Gage
202	Height		0.65%	3.2	Gage
203	Evidence of poor workmanship		0.65%	3.8	Visual

NOTES:

Source: https://assist.dla.mil/quicksearch/MIL-G-63445A(AR)_AMENDMENT-4_20021231
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.5	Submunition Body, Dummy (Powdered Metal)	1 OF 1	9386964
			NEXT HIGHER ASSEMBLY: 9386965

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major					
101	Largest outside diameter		0.40%	3.2	Gage
102	Staking height		0.40%	3.2	Gage
Minor					
201	Largest inside diameter		0.65%	3.2	Gage
202	Second largest inside diameter		0.65%	3.2	Gage
203	Smallest outside diameter		0.65%	3.2	Gage
204	Hardness		0.65%	3.2	Gage
205	Density		0.65%	3.2	4.5.4
206	Evidence of poor workmanship		0.65%	3.8	Visual

NOTES:

5 (96)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-G-63445 (AR)
AMENDMENT 4

PARAGRAPH	TITLE	SHEET OF	DRAWING NUMBER
4.4.2.7	Cover, Plastic	1	9386966
			NEXT HIGHER ASSEMBLY: 9386967

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major	None defined.				
Minor					
201	Thickness		0.65%	3.2	Gage
202	Evidence of poor workmanship		0.65%	3.8	Visual

NOTES:

Source: https://assist.dla.mil - Downloaded: 2026-Feb-13 16:05:32
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.9	Submunition Body, Dummy (Powdered Metal No. 5-9 S/M)	1 OF 1	12598684
			NEXT HIGHER ASSEMBLY: N/A

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major					
101	Largest outside diameter		0.40%	3.2	Gage
102	Stacking height		0.40%	3.2	Gage
Minor					
201	Largest inside diameter		0.65%	3.2	Gage
202	Smallest outside diameter		0.65%	3.2	Gage
203	Hardness		0.65%	3.2	Gage
204	Density		0.65%	3.2	4.5.4
205	Evidence of poor workmanship		0.65%	3.8	Visual

COVER:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-G-63445 (AR)
AMENDMENT 4

PARAGRAPH	TITLE		1. SHEET 1 OF		DRAWING NUMBER 9386965
4.4.2.6	Submunition Body Assembly, Dummy (No. 4 S/M)				NEXT HIGHER ASSEMBLY N/A
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major					
101	Plastic cone missing or improperly installed		0.40%	3.2	Visual
Minor					
201	Black band missing		100%	N/A	Visual
202	Evidence of poor workmanship		0.65%	3.8	Visual

NOTES:

(96) 9

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET OF	DRAWING NUMBER
4.4.2.8	Tolerence Pad Assembly	1	9390414
			NEXT HIGHER ASSEMBLY: N/A

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major					
101	Plastic cover missing or improperly installed		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		0.65%	3.8	Visual

NOTES:

8 (9e)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing Activity:
Army-AR

(Project 1340-A340)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.