# MILITARY SPECIFICATION

# HOLDER, BLASTING CAP, M8

This specification is approved for use by all Departments and Agencies of the Department of Defense.

## 1. SCOPE

1.1 This specification covers the part and packing for one type of Cap Holder designated as Holder, Blasting Cap, M8.

## 2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

FEDERAL

FED-STD-151 - Metals; Test Methods

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes (ABC-STD-105)

MIL-STD-1169 - Packaging, Packing and Marking for Shipment of Inert Ammunition Components

FSC: 1375

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

DRAWINGS

U.S. ARMY PICATINNY ARSENAL

8887302 - Holder, Blasting Cap, M8

(Copies of specifications, standards, and drawings required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer).

## 3. REQUIREMENTS

3.1 Material. - Materials and parts shall be in accordance with applicable drawings and specifications.

3.2 Cap Holder. - The blasting cap holder shall comply with all requirements specified on drawing (dwg.) 8887302 and with all requirements specified in applicable specifications.

3.3 Workmanship. - All parts shall be fabricated and finished in a thorough workmanlike manner, and all manufacturing and processing, operations shall be correctly performed. They shall be clean and free of burrs, sharp edges, unblended radii, surface defects, chips, dirt, grease and oil (except where specifically required), corrosion products and other foreign matter. The cleaning method used shall not be injurious to any part nor shall they be contaminated by the cleaning agent. Exterior surface coatings shall be continuous except for a few light scratches not exposing base material. All required markings shall be neat and sharply defined. Required packing shall be dry.

## 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions. - Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of inspection. - Quality Conformance Inspection shall be conducted on this item.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

4.3 Quality conformance inspection.

4.3.1 Inspection lot formation. - Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.3.2 Examination. - (See MIL-A-48078). Unless otherwise specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II. Equipment necessary for the performance of the inspections listed shall be in accordance with 4.3.4.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

## CLASSIFICATION OF DEFECTS & TESTS

| PARAGRAPH | TITLE | | SHEET 1 OF 1 | | DRAWING NUMBER |
|---|---|---|---|---|---|
| 4.3.2.1 | Holder, Blasting Cap, M8 | | | | 8887302 |
| | | | | | NEXT HIGHER ASSEMBLY |
| CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| Critical: | None defined | | | | |
| Major B: | | | | | |
| 131. | Small width of explosive charge opening | | 0.40% | 3.2 | Gage |
| 132. | Blasting cap retaining dimples missing or inadequate | | 0.40% | 3.2 | Visual |
| 133. | Raised nibs missing or deformed | | 0.40% | 3.2 | Visual |
| Minor: | | | | | |
| 201. | Width of clip opening, (max.) | | 0.65% | 3.2 | Gage |
| 202. | Length of blasting cap clip | | 0.65% | 3.2 | Gage |
| 203. | Diameter of blasting cap clip, (max) | | 0.65% | 3.2 | Gage |
| 204. | Overall width of explosive charge end | | 0.65% | 3.2 | Gage |
| 205. | Overall length of holder | | 0.65% | 3.2 | Gage |
| 206. | Evidence of poor workmanship | | 0.65% | 3.3 | Visual |

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

4.3.3 Testing

4.3.3.1 Hardness of M8 blasting cap holder (see Dwg. 8887302). Major B defect. - Twenty (20) blasting cap holders shall be selected from each heat treated batch for test. If any holder fails to comply with the applicable requirements, the heat treated batch represented by the sample shall be rejected. The test shall be performed as specified in 4.4.1 using equipment in accordance with 4.3.4. Samples complying with the requirement may be returned to the lot. (Non-destructive Test)

4.3.4 Inspection Equipment. - The inspection equipment required to perform the inspections and tests prescribed in this specification is identified in the 'Paragraph Reference/ Inspection Method' column in the tables starting with paragraph 4.3.2.1, and the test method paragraphs (see 4.4). The contractor shall submit for approval, inspection equipment designs in accordance with the terms for the contract. See Section 6 of MIL-A-48078 and Section 6.3 herein.

4.4 Test Methods and Procedures

4.4.1 Hardness of M8 blasting cap holder. - The blasting cap holder shall be tested for hardness as specified in Federal Standard No. 151, Method 243.

5. PREPARATION FOR DELIVERY

5.1 Preservation, packaging, packing and marking

5.1.1 Level A. - The blasting cap holders shall be packaged and packed and the unit, intermediate and exterior containers shall be marked in accordance with Level A of MIL-STD-1169.

5.1.2 Level C. - The blasting cap holders shall be packaged and packed and the unit, intermediate and exterior containers shall be marked in accordance with Level C of MIL-STD-1169.

6. NOTES



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

6.1 Intended Use. - The holder, blasting cap, M8 is intended for use in the detonation of the Charge, Demolition Roll, M186 and the Charge Demolition, M118.

6.2 Ordering Data. - Procurement documents shall specify the following:

a. Title, number and date of this specification.
b. Provisions of MIL-A-48078.

6.3 Submission of inspection equipment designs for approval. (See MIL-A-48078). - Submit equipment designs as required, to Commander: Picatinny Arsenal, ATTN: SARPA-QA-T Dover, New Jersey 07801.

6.4 Distribution of ammunition data cards. - Distribution of data cards shall include the following: Commander, Picatinny Arsenal, ATTN: SARPA-QA-A-M Dover, New Jersey 07801.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1375-A-114



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.