MIL-I-82431A(OS)
AMENDMENT 4
9 August 1984
SUPERSEDING
AMENDMENT 3
27 APRIL 1976

MILITARY SPECIFICATION

INSTRUMENTATION ASSEMBLY

(FOR EXERCISE HEAD MK 85 MOD 0, MOD 1, MOD 2, MOD 3, AND MOD 4)

This amendment forms a part of Military Specification MIL-I-82431A(OS), dated 25 September 1969, and is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

Wherever is appears in specification delete "Naval Ordnance Systems Command" and substitute "Naval Sea Systems Command"; also delete "NAVORD" and substitute "NAVSEA".

PAGE 1

Title: delete second line and substitute: "(For Exercise Head MK 85 Mod 0, Mod 1, Mod 2, Mod 3, and Mod 4)".

* Paragaraph 1.1 Scope: Delete "three types" and substitute "six types".

* Paragraph 1.2: Delete "and Type III" and substitute "Type III, Type IV, Type V and Type VI"; after item (c), add:

"(d) Type IV shall be in accordance with DL 2541696.
(e) Type V shall be in accordance with PL 5548731.
(f) Type VI shall be in accordance with PL 5548840."

PAGE 2

* Under "DRAWINGS", after DL 2539544, add:

"DL 2541696	Instrumentation Assembly, Fleet, and Documents listed thereon.
PL 5548731	Instrumentation Assembly, Fleet, and Documents Listed thereon.
PL 5548840	Instrumentation Assembly, Fleet, and Documents Listed thereon."

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer, Naval Ordnance Station, Standardization/Documentation Division (524), Indian Head, MD 20640 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 1355

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:06Z
Check the source to verify that this is the current version before use.

PAGE 3

* Paragraph 3.2.2, last line: Delete "or DL 2539544" and substitute "DL2539544, DL 2541696. PL 5548731 or PL 5548840."

* Paragraph 3.3.1 Inputs: Delete "and Type III" and substitute "Type III, Type IV, Type V and Type VI".

* Paragraph 3.3.1.1: Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI".

PAGE 4

* Paragraph 3.3.1.1 (a): Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI".

* Paragraph 3.3.1.2 Signal Inputs: Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI".

* Paragraph 3.3.1.2 (a): Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI".

PAGE 8

* Paragraph 3.3.1.2 (e): Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI"; delete "C.G. IN-NORM" and substitute "C.G. IN-46-0/1" and delete "C.G. IN-HATS" and substitute "C.G. IN-46-2".

* Paragraph 3.3.2 Outputs: Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI".

* Paragraph 3.3.2 (a): Delete "and Type III" and substitute "Type III, Type IV, Type V and Type VI".

PAGE 10

* Paragraph 3.3.3: Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI".

* Paragraph 3.3.3.3: Delete "and Type III" and substitute "Type III, Type IV, Type V, and Type VI".

Paragraph 3.3.3.3(a)(1): Delete "C.G. IN and NORM" and substitute "C.G. IN and 46-0/1".

PAGE 11

Paragraph 3.3.3.3(a)(2): Delete "C.G. IN and HATS" and substitute "C.G. IN and 46-2".

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:06Z
Check the source to verify that this is the current version before use.

PAGE 22

* Paragraph 4.7, after last sentence add: "Type IV, Type V, and Type VI instrumentation assemblies with turnaway circuits installed and Type VI with shallow depth lead weight ejection circuit installed will not be tested at this level, but are tested at the exercise head level in accordance with OP 3389, OP 4523, OD 48666 or ORDALT 10707 as appropriate."

PAGE 26

Paragraph 4.7.3.1: Under the "to" column delete "HATS" and substitute "46-2" and delete "NORM" and substitute "46-0/1".

PAGE 27

Paragraph 4.7.3.2.2. At end of paragraph add the following: "(297 to 363 ohms (See NOTE 8))".

Paragraph 4.7.3.3.1 and 4.7.3.3.2. At the end of paragraphs add the following: "(243 k to 297 k ohms (See NOTE 8))".

Paragraph 4.7.3.3.3. At the end of paragraph add the following: "(29.7 k to 36.3 k ohms (See NOTE 8))".

Paragraph 4.7.3.3.4. At the end of paragraph add the following: "(900 to 1100 ohms (See NOTE 8))".

Paragraph 4.7.3.3.5. At the end of paragraph add the following: "(2.43 k to 2.97 k ohms (See NOTE 8))".

At the bottom of page below text add the following footnote: "[8]NOTE: Limit applied during and after exposure to any environmental test as defined by 4.5.2".

PAGE 34

* Paragraph 4.7.4.1.1 and 4.7.4.2.1, last sentence: Delete "or DL 2539544" and substitute "DL 2539544, DL 2541696, PL 5548731, or PL 5548840.)".

PAGE 35

* Paragraph 4.7.5.2.1, first sentence: Delete "or DL 2539544" and substitute "DL 2539554, DL 2541696, PL 5548731, or PL 5548840".

PAGE 37

* Paragraph 6.1.1, line 2: Delete "or Type III" and substitute "Type III, Type IV, Type V, or Type VI";
line 4: Delete "Type II" and substitute "Type II, Type V and Type VI"; add the following sentence: "The Type IV, Type V, or Type VI configuration is used in Exercise Head Mark 85 Mod 3 or Mod 4 (Fleet)."

Source: https://assist.dla.mil -- Downloaded: 202640-23T07:06Z
Check the source to verify that this is the currentversion before use.

* Paragraph 6.1.2: Delete "cource gyroscope" and substitute "course gyroscope"; after last sentence add: "Type IV Instrumentation Assembly is the same as Type III, except that Type IV has a circuit that provides Turnaway capabilities. Type V instrumentation assembly is the same as Type IV, except that Type V has a modified Turnaway Circuit. Type VI instrumentation assembly is the same as Type V, except that Type VI has a shallow depth lead weight ejection circuit, A4804 installed."

APPENDIX, PAGE (1)

* Title, Delete "or DL 2539544 (Type III)" and substitute "DL 2539544 (Type III), DL 2541696 (Type IV), PL 5548731 (Type V), or PL 5548840 (Type VI)"; delete ("Mod 2)" and substitute "(Mod 2, Mod 3, or Mod 4)".

APPENDIX, PAGE (2)

* Title: Delete "or DL 2539544 (Type III)" and substitute "DL2539544 (Type III), DL 2541696 (Type IV), PL 5548731 (Type V) or PL 5548840 (Type VI)".

* Paragraph 10.1, after last sentence add: "Type IV, Type V, and Type VI instrumentation assemblies with turnaway circuits installed, and Type VI with shallow depth lead weight ejection circuit installed will not be tested at this level but are tested at the exercise head level in accordance with OP 3389, OP 4523, OD 48666 or ORDALT 10707 as appropriate."

APPENDIX, PAGE (5)

Paragraph 30.3.1: Under "To" column delete "HATS" and substitute "46-2" and delete "NORM" and substitute "46-0/1".

APPENDIX, PAGE (6)

Paragraph 30.3.2, in "Limits" column under "313 to 347 ohms". Add: "297 to 363 ohms (See NOTE 3)".

Paragraph 30.3.3.1, in "Limits" column under "256 k to 284 k ohms". Add: "243 k to 297 k ohms (See NOTE 3)".

Paragraph 30.3.3.2, in "Limits" column under "256 k to 284 k ohms". Add: "243 k to 297 k ohms (See NOTE 3)".

Paragraph 30.3.3.3, in "Limits" column under "31.3 k to 34.7 k ohms". Add: "29.7 k to 36.3 k ohms (See NOTE 3)".

Paragraph 30.3.3.4, in "Limits" column under "950 to 1050 ohms". Add: "900 to 1100 ohms (See NOTE 3)".

Paragraph 30.3.3.5, in "Limits" column under "2.56 k to 2.84 k ohms". Add: "2.43 k to 2.97 k ohms (See NOTE 3)".

Source: https://assist.dla.mil -- Downloaded: 202640-23T07:06Z
Check the source to verify that this is the current version before use.

At bottom of page, below text, add the following footnote: [3]NOTE: Limit applied during and after exposure to any environmental test as defined by 4.5.2."

* The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian
Navy - OS

Preparing Activity
Navy - OS

(Project 1355-N409)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:06Z
Check the source to verify that this is the current version before use.