NOT MEASUREMENT SENSITIVE


MIL-DTL-15665/105C(IH
11 March 2026
SUPERSEDING
MIL-DTL-15665/105B(IH)
8 March 2021

DETAIL SPECIFICATION SHEET

INSIGNIA, COLLAR, SENIOR ENLISTED ADVISOR TO THE CHAIRMAN OF THE JOINT CHIEFS OF STAFF

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-15665.



MATERIAL:
DISC: Red Brass 85/15 (UNS Alloy No. C- 230)
SHIELD AND EAGLE DEVICE: Red Brass 85/15 (UNS Alloy No. C-230) or Gilding Metal 95/5 (UNS Alloy No.C-210)

FINISH:
DISC: Epoxy resin, Nickel Plated 22K Gold Plated, Mirror-like Polished, and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 9.
SHIELD: Epoxy resin, Nickel Plated 22K Gold Plated, Mirror-like Polished, and shall match TIOH Metal Finish Chip Number 9.
EAGLE DEVICE: Epoxy resin, Nickel Plated 22K Gold Plated, Matte Finished, and shall match TIOH Metal Finish Chip Number 10.

AMSC N/A FSC 8455

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:04Z
Check the source to verify that this is the current version before use.

DIMENSION:
DISC:
DIAMETER: 1 inch (REF)
THICKNESS (At thickest point): 0.050 ± 0.005 inch
SHIELD:
WIDTH: 3/4 inch (REF)
THICKNESS: 0.080 ± 0.005 inch
EAGLE DEVICE:
WIDTH (Overall): 1/2 inch (REF)
THICKNESS: 0.057 ± 0.005 inch

NOTES:
1. The term (REF) refers to the measurements taken from the Government furnished hub or die.

2. Insignia shall consist of three parts: the disc, the shield, and the eagle device.

3. The eagle device shall be secured to the enameled shield with two rivets. The rivets shall be solid and shall be fabricated from any type brass. The rivets shall be located on the vertical center line of the device.

4. At the option of the manufacturer for commercial sale only, insignia may be finished as follows:
DISC: 24K Gold Plated, Mirror-like Polished, and shall match TIOH Metal Finish Chip No. 6
SHIELD: Epoxy resin, 22K Gold Plated, Mirror-like Polished, and shall match TIOH Metal Finished Chip Number 9
EAGLE DEVICE: Epoxy resin 24K Gold Plated, Matte Finished and shall match TIOH Metal Finished Chip Number 7

EPOXY: Epoxy resin (Stoning epoxy) shall be applied to the Insignia Grade as indicated above, and shall match TIOH Hard Enamel Color Chip Numbers listed below.

TIOH HARD ENAMEL COLOR CHIPS	
COLOR	**CHIP NUMBER**
Red	#1
Ultramarine Blue	#18
White	#28
Bluebird	#33

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:04Z
Check the source to verify that this is the current version before use.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:
Army - IH

Preparing activity:
Army – IH

Review activity:
DLA - CT

(Project No. 8455-2026-195)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:04Z
Check the source to verify that this is the current version before use.